ABALOPARATIDE

Products Affected

• TYMLOS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 MONTHS
Other Criteria	OSTEOPOROSIS: HAS NOT RECEIVED A TOTAL OF 24 MONTHS CUMULATIVE TREATMENT WITH ANY PARATHYROID HORMONE THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ABATACEPT IV

Products Affected

• ORENCIA INTRAVENOUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST.
Coverage Duration	RA, PJIA, PSA: INITIAL: 6 MOS, RENEWAL: 12 MOS. ACUTE GRAFT VERSUS HOST DISEASE (AGVHD): 1 MO.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA.
Indications	All FDA-approved Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No

ABATACEPT SQ

Products Affected

• ORENCIA CLICKJECT

ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA.

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ABEMACICLIB

Products Affected

• VERZENIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ABIRATERONE

Products Affected

• *abiraterone acetate*

• abirtega

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC HIGH-RISK CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC), METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ABIRATERONE SUBMICRONIZED

Products Affected

• YONSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ACALABRUTINIB

Products Affected

• CALQUENCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	PREVIOUSLY TREATED MANTLE CELL LYMPHOMA: INTOLERANCE TO BRUKINSA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ADAGRASIB

Products Affected

• KRAZATI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ADALIMUMAB

Products Affected • HUMIRA (2 PEN) SUBCUTANEOUS HUMIRA-PED>/=40KG CROHNS AUTO-INJECTOR KIT START • HUMIRA (2 SYRINGE) • HUMIRA-PED>/=40KG UC STARTER SUBCUTANEOUS PREFILLED SUBCUTANEOUS AUTO-INJECTOR SYRINGE KIT 10 MG/0.1ML, 20 KIT MG/0.2ML, 40 MG/0.4ML, 40 • HUMIRA-PS/UV/ADOL HS STARTER MG/0.8ML SUBCUTANEOUS AUTO-INJECTOR HUMIRA-CD/UC/HS STARTER KIT • SUBCUTANEOUS AUTO-INJECTOR • HUMIRA-PSORIASIS/UVEIT KIT STARTER SUBCUTANEOUS AUTO-HUMIRA-PED<40KG CROHNS **INJECTOR KIT** • STARTER

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
Age Restrictions	
Prescriber Restrictions	INITIAL: RA, PJIA, ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST OR RHEUMATOLOGIST. PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH GASTROENTEROLOGIST. UVEITIS: PRESCRIBED BY OR IN CONSULTATION WITH OPHTHALMOLOGIST
Coverage Duration	INITIAL: RA, PSO, PJIA, AS, PSA, CD, UC, UVEITIS: 6 MONTHS, HS: 12 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF

PA Criteria	Criteria Details
	PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): NO
	CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL
	MOLECULES FOR PSA. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) ONE OF THE FOLLOWING:
	(A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR
	INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO
	CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT
	USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. HS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR HS. UVEITIS: NO ISOLATED ANTERIOR
	UVEITIS. RENEWAL: RA, HS, UVEITIS: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL
	MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND
	2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO
	CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR

PA Criteria	Criteria Details
	TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ADALIMUMAB-AATY

Products Affected YUFLYMA (1 PEN) YUFLYMA-CD/UC/HS STARTER YUFLYMA (2 SYRINGE) PA Criteria **Criteria Details** Exclusion Criteria Required **INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3** Medical PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC Information LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA. **Age Restrictions** Prescriber INITIAL: RA, PJIA, ANKYLOSING SPONDYLITIS (AS): Restrictions PRESCRIBED BY OR IN CONSULTATION WITH RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST OR RHEUMATOLOGIST. PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH GASTROENTEROLOGIST. UVEITIS: PRESCRIBED BY OR IN CONSULTATION WITH OPHTHALMOLOGIST Coverage INITIAL: RA, PSO, PJIA, AS, PSA, CD, UC, UVEITIS: 6 MONTHS, Duration HS: 12 MONTHS. RENEWAL: 12 MONTHS. **Other Criteria** INITIAL: RHEUMATOID ARTHRITIS (RA): TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID AND 2) NO CONCURRENT

PA Criteria	Criteria Details
	USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. HS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR HS. UVEITIS: NO ISOLATED ANTERIOR UVEITIS. RENEWAL: RA, HS, UVEITIS: CONTINUES TO BENEFIT FROM MEDICATION, PJIA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ADALIMUMAB-ADBM

Products Affected

- CYLTEZO (2 PEN)
- CYLTEZO (2 SYRINGE)
- CYLTEZO-CD/UC/HS STARTER
- CYLTEZO-PSORIASIS/UV STARTER

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
Age Restrictions	
Prescriber Restrictions	INITIAL: RA, PJIA, ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST OR RHEUMATOLOGIST. PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH GASTROENTEROLOGIST. UVEITIS: PRESCRIBED BY OR IN CONSULTATION WITH OPHTHALMOLOGIST
Coverage Duration	INITIAL: RA, PSO, PJIA, AS, PSA, CD, UC, UVEITIS: 6 MONTHS, HS: 12 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RHEUMATOID ARTHRITIS (RA): TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) TRIAL OF OR

PA Criteria	Criteria Details
	CONTRAINDICATION TO AN NSAID AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. HS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. HS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. HS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. HS: NO TINIVES TO BENEFIT FROM MEDICATION, JIA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR HS. UVEITIS: NO ISOLATED ANTERIOR UVEITIS. RENEWAL: RA, HS, UVEITIS: CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WIT
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AFATINIB

Products Affected

• GILOTRIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ALECTINIB

Products Affected

• ALECENSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ALPELISIB-PIQRAY

Products Affected

• PIQRAY (200 MG DAILY DOSE)

• PIQRAY (300 MG DAILY DOSE)

• PIQRAY (250 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AMIKACIN LIPOSOMAL INH

Products Affected

• ARIKAYCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MYCOBACTERIUM AVIUM COMPLEX (MAC) LUNG DISEASE: RENEWAL: 1) NO POSITIVE MAC SPUTUM CULTURE AFTER CONSECUTIVE NEGATIVE CULTURES, AND 2) IMPROVEMENT IN SYMPTOMS. ADDITIONALLY, FOR FIRST RENEWAL, APPROVAL REQUIRES AT LEAST ONE NEGATIVE SPUTUM CULTURE FOR MAC BY SIX MONTHS OF ARIKAYCE TREATMENT. FOR SECOND AND SUBSEQUENT RENEWALS, APPROVAL REQUIRES AT LEAST THREE NEGATIVE SPUTUM CULTURES FOR MAC BY 12 MONTHS OF ARIKAYCE TREATMENT.
Age Restrictions	
Prescriber Restrictions	MAC LUNG DISEASE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	INITIAL/RENEWAL: 6 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AMIVANTAMAB-VMJW

Products Affected

• RYBREVANT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ANAKINRA

Products Affected

KINERET SUBCUTANEOUS
 SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	CORONAVIRUS DISEASE 2019 (COVID-19) IN HOSPITALIZED ADULTS.
Required Medical Information	INITIAL: CRYOPYRIN-ASSOCIATED PERIODIC SYNDROMES (CAPS): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE NLRP3 GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR, SERUM AMYLOID A PROTEIN (SAA) OR S100 PROTEINS), AND 2) TWO OF THE FOLLOWING: URTICARIAL-LIKE RASH (NEUTROPHILIC DERMATITIS), COLD-TRIGGERED EPISODES, SENSORINEURAL HEARING LOSS, MUSCULOSKELETAL SYMPTOMS, CHRONIC ASEPTIC MENINGITIS, SKELETAL ABNORMALITIES. DEFICIENCY OF INTERLEUKIN-1 RECEPTOR ANTAGONIST (DIRA): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE IL1RN GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR), AND 2) ONE OF THE FOLLOWING: PUSTULAR PSORIASIS-LIKE RASHES, OSTEOMYELITIS, ABSENCE OF BACTERIAL OSTEOMYELITIS, ONYCHOMADESIS.
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	RA: INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS. CAPS, DIRA: LIFETIME.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. CAPS, DIRA: NO CONCURRENT USE WITH OTHER IL-1 INHIBITORS. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No

APALUTAMIDE

Products Affected

• ERLEADA ORAL TABLET 240 MG, 60 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC): HIGH RISK PROSTATE CANCER (I.E., RAPIDLY INCREASING PROSTATE SPECIFIC ANTIGEN [PSA] LEVELS). NMCRPC, METASTATIC CASTRATION- SENSITIVE PROSTATE CANCER (MCSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. RENEWAL: NMCRPC, MCSPC: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

APOMORPHINE - ONAPGO

Products Affected

• ONAPGO

PA Criteria	Criteria Details
Exclusion Criteria	PA Criteria: Pending CMS Approval
Required Medical Information	PA Criteria: Pending CMS Approval
Age Restrictions	PA Criteria: Pending CMS Approval
Prescriber Restrictions	PA Criteria: Pending CMS Approval
Coverage Duration	PA Criteria: Pending CMS Approval
Other Criteria	PA Criteria: Pending CMS Approval
Indications	PA Criteria: Pending CMS Approval
Off Label Uses	PA Criteria: Pending CMS Approval
Part B Prerequisite	No

APOMORPHINE - SL

Products Affected

• KYNMOBI

• KYNMOBI TITRATION KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	PARKINSONS DISEASE (PD): INITIAL: 18 YEARS OF AGE OR OLDER.
Prescriber Restrictions	PD: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	PD: RENEWAL: IMPROVEMENT WITH MOTOR FLUCTUATIONS DURING OFF EPISODES WITH THE USE OF THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

APREMILAST

Products Affected

• OTEZLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: MILD PLAQUE PSORIASIS (PSO): 1) PSORIASIS COVERING 2 PERCENT OF BODY SURFACE AREA (BSA), 2) STATIC PHYSICIAN GLOBAL ASSESSMENT (SPGA) SCORE OF 2, OR 3) PSORIASIS AREA AND SEVERITY INDEX (PASI) SCORE OF 2 TO 9. MODERATE TO SEVERE PSO: PSORIASIS COVERING 3 PERCENT OR MORE OF BSA, OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. BEHCETS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. MILD PSO: TRIAL OF OR CONTRAINDICATION TO ONE CONVENTIONAL SYSTEMIC THERAPY (E.G., METHOTREXATE, ACITRETIN, CYCLOSPORINE) OR ONE CONVENTIONAL TOPICAL THERAPY (E.G., PUVA [PHOTOTHERAPY], UVB [ULTRAVIOLET LIGHT B], TOPICAL CORTICOSTEROIDS). MODERATE TO SEVERE PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA

PA Criteria	Criteria Details
	FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR MODERATE TO SEVERE PSO. BEHCETS DISEASE: 1) HAS ORAL ULCERS OR A HISTORY OF RECURRENT ORAL ULCERS BASED ON CLINICAL SYMPTOMS, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE OR MORE CONSERVATIVE TREATMENTS (E.G., COLCHICINE, TOPICAL CORTICOSTEROID, ORAL CORTICOSTEROID). RENEWAL: MILD PSO, BEHCETS DISEASE: CONTINUES TO BENEFIT FROM THE MEDICATION. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. MODERATE TO SEVERE PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR MODERATE TO SEVERE PSO.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ARIMOCLOMOL

Products Affected

• MIPLYFFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	NIEMANN-PICK DISEASE TYPE C (NPC): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH NEUROLOGIST OR GENETICIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	NPC: RENEWAL: IMPROVEMENT OR SLOWING OF DISEASE PROGRESSION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ASCIMINIB

Products Affected

• SCEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED OR T315I MUTATION PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND SCEMBLIX IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ASFOTASE ALFA

Products Affected

• STRENSIQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HYPOPHOSPHATASIA (HPP): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST, GENETICIST, OR METABOLIC SPECIALIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PERINATAL/INFANTILE-ONSET HPP: 1) 6 MONTHS OF AGE OR YOUNGER AT ONSET OF HPP, AND 2) POSITIVE FOR A TISSUE NON-SPECIFIC ALKALINE PHOSPHATASE (TNSALP) (ALPL) GENE MUTATION AS CONFIRMED BY GENETIC TESTING OR TWO OF THE FOLLOWING: (A) SERUM ALKALINE PHOSPHATASE (ALP) LEVEL BELOW THAT OF NORMAL RANGE FOR PATIENT AGE, (B) ELEVATED SERUM PYRIDOXAL-5'- PHOSPHATE (PLP) LEVELS AND NO VITAMIN B6 SUPPLEMENTATION IN THE PREVIOUS WEEK, (C) URINE PHOSPHOETHANOLAMINE (PEA) LEVEL ABOVE THAT OF NORMAL RANGE FOR PATIENT AGE, (D) RADIOGRAPHIC EVIDENCE OF HPP, (E) AT LEAST TWO OF THE FOLLOWING: (I) RACHITIC CHEST DEFORMITY, (II) CRANIOSYNOSTOSIS, (III) DELAY IN SKELETAL GROWTH RESULTING IN DELAY OF MOTOR DEVELOPMENT, (IV) HISTORY OF VITAMIN B6 DEPENDENT SEIZURES, (V) NEPHROCALCINOSIS OR HISTORY OF ELEVATED SERUM CALCIUM, (VI) HISTORY OR PRESENCE OF NON-TRAUMATIC POSTNATAL FRACTURE AND DELAYED FRACTURE HEALING. JUVENILE-ONSET HPP: 1) 18 YEARS OF AGE OR YOUNGER AT ONSET OF HPP, AND 2) POSITIVE FOR A TNSALP ALPL GENE MUTATION AS CONFIRMED BY GENETIC

PA Criteria	Criteria Details
	TESTING OR TWO OF THE FOLLOWING: (A) SERUM ALP LEVEL BELOW THAT OF NORMAL RANGE FOR PATIENT AGE, (B) ELEVATED SERUM PLP LEVELS AND NO VITAMIN B6 SUPPLEMENTATION IN THE PREVIOUS WEEK, (C) URINE PEA LEVEL ABOVE THAT OF NORMAL RANGE FOR PATIENT AGE, (D) RADIOGRAPHIC EVIDENCE OF HPP, (E) AT LEAST TWO OF THE FOLLOWING: (I) RACHITIC DEFORMITIES, (II) PREMATURE LOSS OF PRIMARY TEETH PRIOR TO 5 YEARS OF AGE, (III) DELAY IN SKELETAL GROWTH RESULTING IN DELAY OF MOTOR DEVELOPMENT, (IV) HISTORY OR PRESENCE OF NON- TRAUMATIC FRACTURES OR DELAYED FRACTURE HEALING. ALL INDICATIONS: 1) NOT CURRENTLY RECEIVING TREATMENT WITH A BISPHOSPHONATE, 2) CALCIUM OR PHOSPHATE LEVELS ARE NOT BELOW THE NORMAL RANGE, 3) NOT HAVE A TREATABLE FORM OF RICKETS. RENEWAL: ALL INDICATIONS: 1) IMPROVEMENT IN THE SKELETAL CHARACTERISTICS OF HPP, AND 2) NOT CURRENTLY RECEIVING TREATMENT WITH A BISPHOSPHONATE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ATOGEPANT

Products Affected

• QULIPTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	MIGRAINE PREVENTION: INITIAL: 1) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREVENTIVE MIGRAINE TREATMENTS: DIVALPROEX SODIUM, TOPIRAMATE, PROPRANOLOL, TIMOLOL, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: 1) REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AVACOPAN

Products Affected

• TAVNEOS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ANTI-NEUTROPHIL CYTOPLASMIC AUTOANTIBODY (ANCA)- ASSOCIATED VASCULITIS: INITIAL: ANCA SEROPOSITIVE (ANTI-PR3 OR ANTI-MPO).
Age Restrictions	
Prescriber Restrictions	ANCA-ASSOCIATED VASCULITIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR NEPHROLOGIST.
Coverage Duration	INITIAL/RENEWAL: 6 MONTHS.
Other Criteria	ANCA-ASSOCIATED VASCULITIS: RENEWAL: CONTINUES TO BENEFIT FROM THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AVAPRITINIB

Products Affected

• AYVAKIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AVUTOMETINIB-DEFACTINIB

Products Affected

• AVMAPKI FAKZYNJA CO-PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AXATILIMAB-CSFR

Products Affected

• NIKTIMVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AXITINIB

Products Affected

• INLYTA ORAL TABLET 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AZACITIDINE

Products Affected

• ONUREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

AZTREONAM INHALED

Products Affected

• CAYSTON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	7 YEARS OF AGE OR OLDER
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BEDAQUILINE

Products Affected

• SIRTURO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 WEEKS
Other Criteria	PULMONARY MULTI-DRUG RESISTANT TUBERCULOSIS (MDR- TB): SIRTURO USED IN COMBINATION WITH AT LEAST 3 OTHER ANTIBIOTICS FOR THE TREATMENT OF PULMONARY MDR-TB.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BELIMUMAB

Products Affected

• BENLYSTA SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: SYSTEMIC LUPUS ERYTHEMATOSUS (SLE): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. LUPUS NEPHRITIS (LN): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR NEPHROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: SLE: CURRENTLY TAKING CORTICOSTEROIDS, ANTIMALARIALS, NSAIDS, OR IMMUNOSUPPRESSIVE AGENTS. RENEWAL: SLE: PATIENT HAD CLINICAL IMPROVEMENT. LN: IMPROVEMENT IN RENAL RESPONSE FROM BASELINE LABORATORY VALUES (I.E., EGFR OR PROTEINURIA) AND/OR CLINICAL PARAMETERS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BELUMOSUDIL

Products Affected

• REZUROCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BELZUTIFAN

Products Affected

• WELIREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BENDAMUSTINE

Products Affected

- BENDAMUSTINE HCL INTRAVENOUS SOLUTION
- BENDEKA
- VIVIMUSTA
- bendamustine hcl intravenous solution reconstituted

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BENRALIZUMAB

Products Affected

• FASENRA

• FASENRA PEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ASTHMA: INITIAL: BLOOD EOSINOPHIL LEVEL OF AT LEAST 150 CELLS/MCL WITHIN THE PAST 12 MONTHS.
Age Restrictions	
Prescriber Restrictions	ASTHMA: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE, OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND ONE OTHER MAINTENANCE MEDICATION, 2) ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS, OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: (A) DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, (B) ANY NIGHT WAKING DUE TO ASTHMA, (C) SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, (D) ANY ACTIVITY LIMITATION DUE TO ASTHMA, AND 3) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA. EOSINOPHILIC GRANULOMATOSIS WITH POLYANGIITIS (EGPA): NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-2 INHIBITOR) FOR EGPA. RENEWAL: ASTHMA: 1) NO

PA Criteria	Criteria Details
	CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA, 2) CONTINUED USE OF ICS AND ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE, OR (D) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS. EGPA: 1) REDUCTION IN EGPA SYMPTOMS COMPARED TO BASELINE OR ABILITY TO REDUCE/ELIMINATE CORTICOSTEROID USE, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR EGPA
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BETAINE

Products Affected

• *betaine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BEVACIZUMAB-ADCD

Products Affected

• VEGZELMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BEVACIZUMAB-AWWB

Products Affected

• MVASI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BEVACIZUMAB-BVZR

Products Affected

• ZIRABEV

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BEXAROTENE

Products Affected

• *bexarotene*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BINIMETINIB

Products Affected

• MEKTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BORTEZOMIB

Products Affected

• bortezomib injection

• BORUZU

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BOSENTAN

Products Affected

• bosentan

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
Age Restrictions	
Prescriber Restrictions	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	PAH: INITIAL: 1) DOES NOT HAVE ELEVATED LIVER ENZYMES (ALT, AST) MORE THAN 3 TIMES UPPER LIMIT OF NORMAL (ULN) OR INCREASE IN BILIRUBIN BY 2 OR MORE TIMES ULN, AND 2) NO CONCURRENT USE WITH CYCLOSPORINE A OR GLYBURIDE. RENEWAL: NO CONCURRENT USE WITH CYCLOSPORINE A OR GLYBURIDE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BOSUTINIB

Products Affected

• BOSULIF ORAL CAPSULE 100 MG, 50 • BOSULIF ORAL TABLET 100 MG, 400 MG

MG, 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME- POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND BOSULIF IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

BRIGATINIB

Products Affected

• ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG

 ALUNBRIG ORAL TABLET THERAPY PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

C1 ESTERASE INHIBITOR-HAEGARDA

Products Affected

 HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED 2000 UNIT, 3000 UNIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HEREDITARY ANGIOEDEMA (HAE): INITIAL: DIAGNOSIS CONFIRMED BY ONE OF THE FOLLOWING COMPLEMENT TESTING: C1INH PROTEIN LEVELS, C4 PROTEIN LEVELS, C1- INH FUNCTIONAL LEVELS, C1Q.
Age Restrictions	
Prescriber Restrictions	HAE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST, IMMUNOLOGIST, ALLERGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	HAE: INITIAL: NOT ON CONCURRENT TREATMENT WITH ALTERNATIVE PROPHYLACTIC AGENT FOR HAE ATTACKS. RENEWAL: 1) IMPROVEMENT COMPARED TO BASELINE IN HAE ATTACKS (I.E., REDUCTIONS IN ATTACK FREQUENCY OR ATTACK SEVERITY), AND 2) NOT ON CONCURRENT TREATMENT WITH ALTERNATIVE PROPHYLACTIC AGENT FOR HAE ATTACKS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CABOZANTINIB CAPSULE

Products Affected

- COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG
- COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG
 COMETRIQ (60 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CABOZANTINIB TABLET

Products Affected

• CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CANNABIDIOL

Products Affected

• EPIDIOLEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	DRAVET SYNDROME (DS), LENNOX-GASTAUT SYNDROME (LGS), TUBEROUS SCLEROSIS COMPLEX (TSC): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: LENNOX-GASTAUT SYNDROME (LGS): TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING ANTIEPILEPTIC MEDICATIONS: RUFINAMIDE, FELBAMATE, CLOBAZAM, TOPIRAMATE, LAMOTRIGINE, CLONAZEPAM.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CAPIVASERTIB

Products Affected

• TRUQAP ORAL TABLET

• TRUQAP TABLET THERAPY PACK 160 MG ORAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CAPMATINIB

Products Affected

• TABRECTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CARGLUMIC ACID

Products Affected

• carglumic acid oral tablet soluble

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: ACUTE OR CHRONIC HYPERAMMONEMIA (HA) DUE TO N ACETYLGLUTAMATE SYNTHASE (NAGS) DEFICIENCY: NAGS GENE MUTATION IS CONFIRMED BY BIOCHEMICAL OR GENETIC TESTING. ACUTE HA DUE TO PROPIONIC ACIDEMIA (PA): 1) CONFIRMED BY ELEVATED METHYLCITRIC ACID AND NORMAL METHYLMALONIC ACID, OR 2) GENETIC TESTING CONFIRMS MUTATION IN THE PCCA OR PCCB GENE. ACUTE HA DUE TO METHYLMALONIC ACIDEMIA (MMA): 1) CONFIRMED BY ELEVATED METHYLMALONIC ACID, METHYLCITRIC ACID, OR 2) GENETIC TESTING CONFIRMS MUTATION IN THE MMUT, MMA, MMAB OR MMADHC GENES.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	ACUTE HA DUE TO NAGS/PA/MMA: 7 DAYS. CHRONIC HA DUE TO NAGS: INITIAL: 6 MOS, RENEWAL: 12 MOS.
Other Criteria	RENEWAL: CHRONIC HA DUE TO NAGS: PATIENT HAS SHOWN CLINICAL IMPROVEMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CERITINIB

Products Affected

• ZYKADIA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CERTOLIZUMAB PEGOL

Products Affected

• CIMZIA (2 SYRINGE)

CIMZIA SUBCUTANEOUS KIT 2 X 200
 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA. NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN (CRP) LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI).
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS), NR-AXSPA, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. CROHNS DISEASE (CD): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PSA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK, XELJANZ, RINVOQ, SKYRIZI, TREMFYA, ORENCIA, OTEZLA. PSO: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK,

PA Criteria	Criteria Details
	SKYRIZI, TREMFYA, OTEZLA. AS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ. CD: TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREFERRED AGENTS: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA. NR-AXSPA: TRIAL OF OR CONTRAINDICATION TO AN NSAID. PJIA: TRIAL OF OR CONTRAINDICATION TO AN NSAID. PJIA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, ORENCIA, RINVOQ. INITIAL FOR RA, PSA, PSO, AS, CD, PJIA: TRIAL OF OR CONTRAINDICATION TO THE STEP AGENTS IS NOT REQUIRED IF THE PATIENT IS PREGNANT, BREASTFEEDING, OR TRYING TO BECOME PREGNANT. INITIAL/RENEWAL FOR PSA, PSO, AS, CD, NR-AXSPA, PJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR SAME INDICATION. RENEWAL FOR RA, PSA, AS, PSO, NR-AXSPA, PJIA: CONTINUES TO BENEFIT FROM MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CETUXIMAB

Products Affected

• ERBITUX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CLADRIBINE

Products Affected

- MAVENCLAD (10 TABS)
- MAVENCLAD (4 TABS)

- MAVENCLAD (7 TABS)MAVENCLAD (8 TABS)
- MAVENCLAD (8 TABS)
 MAVENCLAD (9 TABS)

MAVENCLAD (5 TABS)
MAVENCLAD (6 TABS)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	48 WEEKS.
Other Criteria	RELAPSING FORM OF MULTIPLE SCLEROSIS (MS): HAS NOT RECEIVED A TOTAL OF TWO YEARS OF MAVENCLAD TREATMENT (I.E., TWO YEARLY TREATMENT COURSES OF TWO CYCLES IN EACH).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CLOBAZAM-SYMPAZAN

Products Affected

• SYMPAZAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	LENNOX-GASTAUT SYNDROME (LGS): THERAPY IS PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	LGS: 1) UNABLE TO TAKE TABLETS OR SUSPENSIONS, AND 2) TRIAL OF OR CONTRAINDICATION TO A FORMULARY VERSION OF CLOBAZAM.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

COBIMETINIB

Products Affected

• COTELLIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CORTICOTROPIN

Products Affected

• ACTHAR

- CORTROPHIN
- ACTHAR GEL SUBCUTANEOUS PEN-INJECTOR 40 UNIT/0.5ML, 80 UNIT/ML

PA Criteria	Criteria Details
Exclusion Criteria	INITIAL: NOT APPROVED FOR DIAGNOSTIC PURPOSES.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: ALL FDA APPROVED INDICATIONS EXCEPT INFANTILE SPASMS AND MULTIPLE SCLEROSIS (MS): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, ALLERGIST/IMMUNOLOGIST, OPHTHALMOLOGIST, PULMONOLOGIST OR NEPHROLOGIST.
Coverage Duration	INFANTILE SPASMS AND MS: 28 DAYS. ALL OTHER FDA APPROVED INDICATIONS: INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: ALL FDA APPROVED INDICATIONS EXCEPT INFANTILE SPASMS: TRIAL OF OR CONTRAINDICATION TO INTRAVENOUS (IV) CORTICOSTEROIDS. RENEWAL: ALL FDA APPROVED INDICATIONS EXCEPT INFANTILE SPASMS AND MS: DEMONSTRATED CLINICAL BENEFIT WHILE ON THERAPY AS INDICATED BY SYMPTOM RESOLUTION AND/OR NORMALIZATION OF LABORATORY TESTS. PART B BEFORE PART D STEP THERAPY, APPLIES ONLY TO BENEFICIARIES IN AN MA-PD PLAN.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	Yes

CRIZOTINIB CAPSULE

Products Affected

• XALKORI ORAL CAPSULE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

CRIZOTINIB PELLETS

Products Affected

• XALKORI ORAL CAPSULE SPRINKLE 150 MG, 20 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	NON-SMALL CELL LUNG CANCER (NSCLC), ANAPLASTIC LARGE CELL LYMPHOMA (ALCL), INFLAMMATORY MYOFIBROBLASTIC TUMOR (IMT): UNABLE TO SWALLOW CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DABRAFENIB CAPSULES

Products Affected

• TAFINLAR ORAL CAPSULE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DABRAFENIB SUSPENSION

Products Affected

• TAFINLAR ORAL TABLET SOLUBLE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	UNABLE TO SWALLOW TAFINILAR CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DACOMITINIB

Products Affected

• VIZIMPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC): NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE-INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DALFAMPRIDINE

Products Affected

• dalfampridine er

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	MULTIPLE SCLEROSIS (MS): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL: 3 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	MS: INITIAL: HAS SYMPTOMS OF A WALKING DISABILITY SUCH AS MILD TO MODERATE BILATERAL LOWER EXTREMITY WEAKNESS OR UNILATERAL WEAKNESS PLUS LOWER EXTREMITY OR TRUNCAL ATAXIA. RENEWAL: IMPROVEMENT IN WALKING ABILITY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DAROLUTAMIDE

Products Affected

• NUBEQA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS
Other Criteria	INITIAL: NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC): HIGH RISK PROSTATE CANCER (I.E., RAPIDLY INCREASING PROSTATE SPECIFIC ANTIGEN [PSA] LEVELS). NMCRPC, METASTATIC HORMONE-SENSITIVE PROSTATE CANCER (MHSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. RENEWAL: NMCRPC, MHSPC: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A A GONCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GNRH ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DASATINIB

Products Affected

• dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME- POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND DASATINIB IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Products Affected

• DATROWAY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DECITABINE/CEDAZURIDINE

Products Affected

• INQOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DEFERASIROX

Products Affected

• *deferasirox granules*

• *deferasirox oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS: SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 1000 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS). CHRONIC IRON OVERLOAD IN NON-TRANSFUSION DEPENDENT THALASSEMIA (NTDT): 1) SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 300 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS), AND 2) LIVER IRON CONCENTRATION (LIC) OF 5 MG FE/G OF DRY LIVER WEIGHT OR GREATER. RENEWAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS: SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 500 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS). NTDT: 1) SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 300 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS) OR 2) LIC OF 3 MG FE/G OF DRY LIVER WEIGHT OR GREATER.
Age Restrictions	
Prescriber Restrictions	INITIAL (CHRONIC IRON OVERLOAD): PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR HEMATOLOGIST/ONCOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL (CHRONIC IRON OVERLOAD): DEFERASIROX SPRINKLE PACKETS: TRIAL OF OR CONTRAINDICATION TO GENERIC DEFERASIROX ORAL TABLET OR TABLET FOR ORAL SUSPENSION.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No

DENOSUMAB-XGEVA

Products Affected

• XGEVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DEUTETRABENAZINE

Products Affected

• AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG

MG, 18 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG

- AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12
- AUSTEDO XR PATIENT TITRATION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HUNTINGTON DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST. TARDIVE DYSKINESIA: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR MOVEMENT DISORDER SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	TARDIVE DYSKINESIA: HISTORY OF USING AGENTS THAT CAUSE TARDIVE DYSKINESIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Products Affected

• *diclofenac sodium external solution 2 %*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 MONTHS
Other Criteria	OSTEOARTHRITIS OF THE KNEE: TRIAL OF OR CONTRAINDICATION TO A FORMULARY VERSION OF DICLOFENAC SODIUM 1% TOPICAL GEL AND A FORMULARY VERSION OF DICLOFENAC SODIUM 1.5% TOPICAL DROPS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DICLOFENAC-FLECTOR

Products Affected

• *diclofenac epolamine external*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

DIMETHYL FUMARATE

Products Affected

- *dimethyl fumarate oral capsule delayed release 120 mg, 240 mg*
- *dimethyl fumarate starter pack oral capsule delayed release therapy pack*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DIROXIMEL FUMARATE

Products Affected

• VUMERITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DOSTARLIMAB-GXLY

Products Affected

• JEMPERLI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DRONABINOL CAPSULE

Products Affected

• dronabinol

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 MONTHS
Other Criteria	NAUSEA AND VOMITING ASSOCIATED WITH CANCER CHEMOTHERAPY: TRIAL OF OR CONTRAINDICATION TO ONE ANTIEMETIC THERAPY. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D FOR THE INDICATION OF NAUSEA AND VOMITING ASSOCIATED WITH CANCER CHEMOTHERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DROXIDOPA

Products Affected

• droxidopa

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	NEUROGENIC ORTHOSTATIC HYPOTENSION (NOH): INITIAL: 1) BASELINE BLOOD PRESSURE READINGS WHILE THE PATIENT IS SITTING AND ALSO WITHIN 3 MINUTES OF STANDING FROM A SUPINE POSITION. 2) A DECREASE OF AT LEAST 20 MMHG IN SYSTOLIC BLOOD PRESSURE OR 10 MMHG DIASTOLIC BLOOD PRESSURE WITHIN THREE MINUTES AFTER STANDING FROM A SITTING POSITION.
Age Restrictions	
Prescriber Restrictions	NOH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR CARDIOLOGIST.
Coverage Duration	INITIAL: 3 MONTHS RENEWAL: 12 MONTHS
Other Criteria	NOH: RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DUPILUMAB

Products Affected

- DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- DUPIXENT SUBCUTANEOUS
 SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: EOSINOPHILIC ASTHMA: BLOOD EOSINOPHIL LEVEL OF 150 TO 1500 CELLS/MCL WITHIN THE PAST 12 MONTHS. EOSINOPHILIC ESOPHAGITIS (EOE): DIAGNOSIS CONFIRMED BY ESOPHAGOGASTRODUODENOSCOPY (EGD) WITH BIOPSY. ATOPIC DERMATITIS (AD): AD COVERING AT LEAST 10 PERCENT OF BODY SURFACE AREA OR AD AFFECTING THE FACE, HEAD, NECK, HANDS, FEET, GROIN, OR INTERTRIGINOUS AREAS.
Age Restrictions	
Prescriber Restrictions	AD, PN, CSU: PRESCRIBED OR IN CONSULTATION WITH DERMATOLOGIST, ALLERGIST OR IMMUNOLOGIST. ASTHMA: PRESCRIBED OR IN CONSULTATION WITH ALLERGIST OR PULMONOLOGIST. CRSWNP: PRESCRIBED OR IN CONSULTATION WITH OTOLARYNGOLOGIST, ALLERGIST OR IMMUNOLOGIST. EOE: PRESCRIBED OR IN CONSULTATION WITH GASTROENTEROLOGIST, ALLERGIST, OR IMMUNOLOGIST. EOSINOPHILIC COPD: PRESCRIBED OR IN CONSULTATION WITH PULMONOLOGIST. RENEWAL: CSU: PRESCRIBED OR IN CONSULTATION WITH ALLERGIST, DERMATOLOGIST, OR IMMUNOLOGIST.
Coverage Duration	INITIAL: AD, CRSWNP, EOE, PN, CSU: 6 MOS, ASTHMA, COPD: 12 MOS. RENEWAL: ALL INDICATIONS: 12 MOS.
Other Criteria	INITIAL/RENEWAL: AD: NO CONCURRENT USE WITH OTHER SYSTEMIC BIOLOGICS OR JAK INHIBITORS FOR AD. ASTHMA: NO CONCURRENT USE WITH XOLAIR, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA. CRSWNP: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.

PA Criteria	Criteria Details
PA Criteria	EOSINOPHILIC COPD: NO CONCURRENT USE WITH OTHER SYSTEMIC BIOLOGICS OR JAK-I FOR SAME INDICATION. INITIAL: AD: 1) INTRACTABLE PRURITUS OR CRACKING/OOZING/BLEEDING OF AFFECTED SKIN, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE TOPICAL (CORTICOSTEROID, CALCINEURIN INHIBITOR, PDE4 INHIBITOR, OR JAK INHIBITOR). ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY- TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND ONE OTHER MAINTENANCE MEDICATION, AND 2) ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS, OR ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: (A) DAYTIME
	ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, (B) ANY NIGHT WAKING DUE TO ASTHMA, (C) SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, (D) ANY ACTIVITY LIMITATION DUE TO ASTHMA. CHRONIC RHINOSINUSITIS WITH NASAL POLYPS (CRSWNP): A 56 DAY TRIAL OF ONE
	TOPICAL NASAL CORTICOSTEROID. PRURIGO NODULARIS (PN): 1) CHRONIC PRURITUS (ITCH MORE THAN 6 WEEKS), MULTIPLE PRURIGINOUS LESIONS, AND HISTORY OR SIGN OF A PROLONGED SCRATCHING BEHAVIOR, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE TOPICAL (CORTICOSTEROID OR CALCIPOTRIOL). EOSINOPHILIC COPD: USED IN COMBINATION WITH A LAMA/LABA/ICS. CHRONIC SPONTANEOUS URTICARIA
	(CSU): 1) TRIAL OF AND MAINTAINED ON, OR CONTRAINDICATION TO A SECOND GENERATION H1 ANTI- HISTAMINE AND 2) STILL EXPERIENCES HIVES OR ANGIOEDEMA MOST DAYS OF THE WEEK FOR AT LEAST 6 WEEKS. RENEWAL: AD, CRSWNP, EOE: IMPROVEMENT WHILE ON THERAPY. ASTHMA: 1) CONTINUED USE OF ICS AND ONE
	OTHER MAINTENANCE MEDICATION, AND 2) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE, OR (D) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA- RELATED SYMPTOMS. PN: IMPROVEMENT OR REDUCTION OF

PA Criteria	Criteria Details
	PRURITUS OR PRURIGINOUS LESIONS. EOSINOPHILIC COPD: 1) USED IN COMBINATION WITH A LAMA/LABA/ICS, AND 2) CLINICAL RESPONSE AS EVIDENCED BY (A) REDUCTION IN COPD EXACERBATIONS FROM BASELINE, (B) REDUCTION IN SEVERITY OR FREQUENCY OF COPD-RELATED SYMPTOMS, OR (C) INCREASE IN FEV1 OF AT LEAST 5 PERCENT FROM PRETREATMENT BASELINE. CSU: MAINTAINED ON OR CONTRAINDICATION TO A SECOND GENERATION H1 ANTI- HISTAMINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

DUVELISIB

Products Affected

• COPIKTRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

EFLORNITHINE

Products Affected

• IWILFIN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ELACESTRANT

Products Affected

ORSERDU ORAL TABLET 345 MG, 86
 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ELAGOLIX

Products Affected

ORILISSA ORAL TABLET 150 MG, 200
 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: DIAGNOSIS IS CONFIRMED VIA SURGICAL OR DIRECT VISUALIZATION (E.G., PELVIC ULTRASOUND) OR HISTOPATHOLOGICAL CONFIRMATION (E.G., LAPAROSCOPY OR LAPAROTOMY) IN THE LAST 10 YEARS.
Age Restrictions	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: 18 YEARS OF AGE OR OLDER.
Prescriber Restrictions	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN OBSTETRICIAN/GYNECOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS
Other Criteria	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: 1) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, AND 2) TRIAL OF OR CONTRAINDICATION TO AN NSAID AND A PROGESTIN- CONTAINING PREPARATION. RENEWAL: 1) IMPROVEMENT IN PAIN ASSOCIATED WITH ENDOMETRIOSIS WHILE ON THERAPY, AND 2) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ELRANATAMAB-BCMM

Products Affected

• ELREXFIO SUBCUTANEOUS SOLUTION 44 MG/1.1ML, 76 MG/1.9ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	RELAPSED OR REFRACTORY MULTIPLE MYELOMA: RENEWAL: 1) HAS RECEIVED AT LEAST 24 WEEKS OF TREATMENT WITH ELREXFIO, AND 2) HAS RESPONDED TO TREATMENT (PARTIAL RESPONSE OR BETTER), AND HAS MAINTAINED THIS RESPONSE FOR AT LEAST 2 MONTHS. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ELTROMBOPAG - ALVAIZ

Products Affected

• ALVAIZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PERSISTENT OR CHRONIC IMMUNE THROMBOCYTOPENIA (ITP): INITIAL: 1) PLATELET COUNT IS LESS THAN 30 X 10^9/L FROM AT LEAST 2 SEPARATE LABS IN THE LAST 3 MONTHS, OR 2) PLATELET COUNT IS LESS THAN 50 X 10^9/L FROM AT LEAST 2 SEPARATE LABS IN THE LAST 3 MONTHS AND HAD A PRIOR BLEEDING EVENT.
Age Restrictions	
Prescriber Restrictions	INITIAL: ITP: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR IMMUNOLOGIST.
Coverage Duration	ITP: INITIAL: 6 MO, RENEWAL: 12 MO. HEPATITIS C, SEVERE APLASTIC ANEMIA: 12 MO.
Other Criteria	INITIAL: ITP: 1) TRIAL OF OR CONTRAINDICATION TO ONE CORTICOSTEROID OR IMMUNOGLOBULIN, OR AN INSUFFICIENT RESPONSE TO SPLENECTOMY, AND 2) NO CONCURRENT USE WITH OTHER THROMBOPOIETIN RECEPTOR AGONISTS (TPO-RAS) OR SPLEEN TYROSINE KINASE (SYK) INHIBITOR. RENEWAL: ITP: 1) IMPROVEMENT IN PLATELET COUNT FROM BASELINE OR REDUCTION IN BLEEDING EVENTS, AND 2) NO CONCURRENT USE WITH OTHER TPO-RAS OR SYK INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ELTROMBOPAG - PROMACTA

Products Affected

• PROMACTA ORAL PACKET 12.5 MG, • PROMACTA ORAL TABLET 12.5 MG, 25 MG

25 MG, 50 MG, 75 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PERSISTENT OR CHRONIC IMMUNE THROMBOCYTOPENIA (ITP): INITIAL: 1) PLATELET COUNT OF LESS THAN 30 X 10^9/L FROM AT LEAST 2 SEPARATE LAB TESTS IN THE LAST 3 MONTHS, OR 2) PLATELET COUNT OF LESS THAN 50 X 10^9/L FROM AT LEAST 2 SEPARATE LAB TESTS IN THE LAST 3 MONTHS AND A PRIOR BLEEDING EVENT.
Age Restrictions	
Prescriber Restrictions	INITIAL: ITP: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR IMMUNOLOGIST.
Coverage Duration	ITP: INITIAL: 6 MO, RENEWAL: 12 MO. HEPATITIS C, SEVERE APLASTIC ANEMIA: 12 MO.
Other Criteria	INITIAL: ITP: 1) TRIAL OF OR CONTRAINDICATION TO ONE CORTICOSTEROID OR IMMUNOGLOBULIN, OR HAD AN INSUFFICIENT RESPONSE TO SPLENECTOMY, AND 2) NO CONCURRENT USE WITH OTHER THROMBOPOIETIN RECEPTOR AGONISTS (TPO-RAS) OR SPLEEN TYROSINE KINASE (SYK) INHIBITOR. ALL INDICATIONS: APPROVAL FOR PROMACTA ORAL SUSPENSION PACKETS REQUIRES A TRIAL OF PROMACTA TABLET OR PATIENT IS UNABLE TOLERATE TABLET FORMULATION. RENEWAL: ITP: 1) IMPROVEMENT IN PLATELET COUNTS FROM BASELINE OR REDUCTION IN BLEEDING EVENTS, AND 2) NO CONCURRENT USE WITH OTHER TPO-RAS OR SYK INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ENASIDENIB

Products Affected

• IDHIFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ENCORAFENIB

Products Affected

• BRAFTOVI ORAL CAPSULE 75 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ENTRECTINIB CAPSULES

Products Affected

ROZLYTREK ORAL CAPSULE 100
 MG, 200 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ENTRECTINIB PELLETS

Products Affected

• ROZLYTREK ORAL PACKET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC), SOLID TUMORS: 1) TRIAL OF OR CONTRAINDICATION TO ROZLYTREK CAPSULES MADE INTO AN ORAL SUSPENSION, AND 2) DIFFICULTY OR UNABLE TO SWALLOW CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ENZALUTAMIDE

Products Affected

• XTANDI ORAL CAPSULE

XTANDI ORAL TABLET 40 MG, 80
MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: ALL INDICATIONS: 12 MONTHS. RENEWAL: MCRPC, NMCRPC, MCSPC: 12 MONTHS.
Other Criteria	INITIAL: NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC): HIGH RISK PROSTATE CANCER (I.E. RAPIDLY INCREASING PROSTATE SPECIFIC ANTIGEN [PSA] LEVELS). NON-METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (NMCSPC): HIGH RISK FOR METASTASIS (I.E. PSA DOUBLING TIME OF 9 MONTHS OR LESS). METASTATIC CRPC (MCRPC), NMCRPC, METASTATIC CSPC (MCSPC), NMCSPC : 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. RENEWAL: MCRPC, NMCRPC, MCSPC: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GNRH ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

EPCORITAMAB-BYSP

Products Affected

• EPKINLY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

EPOETIN ALFA-EPBX

Products Affected

 RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 10000 UNIT/ML(1ML), 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: CHRONIC KIDNEY DISEASE (CKD), ANEMIA RELATED TO ZIDOVUDINE, OR CANCER CHEMOTHERAPY: HEMOGLOBIN LEVEL IS LESS THAN 10G/DL. ELECTIVE, NON-CARDIAC, NON- VASCULAR SURGERY: HEMOGLOBIN LEVEL IS LESS THAN 13G/DL. RENEWAL: 1) CKD IN ADULTS NOT ON DIALYSIS: (A) HEMOGLOBIN LEVEL IS LESS THAN 10G/DL, OR (B) HEMOGLOBIN LEVEL HAS REACHED 10G/DL AND THE DOSE IS BEING OR HAS BEEN REDUCED/INTERRUPTED TO DECREASE THE NEED FOR BLOOD TRANSFUSIONS. 2) CKD IN PEDIATRIC PATIENTS: (A) HEMOGLOBIN LEVEL IS LESS THAN 10G/DL, OR (B) HEMOGLOBIN LEVEL HAS APPROACHED OR EXCEEDS 12G/DL AND THE DOSE IS BEING OR HAS BEEN REDUCED/INTERRUPTED TO DECREASE THE NEED FOR BLOOD TRANSFUSIONS. 3) ANEMIA RELATED TO ZIDOVUDINE: HEMOGLOBIN LEVEL BETWEEN 10G/DL AND 12G/DL. 4) CANCER CHEMOTHERAPY: (A) HEMOGLOBIN LEVEL IS LESS THAN 10 G/DL, OR (B) HEMOGLOBIN LEVEL DOES NOT EXCEED A LEVEL NEEDED TO AVOID RBC TRANSFUSION.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	ANEMIA FROM CHEMO/CKD WITHOUT DIALYSIS/ZIDOVUDINE: INITIAL/RENEWAL: 12 MONTHS. SURGERY: 1 MONTH.
Other Criteria	RENEWAL: CKD: NOT RECEIVING DIALYSIS TREATMENT. THIS DRUG MAY BE EITHER BUNDLED WITH AND COVERED UNDER END STAGE RENAL DISEASE DIALYSIS RELATED SERVICES OR COVERED UNDER MEDICARE D DEPENDING UPON THE CIRCUMSTANCES.

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ERDAFITINIB

Products Affected

 BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ERENUMAB-AOOE

Products Affected

• AIMOVIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	MIGRAINE PREVENTION: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ERLOTINIB

Products Affected

• erlotinib hcl oral tablet 100 mg, 150 mg, 25 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ESKETAMINE

Products Affected

• SPRAVATO (56 MG DOSE)

• SPRAVATO (84 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: TREATMENT-RESISTANT DEPRESSION (TRD), MAJOR DEPRESSIVE DISORDER (MDD): PRESCRIBED BY OR IN CONSULTATION WITH A PSYCHIATRIST.
Coverage Duration	INITIAL: TRD: 3 MONTHS. MDD: 4 WEEKS. RENEWAL: TRD, MDD: 12 MONTHS.
Other Criteria	INITIAL: TRD, MDD: 1) NON-PSYCHOTIC, UNIPOLAR DEPRESSION, AND 2) NO ACTIVE SUBSTANCE ABUSE. RENEWAL: TRD, MDD: DEMONSTRATED CLINICAL BENEFIT (IMPROVEMENT IN DEPRESSION) COMPARED TO BASELINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ETANERCEPT

Products Affected

- ENBREL MINI
- ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML
- ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE
- ENBREL SUBCUTANEOUS
 SOLUTION RECONSTITUTED
- ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA), ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED

PA Criteria	Criteria Details
	SMALL MOLECULES FOR AS. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

EVEROLIMUS-AFINITOR

Products Affected

• everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg

• torpenz oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

EVEROLIMUS-AFINITOR DISPERZ

Products Affected

• everolimus oral tablet soluble

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FECAL MICROBIOTA CAPSULE

Products Affected

• VOWST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	30 DAYS
Other Criteria	CLOSTRIDIOIDES DIFFICILE INFECTION (CDI): 1) HAS NOT PREVIOUSLY RECEIVED VOWST: COMPLETION OF ANTIBIOTIC TREATMENT FOR RECURRENT CDI (AT LEAST 3 CDI EPISODES), OR 2) PREVIOUSLY RECEIVED VOWST: (A) TREATMENT FAILURE (DEFINED AS THE PRESENCE OF CDI DIARRHEA WITHIN 8 WEEKS OF FIRST DOSE OF VOWST AND A POSITIVE STOOL TEST FOR C. DIFFICILE), AND (B) HAS NOT RECEIVED MORE THAN ONE TREATMENT COURSE OF VOWST WHICH WAS AT LEAST 12 DAYS AND NOT MORE THAN 8 WEEKS PRIOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FEDRATINIB

Products Affected

• INREBIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	MYELOFIBROSIS: INITIAL: TRIAL OF OR CONTRAINDICATION TO JAKAFI (RUXOLITINIB). RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FENFLURAMINE

Products Affected

• FINTEPLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: DRAVET SYNDROME, LENNOX-GASTAUT SYNDROME (LGS): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	DRAVET SYNDROME: INITIAL/RENEWAL: 12 MONTHS. LGS: 12 MONTHS.
Other Criteria	INITIAL: LGS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING ANTIEPILEPTIC MEDICATIONS: RUFINAMIDE, FELBAMATE, CLOBAZAM, TOPIRAMATE, LAMOTRIGINE, CLONAZEPAM. RENEWAL: DRAVET SYNDROME: PATIENT HAS SHOWN CONTINUED CLINICAL BENEFIT (E.G. REDUCTION OF SEIZURES, REDUCED LENGTH OF SEIZURES, SEIZURE CONTROL MAINTAINED).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FENTANYL CITRATE

Products Affected

• *fentanyl citrate buccal lozenge on a handle*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	CANCER RELATED PAIN: 1) CURRENTLY ON A MAINTENANCE DOSE OF CONTROLLED-RELEASE OPIOID PAIN MEDICATION, AND 2) TRIAL OF OR CONTRAINDICATION TO AT LEAST ONE IMMEDIATE-RELEASE ORAL OPIOID PAIN AGENT OR PATIENT HAS DIFFICULTY SWALLOWING TABLETS/CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FEZOLINETANT

Products Affected

• VEOZAH

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	MENOPAUSAL VASOMOTOR SYMPTOMS (VMS): INITIAL: 1) EXPERIENCES 7 OR MORE HOT FLASHES PER DAY, AND 2) TRIAL OF OR CONTRAINDICATION TO HORMONAL THERAPY (E.G., ESTRADIOL TRANSDERMAL PATCH, ORAL CONJUGATED ESTROGENS). RENEWAL: 1) CONTINUED NEED FOR VMS TREATMENT (I.E., PERSISTENT HOT FLASHES), AND 2) REDUCTION IN VMS FREQUENCY OR SEVERITY DUE TO VEOZAH TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FILGRASTIM-AAFI

Products Affected

• NIVESTYM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FINERENONE

Products Affected

• KERENDIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FINGOLIMOD

Products Affected

• fingolimod hcl

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FOSCARBIDOPA-FOSLEVODOPA

Products Affected

• VYALEV SUBCUTANEOUS SOLUTION 12-240 MG/ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PARKINSONS DISEASE (PD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL: 3 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	PD: INITIAL: 1) RESPONSIVE TO LEVODOPA, 2) CURRENT REGIMEN INCLUDES AT LEAST 400 MG/DAY OF LEVODOPA, AND 3) MOTOR SYMPTOMS ARE CURRENTLY UNCONTROLLED (DEFINED AS AN AVERAGE OFF TIME OF AT LEAST 2.5 HOURS/DAY OVER 3 CONSECUTIVE DAYS WITH A MINIMUM OF 2 HOURS EACH DAY). RENEWAL: IMPROVEMENT IN MOTOR SYMPTOMS WHILE ON THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FREMANEZUMAB-VFRM

Products Affected

• AJOVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.
Other Criteria	MIGRAINE PREVENTION: INITIAL: 1) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREVENTIVE MIGRAINE TREATMENTS: DIVALPROEX SODIUM, TOPIRAMATE, PROPRANOLOL, TIMOLOL, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: 1) REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FRUQUINTINIB

Products Affected

• FRUZAQLA ORAL CAPSULE 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

FUTIBATINIB

 Products Affected LYTGOBI (12 MG DAILY DOSE) LYTGOBI (16 MG DAILY DOSE) LYTGOBI (16 MG DAILY DOSE) 	
PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INTRAHEPATIC CHOLANGIOCARCINOMA (ICCA): COMPLETE A COMPREHENSIVE OPHTHALMOLOGICAL EXAMINATION, INCLUDING OPTICAL COHERENCE TOMOGRAPHY (OCT), PRIOR TO THE INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GALCANEZUMAB-GNLM

Products Affected

• EMGALITY

• EMGALITY (300 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: MIGRAINE PREVENTION: 6 MOS. EPISODIC CLUSTER HEADACHE: 3 MOS. RENEWAL (ALL): 12 MOS.
Other Criteria	INITIAL: MIGRAINE PREVENTION: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREVENTIVE MIGRAINE TREATMENTS: DIVALPROEX SODIUM, TOPIRAMATE, PROPRANOLOL, TIMOLOL. RENEWAL: MIGRAINE PREVENTION: 1) REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. EPISODIC CLUSTER HEADACHE: IMPROVEMENT IN EPISODIC CLUSTER HEADACHE FREQUENCY AS COMPARED TO BASELINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GANAXOLONE

Products Affected

• ZTALMY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GEFITINIB

Products Affected

• gefitinib

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GILTERITINIB

Products Affected

• XOSPATA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GLASDEGIB

Products Affected

 DAURISMO ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GLATIRAMER

Products Affected

- glatiramer acetate subcutaneous solution glatopa subcutaneous solution prefilled prefilled syringe 20 mg/ml, 40 mg/ml
 - syringe 20 mg/ml, 40 mg/ml

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GLP1-DULAGLUTIDE

Products Affected

• TRULICITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

GLP1-SEMAGLUTIDE

Products Affected

- OZEMPIC (0.25 OR 0.5 MG/DOSE)
- RYBELSUS

• OZEMPIC (1 MG/DOSE)

• RYBELSUS (FORMULATION R2)

• OZEMPIC (2 MG/DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

GLP1-TIRZEPATIDE

Products Affected

 MOUNJARO SUBCUTANEOUS SOLUTION AUTO-INJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS.
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

GOSERELIN

Products Affected

• ZOLADEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ENDOMETRIOSIS: DIAGNOSIS IS CONFIRMED VIA SURGICAL OR DIRECT VISUALIZATION (E.G., PELVIC ULTRASOUND) OR HISTOPATHOLOGICAL CONFIRMATION (E.G., LAPAROSCOPY OR LAPAROTOMY) IN THE LAST 10 YEARS.
Age Restrictions	
Prescriber Restrictions	ENDOMETRIOSIS: PRESCRIBED BY OR IN CONSULTATION WITH AN OBSTETRICIAN/GYNECOLOGIST.
Coverage Duration	STAGE B2-C PROSTATIC CARCINOMA: 4 MOS. ENDOMETRIOSIS: 6 MOS PER LIFETIME. ALL OTHERS: 12 MONTHS.
Other Criteria	ENDOMETRIOSIS: 1) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, 2) TRIAL OF OR CONTRAINDICATION TO NSAID AND PROGESTIN-CONTAINING PREPARATION, AND 3) HAS NOT RECEIVED A TOTAL OF 6 MONTHS OF TREATMENT PER LIFETIME. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

GUSELKUMAB

Products Affected

- TREMFYA INTRAVENOUS
- TREMFYA ONE-PRESS

- TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE
- TREMFYA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/2ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. ULCERATIVE COLITIS (UC), CROHNS DISEASE (CD): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR

PA Criteria	Criteria Details
	TARGETED SMALL MOLECULES FOR UC. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. RENEWAL: PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

HIGH CONCENTRATION ORAL OPIOID SOLUTIONS

Products Affected

• morphine sulfate (concentrate) oral solution 100 mg/5ml

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	OPIOID TOLERANT: 12 MONTHS. HOSPICE, PALLIATIVE CARE OR END OF LIFE CARE: LIFETIME.
Other Criteria	1) OPIOID TOLERANT (I.E. PREVIOUS USE OF 60 MG ORAL MORPHINE PER DAY, 25 MCG TRANSDERMAL FENTANYL PER HOUR, 30 MG ORAL OXYCODONE PER DAY, 8 MG ORAL HYDROMORPHONE PER DAY, 25 MG ORAL OXYMORPHONE PER DAY, 60 MG ORAL HYDROCODONE PER DAY, OR AN EQUIANALGESIC DOSE OF ANOTHER OPIOID) AND HAS TROUBLE SWALLOWING OPIOID TABLETS, CAPSULES, OR LARGE VOLUMES OF LIQUID, OR 2) ENROLLED IN HOSPICE OR PALLIATIVE CARE OR END OF LIFE CARE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IBRUTINIB

Products Affected

- IMBRUVICA ORAL CAPSULE 140 MG, 70 MG
- IMBRUVICA ORAL SUSPENSION
- IMBRUVICA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ICATIBANT

Products Affected

• *icatibant acetate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HEREDITARY ANGIOEDEMA (HAE): DIAGNOSIS CONFIRMED BY COMPLEMENT TESTING.
Age Restrictions	
Prescriber Restrictions	HAE: PRESCRIBED BY OR IN CONSULTATION WITH AN ALLERGIST, IMMUNOLOGIST, OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	HAE: NO CONCURRENT USE WITH OTHER MEDICATIONS FOR TREATMENT OF ACUTE HAE ATTACKS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IDELALISIB

Products Affected

• ZYDELIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IMATINIB

Products Affected

• *imatinib mesylate oral tablet 100 mg, 400 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	ADJUVANT GASTROINTESTINAL STROMAL TUMOR TREATMENT: 36 MONTHS. ALL OTHER DIAGNOSES: 12 MONTHS.
Other Criteria	PHILADELPHIA CHROMOSOME POSITIVE CHRONIC MYELOID LEUKEMIA: PATIENT HAS NOT RECEIVED A PREVIOUS TREATMENT WITH ANOTHER TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IMATINIB SOLUTION

Products Affected

• IMKELDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	ADJUVANT GASTROINTESTINAL STROMAL TUMOR TREATMENT: 36 MONTHS. ALL OTHER DIAGNOSES: 12 MONTHS.
Other Criteria	PHILADELPHIA CHROMOSOME POSITIVE CHRONIC MYELOID LEUKEMIA: PATIENT HAS NOT RECEIVED A PREVIOUS TREATMENT WITH ANOTHER TYROSINE KINASE INHIBITOR. ALL INDICATIONS: UNABLE TO SWALLOW GENERIC IMATINIB TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IMETELSTAT

Products Affected

• RYTELO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INAVOLISIB

Products Affected

• ITOVEBI ORAL TABLET 3 MG, 9 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INFLIXIMAB

Products Affected

• infliximab

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP, OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PSA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK, XELJANZ, RINVOQ, SKYRIZI, TREMFYA, ORENCIA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, STELARA/SELARSDI/YESINTEK, SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL

PA Criteria	Criteria Details
	MOLECULES FOR PSO. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA/SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. MODERATE TO SEVERE CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR US. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INSULIN SUPPLIES PAYMENT DETERMINATION

Products Affected

- ABOUTTIME PEN NEEDLE 30G X 8
 MM
- ABOUTTIME PEN NEEDLE 31G X 5
 MM
- ABOUTTIME PEN NEEDLE 31G X 8
 MM
- ABOUTTIME PEN NEEDLE 32G X 4 MM
- ADVOCATE INSULIN PEN NEEDLE 32G X 4 MM
- ADVOCATE INSULIN PEN NEEDLES 29G X 12.7MM
- ADVOCATE INSULIN PEN NEEDLES 31G X 5 MM
- ADVOCATE INSULIN PEN NEEDLES 31G X 8 MM
- ADVOCATE INSULIN PEN NEEDLES 33G X 4 MM
- ADVOCATE INSULIN SYRINGE 29G X 1/2" 0.3 ML
- ADVOCATE INSULIN SYRINGE 29G X 1/2" 0.5 ML
- ADVOCATE INSULIN SYRINGE 29G X 1/2" 1 ML
- ADVOCATE INSULIN SYRINGE 30G X 5/16" 0.3 ML
- ADVOCATE INSULIN SYRINGE 30G X 5/16" 0.5 ML
- ADVOCATE INSULIN SYRINGE 30G X 5/16" 1 ML
- ADVOCATE INSULIN SYRINGE 31G X 5/16" 0.3 ML
- ADVOCATE INSULIN SYRINGE 31G X 5/16" 0.5 ML
- ADVOCATE INSULIN SYRINGE 31G X 5/16" 1 ML
- ALCOHOL PREP PAD
- ALCOHOL PREP PAD 70 %
- ALCOHOL PREP PADS PAD 70 %

- ALCOHOL SWABS PAD
- ALCOHOL SWABS PAD 70 %
- AQ INSULIN SYRINGE 31G X 5/16" 1 ML
- AQINJECT PEN NEEDLE 31G X 5 MM
- AQINJECT PEN NEEDLE 32G X 4 MM
- ASSURE ID DUO PRO PEN NEEDLES 31G X 5 MM
- ASSURE ID INSULIN SAFETY SYR 29G X 1/2" 1 ML
- ASSURE ID INSULIN SAFETY SYR 29G X 1/2" 0.5 ML (OTC)
- ASSURE ID INSULIN SAFETY SYR 31G X 15/64" 0.5 ML
- ASSURE ID INSULIN SAFETY SYR 31G X 15/64" 1 ML
- ASSURE ID PRO PEN NEEDLES 30G X 5 MM
- AUM ALCOHOL PREP PADS PAD 70 %
- AUM INSULIN SAFETY PEN NEEDLE 31G X 4 MM
- AUM INSULIN SAFETY PEN NEEDLE 31G X 5 MM
- AUM MINI INSULIN PEN NEEDLE 32G X 4 MM
- AUM MINI INSULIN PEN NEEDLE 32G X 5 MM
- AUM MINI INSULIN PEN NEEDLE 32G X 6 MM
- AUM MINI INSULIN PEN NEEDLE 32G X 8 MM
- AUM MINI INSULIN PEN NEEDLE 33G X 4 MM
- AUM MINI INSULIN PEN NEEDLE 33G X 5 MM
- AUM MINI INSULIN PEN NEEDLE 33G X 6 MM
- AUM PEN NEEDLE 32G X 4 MM

- AUM PEN NEEDLE 32G X 5 MM
- AUM PEN NEEDLE 32G X 6 MM
- AUM PEN NEEDLE 33G X 4 MM
- AUM PEN NEEDLE 33G X 5 MM
- AUM PEN NEEDLE 33G X 6 MM
- AUM READYGARD DUO PEN NEEDLE 32G X 4 MM
- AUM SAFETY PEN NEEDLE 31G X 4
 MM
- BD AUTOSHIELD 29G X 5MM
- BD AUTOSHIELD 29G X 8MM
- BD AUTOSHIELD DUO 30G X 5 MM
- BD ECLIPSE SYRINGE 30G X 1/2" 1
 ML
- BD INSULIN SYR ULTRAFINE II 31G X 5/16" 0.3 ML
- BD INSULIN SYR ULTRAFINE II 31G X 5/16" 0.5 ML
- BD INSULIN SYR ULTRAFINE II 31G X 5/16" 1 ML
- BD INSULIN SYRINGE 27.5G X 5/8" 2
 ML
- BD INSULIN SYRINGE 25G X 1" 1 ML
- BD INSULIN SYRINGE 25G X 5/8" 1
 ML
- BD INSULIN SYRINGE 26G X 1/2" 1
 ML
- BD INSULIN SYRINGE 27G X 1/2" 1
 ML
- BD INSULIN SYRINGE 29G X 1/2" 0.5 ML (OTC)
- BD INSULIN SYRINGE 29G X 1/2" 0.5 ML (RX)
- BD INSULIN SYRINGE 29G X 1/2" 1 ML (OTC)
- BD INSULIN SYRINGE 29G X 1/2" 1 ML (RX)
- BD INSULIN SYRINGE HALF-UNIT 31G X 5/16" 0.3 ML
- BD INSULIN SYRINGE MICROFINE 27G X 5/8" 1 ML
- BD INSULIN SYRINGE MICROFINE 28G X 1/2" 0.5 ML
- BD INSULIN SYRINGE MICROFINE 28G X 1/2" 1 ML (OTC)

- BD INSULIN SYRINGE MICROFINE 28G X 1/2" 1 ML (RX)
- BD INSULIN SYRINGE U-100 1 ML
- BD INSULIN SYRINGE U-500
- BD INSULIN SYRINGE ULTRAFINE 29G X 1/2" 0.3 ML
- BD INSULIN SYRINGE ULTRAFINE 29G X 1/2" 0.5 ML
- BD INSULIN SYRINGE ULTRAFINE 29G X 1/2" 1 ML
- BD INSULIN SYRINGE ULTRAFINE 30G X 1/2" 0.3 ML
- BD INSULIN SYRINGE ULTRAFINE 30G X 1/2" 0.5 ML
- BD INSULIN SYRINGE ULTRAFINE 31G X 5/16" 0.3 ML
- BD INSULIN SYRINGE ULTRAFINE 31G X 5/16" 0.5 ML
- BD PEN NEEDLE MICRO ULTRAFINE 32G X 6 MM
- BD PEN NEEDLE MINI U/F 31G X 5
 MM
- BD PEN NEEDLE MINI ULTRAFINE 31G X 5 MM
- BD PEN NEEDLE NANO 2ND GEN 32G X 4 MM
- BD PEN NEEDLE NANO U/F 32G X 4
 MM
- BD PEN NEEDLE NANO ULTRAFINE 32G X 4 MM
- BD PEN NEEDLE ORIG ULTRAFINE 29G X 12.7MM
- BD PEN NEEDLE SHORT ULTRAFINE 31G X 8 MM
- BD SAFETY-LOK INSULIN SYRINGE 29G X 1/2" 1 ML
- BD SAFETYGLIDE INSULIN SYRINGE 29G X 1/2" 0.3 ML
- BD SAFETYGLIDE INSULIN SYRINGE 29G X 1/2" 0.5 ML
- BD SAFETYGLIDE INSULIN SYRINGE 30G X 5/16" 0.5 ML
- BD SAFETYGLIDE INSULIN SYRINGE 31G X 15/64" 0.3 ML

- BD SAFETYGLIDE INSULIN SYRINGE 31G X 15/64" 0.5 ML
- BD SAFETYGLIDE INSULIN SYRINGE 31G X 15/64" 1 ML
- BD SAFETYGLIDE INSULIN SYRINGE 31G X 5/16" 0.3 ML
- BD SAFETYGLIDE SYRINGE/NEEDLE 27G X 5/8" 1 ML
- BD SWAB SINGLE USE REGULAR
 PAD
- BD SWABS SINGLE USE BUTTERFLY PAD
- BD VEO INSULIN SYR U/F 1/2UNIT 31G X 15/64" 0.3 ML
- BD VEO INSULIN SYR ULTRAFINE 31G X 15/64" 0.3 ML
- BD VEO INSULIN SYR ULTRAFINE 31G X 15/64" 0.5 ML
- BD VEO INSULIN SYR ULTRAFINE 31G X 15/64" 1 ML
- BD VEO INSULIN SYRINGE U/F 31G X 15/64" 0.3 ML
- BD VEO INSULIN SYRINGE U/F 31G X 15/64" 0.5 ML
- BD VEO INSULIN SYRINGE U/F 31G X 15/64" 1 ML
- CAREFINE PEN NEEDLES 29G X 12MM
- CAREFINE PEN NEEDLES 30G X 8
 MM
- CAREFINE PEN NEEDLES 31G X 6
 MM
- CAREFINE PEN NEEDLES 31G X 8
 MM
- CAREFINE PEN NEEDLES 32G X 4 MM
- CAREFINE PEN NEEDLES 32G X 5
 MM
- CAREFINE PEN NEEDLES 32G X 6
 MM
- CAREONE INSULIN SYRINGE 30G X 1/2" 0.3 ML
- CAREONE INSULIN SYRINGE 30G X 1/2" 0.5 ML

- CAREONE INSULIN SYRINGE 30G X
 1/2" 1 ML
- CAREONE INSULIN SYRINGE 31G X
 5/16" 0.3 ML
- CAREONE INSULIN SYRINGE 31G X 5/16" 0.5 ML
- CAREONE INSULIN SYRINGE 31G X 5/16" 1 ML
- CARETOUCH ALCOHOL PREP PAD 70 %
- CARETOUCH INSULIN SYRINGE 28G X 5/16" 1 ML
- CARETOUCH INSULIN SYRINGE 29G X 5/16" 1 ML
- CARETOUCH INSULIN SYRINGE 30G
 X 5/16" 0.5 ML
- CARETOUCH INSULIN SYRINGE 30G
 X 5/16" 1 ML
- CARETOUCH INSULIN SYRINGE 31G
 X 5/16" 0.3 ML
- CARETOUCH INSULIN SYRINGE 31G X 5/16" 0.5 ML
- CARETOUCH INSULIN SYRINGE 31G X 5/16" 1 ML
- CARETOUCH PEN NEEDLES 29G X
 12MM
- CARETOUCH PEN NEEDLES 31G X 5
 MM
- CARETOUCH PEN NEEDLES 31G X 6
 MM
- CARETOUCH PEN NEEDLES 31G X 8
 MM
- CARETOUCH PEN NEEDLES 32G X 4 MM
- CARETOUCH PEN NEEDLES 32G X 5
 MM
- CARETOUCH PEN NEEDLES 33G X 4 MM
- CLEVER CHOICE COMFORT EZ 29G
 X 12MM
- CLEVER CHOICE COMFORT EZ 33G
 X 4 MM
- CLICKFINE PEN NEEDLES 31G X 6
 MM

- CLICKFINE PEN NEEDLES 31G X 8
 MM
- CLICKFINE PEN NEEDLES 32G X 4
 MM
- COMFORT ASSIST INSULIN SYRINGE 29G X 1/2" 1 ML
- COMFORT ASSIST INSULIN SYRINGE 31G X 5/16" 0.3 ML
- COMFORT EZ INSULIN SYRINGE 28G X 1/2" 0.5 ML
- COMFORT EZ INSULIN SYRINGE 28G X 1/2" 1 ML
- COMFORT EZ INSULIN SYRINGE 29G X 1/2" 0.3 ML
- COMFORT EZ INSULIN SYRINGE 29G
 X 1/2" 0.5 ML
- COMFORT EZ INSULIN SYRINGE 29G X 1/2" 1 ML
- COMFORT EZ INSULIN SYRINGE 30G
 X 1/2" 0.3 ML
- COMFORT EZ INSULIN SYRINGE 30G
 X 1/2" 0.5 ML
- COMFORT EZ INSULIN SYRINGE 30G X 1/2" 1 ML
- COMFORT EZ INSULIN SYRINGE 30G
 X 5/16" 0.3 ML
- COMFORT EZ INSULIN SYRINGE 30G
 X 5/16" 0.5 ML
- COMFORT EZ INSULIN SYRINGE 30G X 5/16" 1 ML
- COMFORT EZ INSULIN SYRINGE 31G X 15/64" 0.3 ML
- COMFORT EZ INSULIN SYRINGE 31G X 15/64" 0.5 ML
- COMFORT EZ INSULIN SYRINGE 31G X 15/64" 1 ML
- COMFORT EZ INSULIN SYRINGE 31G X 5/16" 0.3 ML
- COMFORT EZ INSULIN SYRINGE 31G X 5/16" 0.5 ML
- COMFORT EZ INSULIN SYRINGE 31G X 5/16" 1 ML
- COMFORT EZ PEN NEEDLES 31G X 5
 MM

- COMFORT EZ PEN NEEDLES 31G X 6
 MM
- COMFORT EZ PEN NEEDLES 31G X 8
 MM
- COMFORT EZ PEN NEEDLES 32G X 4 MM
- COMFORT EZ PEN NEEDLES 32G X 5
 MM
- COMFORT EZ PEN NEEDLES 32G X 6 MM
- COMFORT EZ PEN NEEDLES 32G X 8
 MM
- COMFORT EZ PEN NEEDLES 33G X 4
 MM
- COMFORT EZ PEN NEEDLES 33G X 5 MM
- COMFORT EZ PEN NEEDLES 33G X 6 MM
- COMFORT EZ PEN NEEDLES 33G X 8 MM
- COMFORT EZ PRO PEN NEEDLES 30G X 8 MM
- COMFORT EZ PRO PEN NEEDLES 31G X 4 MM
- COMFORT EZ PRO PEN NEEDLES 31G X 5 MM
- COMFORT TOUCH INSULIN PEN NEED 31G X 4 MM
- COMFORT TOUCH INSULIN PEN NEED 31G X 5 MM
- COMFORT TOUCH INSULIN PEN NEED 31G X 6 MM
- COMFORT TOUCH INSULIN PEN NEED 31G X 8 MM
- COMFORT TOUCH INSULIN PEN NEED 32G X 4 MM
- COMFORT TOUCH INSULIN PEN NEED 32G X 5 MM
- COMFORT TOUCH INSULIN PEN NEED 32G X 6 MM
- COMFORT TOUCH INSULIN PEN NEED 32G X 8 MM
- CURITY ALCOHOL PREPS PAD 70 %
- CURITY ALL PURPOSE SPONGES
 PAD 2"X2"

- CURITY GAUZE PAD 2"X2"
- CURITY GAUZE SPONGE PAD 2"X2"
- CURITY SPONGES PAD 2"X2"
- CVS GAUZE PAD 2"X2"
- CVS GAUZE STERILE PAD 2"X2"
- DERMACEA GAUZE SPONGE PAD
 2"X2"
- DERMACEA IV DRAIN SPONGES
 PAD 2"X2"
- DERMACEA NON-WOVEN SPONGES
 PAD 2"X2"
- DERMACEA TYPE VII GAUZE PAD 2"X2"
- DIATHRIVE PEN NEEDLE 31G X 5
 MM
- DIATHRIVE PEN NEEDLE 31G X 6
 MM
- DIATHRIVE PEN NEEDLE 31G X 8
 MM
- DIATHRIVE PEN NEEDLE 32G X 4
 MM
- DROPLET INSULIN SYRINGE 29G X
 1/2" 0.3 ML
- DROPLET INSULIN SYRINGE 29G X
 1/2" 0.5 ML
- DROPLET INSULIN SYRINGE 29G X
 1/2" 1 ML
- DROPLET INSULIN SYRINGE 30G X 1/2" 0.3 ML
- DROPLET INSULIN SYRINGE 30G X 1/2" 0.5 ML
- DROPLET INSULIN SYRINGE 30G X
 1/2" 1 ML
- DROPLET INSULIN SYRINGE 30G X 15/64" 0.3 ML
- DROPLET INSULIN SYRINGE 30G X 15/64" 0.5 ML
- DROPLET INSULIN SYRINGE 30G X 15/64" 1 ML
- DROPLET INSULIN SYRINGE 30G X
 5/16" 0.3 ML
- DROPLET INSULIN SYRINGE 30G X
 5/16" 0.5 ML
- DROPLET INSULIN SYRINGE 30G X
 5/16" 1 ML

- DROPLET INSULIN SYRINGE 31G X
 1/4" 0.3 ML
- DROPLET INSULIN SYRINGE 31G X
 1/4" 0.5 ML
- DROPLET INSULIN SYRINGE 31G X
 1/4" 1 ML
- DROPLET INSULIN SYRINGE 31G X 15/64" 0.3 ML
- DROPLET INSULIN SYRINGE 31G X 15/64" 0.5 ML
- DROPLET INSULIN SYRINGE 31G X 15/64" 1 ML
- DROPLET INSULIN SYRINGE 31G X
 5/16" 0.3 ML
- DROPLET INSULIN SYRINGE 31G X
 5/16" 0.5 ML
- DROPLET INSULIN SYRINGE 31G X
 5/16" 1 ML
- DROPLET MICRON 34G X 3.5 MM
- DROPLET PEN NEEDLES 29G X
 10MM
- DROPLET PEN NEEDLES 29G X
 12MM
- DROPLET PEN NEEDLES 30G X 8 MM
- DROPLET PEN NEEDLES 31G X 5 MM
- DROPLET PEN NEEDLES 31G X 6 MM
- DROPLET PEN NEEDLES 31G X 8 MM
- DROPLET PEN NEEDLES 32G X 4 MM
- DROPLET PEN NEEDLES 32G X 5 MM
- DROPLET PEN NEEDLES 32G X 6 MM
- DROPLET PEN NEEDLES 32G X 8 MM
- DROPSAFE ALCOHOL PREP PAD 70
 %
- DROPSAFE SAFETY PEN NEEDLES
 31G X 5 MM
- DROPSAFE SAFETY PEN NEEDLES 31G X 6 MM
- DROPSAFE SAFETY PEN NEEDLES 31G X 8 MM
- DROPSAFE SAFETY SYRINGE/NEEDLE 29G X 1/2" 1 ML
- DROPSAFE SAFETY SYRINGE/NEEDLE 31G X 15/64" 0.3 ML

- DROPSAFE SAFETY SYRINGE/NEEDLE 31G X 15/64" 0.5 ML
- DROPSAFE SAFETY SYRINGE/NEEDLE 31G X 15/64" 1 ML •
- DROPSAFE SAFETY SYRINGE/NEEDLE 31G X 5/16" 0.3 ML
- DROPSAFE SAFETY SYRINGE/NEEDLE 31G X 5/16" 0.5 ML •
- DROPSAFE SAFETY SYRINGE/NEEDLE 31G X 5/16" 1 ML
- DRUG MART ULTRA COMFORT SYR 29G X 1/2" 0.3 ML
- DRUG MART ULTRA COMFORT SYR 29G X 1/2" 1 ML
- DRUG MART ULTRA COMFORT SYR 30G X 5/16" 0.5 ML
- DRUG MART ULTRA COMFORT SYR 30G X 5/16" 1 ML
- DRUG MART UNIFINE PENTIPS 31G
 X 5 MM
- EASY COMFORT ALCOHOL PADS
 PAD
- EASY COMFORT INSULIN SYRINGE 29G X 5/16" 0.5 ML
- EASY COMFORT INSULIN SYRINGE 29G X 5/16" 1 ML
- EASY COMFORT INSULIN SYRINGE 30G X 1/2" 0.5 ML
- EASY COMFORT INSULIN SYRINGE 30G X 1/2" 1 ML
- EASY COMFORT INSULIN SYRINGE 30G X 5/16" 0.5 ML
- EASY COMFORT INSULIN SYRINGE 30G X 5/16" 1 ML
- EASY COMFORT INSULIN SYRINGE 31G X 1/2" 0.3 ML
- EASY COMFORT INSULIN SYRINGE 31G X 5/16" 0.3 ML
- EASY COMFORT INSULIN SYRINGE 31G X 5/16" 0.5 ML
- EASY COMFORT INSULIN SYRINGE 31G X 5/16" 1 ML
- EASY COMFORT INSULIN SYRINGE 32G X 5/16" 0.5 ML

- EASY COMFORT INSULIN SYRINGE 32G X 5/16" 1 ML
- EASY COMFORT PEN NEEDLES 29G X 4MM
- EASY COMFORT PEN NEEDLES 29G X 5MM
- EASY COMFORT PEN NEEDLES 31G X 5 MM
- EASY COMFORT PEN NEEDLES 31G X 6 MM
- EASY COMFORT PEN NEEDLES 31G X 8 MM
- EASY COMFORT PEN NEEDLES 32G X 4 MM
- EASY COMFORT PEN NEEDLES 33G X 4 MM
- EASY COMFORT PEN NEEDLES 33G X 5 MM
- EASY COMFORT PEN NEEDLES 33G X 6 MM
- EASY GLIDE PEN NEEDLES 33G X 4 MM
- EASY TOUCH ALCOHOL PREP MEDIUM PAD 70 %
- EASY TOUCH FLIPLOCK INSULIN SY 29G X 1/2" 1 ML
- EASY TOUCH FLIPLOCK INSULIN SY 30G X 1/2" 1 ML
- EASY TOUCH FLIPLOCK INSULIN SY 30G X 5/16" 1 ML
- EASY TOUCH FLIPLOCK INSULIN SY 31G X 5/16" 1 ML
- EASY TOUCH FLIPLOCK SAFETY SYR 27G X 1/2" 1 ML
- EASY TOUCH INSULIN BARRELS U-100 1 ML
- EASY TOUCH INSULIN SAFETY SYR 29G X 1/2" 0.5 ML
- EASY TOUCH INSULIN SAFETY SYR 29G X 1/2" 1 ML
- EASY TOUCH INSULIN SAFETY SYR 30G X 1/2" 1 ML
- EASY TOUCH INSULIN SAFETY SYR 30G X 5/16" 0.5 ML

- EASY TOUCH INSULIN SYRINGE 27G EASY TOUCH PEN NEEDLES 31G X 8 X 1/2" 0.5 ML MM • EASY TOUCH INSULIN SYRINGE 27G • EASY TOUCH PEN NEEDLES 32G X 4 X 1/2" 1 ML MM EASY TOUCH INSULIN SYRINGE 27G • EASY TOUCH PEN NEEDLES 32G X 5 X 5/8" 1 ML MM EASY TOUCH INSULIN SYRINGE 28G • EASY TOUCH PEN NEEDLES 32G X 6 • X 1/2" 0.5 ML MM EASY TOUCH INSULIN SYRINGE 28G • EASY TOUCH SAFETY PEN NEEDLES X 1/2" 1 ML 29G X 5MM EASY TOUCH INSULIN SYRINGE 29G • EASY TOUCH SAFETY PEN NEEDLES X 1/2" 0.5 ML 29G X 8MM EASY TOUCH INSULIN SYRINGE 29G • EASY TOUCH SAFETY PEN NEEDLES X 1/2" 1 ML 30G X 8 MM EASY TOUCH INSULIN SYRINGE 30G • EASY TOUCH SHEATHLOCK X 1/2" 0.3 ML SYRINGE 29G X 1/2" 1 ML EASY TOUCH INSULIN SYRINGE 30G • EASY TOUCH SHEATHLOCK X 1/2" 0.5 ML SYRINGE 30G X 1/2" 1 ML EASY TOUCH INSULIN SYRINGE 30G • EASY TOUCH SHEATHLOCK • X 1/2" 1 ML SYRINGE 30G X 5/16" 1 ML EASY TOUCH INSULIN SYRINGE 30G • EASY TOUCH SHEATHLOCK X 5/16" 0.3 ML SYRINGE 31G X 5/16" 1 ML EASY TOUCH INSULIN SYRINGE 30G • EMBECTA AUTOSHIELD DUO 30G X X 5/16" 0.5 ML 5 MM EASY TOUCH INSULIN SYRINGE 30G • EMBECTA INS SYR U/F 1/2 UNIT 31G X 5/16" 1 ML X 15/64" 0.3 ML EASY TOUCH INSULIN SYRINGE 31G • EMBECTA INS SYR U/F 1/2 UNIT 31G X 5/16" 0.3 ML X 5/16" 0.3 ML EASY TOUCH INSULIN SYRINGE 31G • EMBECTA INSULIN SYR ULTRAFINE • X 5/16" 0.5 ML 30G X 1/2" 0.3 ML EASY TOUCH INSULIN SYRINGE 31G • EMBECTA INSULIN SYR ULTRAFINE 30G X 1/2" 0.5 ML X 5/16" 1 ML EASY TOUCH PEN NEEDLES 29G X EMBECTA INSULIN SYR ULTRAFINE • • 12MM 30G X 1/2" 1 ML
- EASY TOUCH PEN NEEDLES 30G X 5 MM
- EASY TOUCH PEN NEEDLES 30G X 6 MM
- EASY TOUCH PEN NEEDLES 30G X 8 MM
- EASY TOUCH PEN NEEDLES 31G X 5 MM
- EASY TOUCH PEN NEEDLES 31G X 6 MM

- EMBECTA INSULIN SYR ULTRAFINE 31G X 5/16" 0.5 ML EMBECTA INSULIN SYR ULTRAFINE
- EMBECTA INSULIN SYR ULTRAFINE 31G X 5/16" 1 ML
- EMBECTA INSULIN SYRINGE 28G X 1/2" 0.5 ML
 - EMBECTA INSULIN SYRINGE U-100 27G X 5/8" 1 ML
- EMBECTA INSULIN SYRINGE U-100 28G X 1/2" 1 ML

- EMBECTA PEN NEEDLÉ NANO 2 GEN 32G X 4 MM
- EMBECTA PEN NEEDLE ULTRAFINE 29G X 12.7MM
- EMBECTA PEN NEEDLE ULTRAFINE 32G X 6 MM
- EMBRACE PEN NEEDLES 29G X 12MM
- EMBRACE PEN NEEDLES 30G X 5 MM
- EMBRACE PEN NEEDLES 30G X 8
 MM
- EMBRACE PEN NEEDLES 31G X 5 MM
- EMBRACE PEN NEEDLES 31G X 6 MM
- EMBRACE PEN NEEDLES 31G X 8 MM
- EMBRACE PEN NEEDLES 32G X 4 MM
- EQL ALCOHOL SWABS PAD 70 %
- EQL GAUZE PAD 2"X2"
- EQL INSULIN SYRINGE 30G X 5/16" 0.3 ML
- EQL INSULIN SYRINGE 30G X 5/16" 0.5 ML
- EQL INSULIN SYRINGE 30G X 5/16" 1 ML
- EXEL COMFORT POINT PEN NEEDLE 29G X 12MM
- FIFTY50 PEN NEEDLES 32G X 6 MM
- FREESTYLE PRECISION INS SYR 30G X 5/16" 0.5 ML
- FREESTYLE PRECISION INS SYR 30G X 5/16" 1 ML
- FREESTYLE PRECISION INS SYR 31G X 5/16" 0.5 ML
- FREESTYLE PRECISION INS SYR 31G X 5/16" 1 ML
- GAUZE PADS PAD 2"X2"
- GAUZE TYPE VII MEDI-PAK PAD 2"X2"
- GLOBAL ALCOHOL PREP EASE
- GLOBAL EASE INJECT PEN NEEDLES 29G X 12MM

- GLOBAL EASE INJECT PEN NEEDLES 31G X 5 MM
- GLOBAL EASE INJECT PEN NEEDLES 31G X 8 MM
- GLOBAL EASE INJECT PEN NEEDLES 32G X 4 MM
- GLOBAL EASY GLIDE INSULIN SYR 31G X 15/64" 0.3 ML
- GLOBAL EASY GLIDE INSULIN SYR 31G X 15/64" 0.5 ML
- GLOBAL EASY GLIDE INSULIN SYR 31G X 15/64" 1 ML
- GLOBAL INJECT EASE INSULIN SYR 28G X 1/2" 0.5 ML
- GLOBAL INJECT EASE INSULIN SYR 28G X 1/2" 1 ML
- GLOBAL INJECT EASE INSULIN SYR 29G X 1/2" 0.5 ML
- GLOBAL INJECT EASE INSULIN SYR 29G X 1/2" 1 ML
- GLOBAL INJECT EASE INSULIN SYR 30G X 1/2" 1 ML
- GLOBAL INJECT EASE INSULIN SYR 30G X 5/16" 0.5 ML
- GLOBAL INJECT EASE INSULIN SYR 30G X 5/16" 1 ML
- GLUCOPRO INSULIN SYRINGE 30G X 1/2" 0.3 ML
- GLUCOPRO INSULIN SYRINGE 30G X 1/2" 0.5 ML
- GLUCOPRO INSULIN SYRINGE 30G X
 1/2" 1 ML
- GLUCOPRO INSULIN SYRINGE 30G X 5/16" 0.3 ML
- GLUCOPRO INSULIN SYRINGE 30G X
 5/16" 0.5 ML
- GLUCOPRO INSULIN SYRINGE 30G X
 5/16" 1 ML
- GLUCOPRO INSULIN SYRINGE 31G X
 5/16" 0.3 ML
- GLUCOPRO INSULIN SYRINGE 31G X
 5/16" 0.5 ML
- GLUCOPRO INSULIN SYRINGE 31G X
 5/16" 1 ML
- GNP ALCOHOL SWABS PAD

- GNP INSULIN SYRINGE 28G X 1/2" 1
 ML
- GNP INSULIN SYRINGE 29G X 1/2" 0.5 ML
- GNP INSULIN SYRINGE 29G X 1/2" 1 ML
- GNP INSULIN SYRINGE 30G X 5/16" 0.5 ML
- GNP INSULIN SYRINGE 30G X 5/16" 1 ML
- GNP INSULIN SYRINGES 29GX1/2" 29G X 1/2" 0.5 ML
- GNP INSULIN SYRINGES 29GX1/2" 29G X 1/2" 1 ML
- GNP INSULIN SYRINGES 30G X 5/16" 1 ML
- GNP INSULIN SYRINGES 30GX5/16" 30G X 5/16" 0.3 ML
- GNP INSULIN SYRINGES 31GX5/16" 31G X 5/16" 0.3 ML
- GNP STERILE GAUZE PAD 2"X2"
- GNP ULTRA COM INSULIN SYRINGE 30G X 5/16" 0.3 ML
- GOODSENSE ALCOHOL SWABS PAD 70 %
- H-E-B INCONTROL ALCOHOL PAD
- H-E-B INCONTROL PEN NEEDLES 29G X 12MM
- H-E-B INCONTROL PEN NEEDLES 31G X 5 MM
- H-E-B INCONTROL PEN NEEDLES 31G X 6 MM
- H-E-B INCONTROL PEN NEEDLES 31G X 8 MM
- H-E-B INCONTROL PEN NEEDLES 32G X 4 MM
- HEALTHWISE INSULIN SYR/NEEDLE 30G X 5/16" 0.3 ML
- HEALTHWISE INSULIN SYR/NEEDLE 30G X 5/16" 0.5 ML
- HEALTHWISE INSULIN SYR/NEEDLE 30G X 5/16" 1 ML
- HEALTHWISE INSULIN SYR/NEEDLE 31G X 5/16" 0.3 ML

- HEALTHWISE INSULIN SYR/NEEDLE 31G X 5/16" 0.5 ML
- HEALTHWISE INSULIN SYR/NEEDLE 31G X 5/16" 1 ML
- HEALTHWISE MICRON PEN NEEDLES 32G X 4 MM
- HEALTHWISE SHORT PEN NEEDLES
 31G X 5 MM
- HEALTHWISE SHORT PEN NEEDLES 31G X 8 MM
- HEALTHY ACCENTS UNIFINE PENTIP 29G X 12MM
- HEALTHY ACCENTS UNIFINE PENTIP 31G X 5 MM
- HEALTHY ACCENTS UNIFINE PENTIP 31G X 6 MM
- HEALTHY ACCENTS UNIFINE PENTIP 31G X 8 MM
- HEALTHY ACCENTS UNIFINE PENTIP 32G X 4 MM
- HM STERILE ALCOHOL PREP PAD
- HM STERILE PADS PAD 2"X2"
 - HM ULTICARE INSULIN SYRINGE 30G X 1/2" 1 ML
- HM ULTICARE INSULIN SYRINGE 31G X 5/16" 0.3 ML
- HM ULTICARE SHORT PEN NEEDLES
 31G X 8 MM
- INCONTROL ULTICARE PEN NEEDLES 31G X 6 MM
- INCONTROL ULTICARE PEN NEEDLES 31G X 8 MM
- INCONTROL ULTICARE PEN NEEDLES 32G X 4 MM
- INSULIN SYRINGE 29G X 1/2" 1 ML
- INSULIN SYRINGE 30G X 5/16" 1 ML
- INSULIN SYRINGE 31G X 5/16" 0.3 ML
- INSULIN SYRINGE 31G X 5/16" 0.5 ML
- NSULIN SYRINGE-NEEDLE U-100 27G X 1/2" 0.5 ML (RX)
- INSULIN SYRINGE-NEEDLE U-100 27G X 1/2" 1 ML (RX)

- INSULIN SYRINGE-NEEDLE U-100 28G X 1/2" 0.5 ML (RX)
- INSULIN SYRINGE-NEEDLE U-100 28G X 1/2" 1 ML (RX)
- INSULIN SYRINGE-NEEDLE U-100 30G X 5/16" 1 ML
- INSULIN SYRINGE-NEEDLE U-100 31G X 1/4" 0.3 ML
- INSULIN SYRINGE-NEEDLE U-100 31G X 1/4" 0.5 ML
- INSULIN SYRINGE-NEEDLE U-100 31G X 1/4" 1 ML
- INSULIN SYRINGE-NEEDLE U-100 31G X 5/16" 0.5 ML (OTC)
- INSULIN SYRINGE/NEEDLE 27G X 1/2" 0.5 ML
- INSULIN SYRINGE/NEEDLE 28G X 1/2" 0.5 ML
- INSULIN SYRINGE/NEEDLE 28G X 1/2" 1 ML
- INSUPEN PEN NEEDLES 31G X 5 MM
- INSUPEN PEN NEEDLES 31G X 8 MM
- INSUPEN PEN NEEDLES 32G X 4 MM
- INSUPEN PEN NEEDLES 33G X 4 MM
- INSUPEN SENSITIVE 32G X 6 MM
- INSUPEN SENSITIVE 32G X 8 MM
- INSUPEN ULTRAFIN 29G X 12MM
- INSUPEN ULTRAFIN 30G X 8 MM
- INSUPEN ULTRAFIN 31G X 6 MM
- INSUPEN ULTRAFIN 31G X 8 MM
- J & J GAUZE PAD 2"X2"
- KENDALL HYDROPHILIC FOAM DRESS PAD 2"X2"
- KENDALL HYDROPHILIC FOAM PLUS PAD 2"X2"
- KINRAY INSULIN SYRINGE 29G X 1/2" 0.5 ML
- KMART VALU INSULIN SYRINGE 29G U-100 1 ML
- KMART VALU INSULIN SYRINGE 30G U-100 0.3 ML
- KMART VALU INSULIN SYRINGE 30G U-100 1 ML
- KROGER PEN NEEDLES 29G X 12MM
- KROGER PEN NEEDLES 31G X 8 MM

- LEADER UNIFINE PENTIPS 31G X 5
 MM
- LEADER UNIFINE PENTIPS 32G X 4 MM
- LEADER UNIFINE PENTIPS PLUS 31G
 X 5 MM
- LEADER UNIFINE PENTIPS PLUS 31G X 8 MM
- LITETOUCH INSULIN SYRINGE 28G
 X 1/2" 0.5 ML
- LITETOUCH INSULIN SYRINGE 28G X 1/2" 1 ML
- LITETOUCH INSULIN SYRINGE 29G X 1/2" 0.3 ML
- LITETOUCH INSULIN SYRINGE 29G X 1/2" 0.5 ML
- LITETOUCH INSULIN SYRINGE 29G X 1/2" 1 ML
- LITETOUCH INSULIN SYRINGE 30G X 5/16" 0.3 ML
- LITETOUCH INSULIN SYRINGE 30G X 5/16" 0.5 ML
- LITETOUCH INSULIN SYRINGE 30G X 5/16" 1 ML
- LITETOUCH INSULIN SYRINGE 31G X 5/16" 0.3 ML
- LITETOUCH INSULIN SYRINGE 31G X 5/16" 0.5 ML
- LITETOUCH INSULIN SYRINGE 31G X 5/16" 1 ML
- LITETOUCH PEN NEEDLES 29G X 12.7MM
- LITETOUCH PEN NEEDLES 31G X 5
 MM
- LITETOUCH PEN NEEDLES 31G X 6
 MM
- LITETOUCH PEN NEEDLES 31G X 8
 MM
- LITETOUCH PEN NEEDLES 32G X 4
 MM
- MAGELLAN INSULIN SAFETY SYR 29G X 1/2" 0.3 ML
- MAGELLAN INSULIN SAFETY SYR 29G X 1/2" 0.5 ML

- MAGELLAN INSULIN SÁFETY SYR 29G X 1/2" 1 ML
- MAGELLAN INSULIN SAFETY SYR 30G X 5/16" 0.3 ML
- MAGELLAN INSULIN SAFETY SYR 30G X 5/16" 0.5 ML
- MAGELLAN INSULIN SAFETY SYR 30G X 5/16" 1 ML
- MAXI-COMFORT INSULIN SYRINGE 28G X 1/2" 0.5 ML
- MAXI-COMFORT INSULIN SYRINGE 28G X 1/2" 1 ML
- MAXI-COMFORT SAFETY PEN NEEDLE 29G X 5MM
- MAXI-COMFORT SAFETY PEN NEEDLE 29G X 8MM
- MAXICOMFORT II PEN NEEDLE 31G
 X 6 MM
- MAXICOMFORT SYR 27G X 1/2" 27G X 1/2" 0.5 ML
- MAXICOMFORT SYR 27G X 1/2" 27G X 1/2" 1 ML
- MEDIC INSULIN SYRINGE 30G X 5/16" 0.3 ML
- MEDIC INSULIN SYRINGE 30G X
 5/16" 0.5 ML
- MEDICINE SHOPPE PEN NEEDLES 29G X 12MM
- MEDICINE SHOPPE PEN NEEDLES 31G X 8 MM
- MEDPURA ALCOHOL PADS 70 % EXTERNAL
- MEIJER ALCOHOL SWABS PAD 70 %
- MEIJER PEN NEEDLES 29G X 12MM
- MEIJER PEN NEEDLES 31G X 6 MM
- MEIJER PEN NEEDLES 31G X 8 MM
- MICRODOT PEN NEEDLE 31G X 6
 MM
- MICRODOT PEN NEEDLE 32G X 4
 MM
- MICRODOT PEN NEEDLE 33G X 4
 MM
- MIRASORB SPONGES 2"X2"
- MM PEN NEEDLES 32G X 4 MM

 MONOJECT INSULIN SYRINGE 25G X 5/8" 1 ML

- MONOJECT INSULIN SYRINGE 27G X 1/2" 1 ML (OTC)
- MONOJECT INSULIN SYRINGE 28G X 1/2" 0.5 ML (RX)
- MONOJECT INSULIN SYRINGE 28G X 1/2" 1 ML (OTC)
- MONOJECT INSULIN SYRINGE 28G X 1/2" 1 ML (RX)
- MONOJECT INSULIN SYRINGE 29G X 1/2" 0.3 ML
- MONOJECT INSULIN SYRINGE 29G X 1/2" 0.5 ML
- MONOJECT INSULIN SYRINGE 29G X 1/2" 1 ML (RX)
- MONOJECT INSULIN SYRINGE 30G X 5/16" 0.3 ML
- MONOJECT INSULIN SYRINGE 30G X 5/16" 0.5 ML (RX)
- MONOJECT INSULIN SYRINGE 30G X 5/16" 1 ML (RX)
- MONOJECT INSULIN SYRINGE 31G X 5/16" 1 ML
- MONOJECT INSULIN SYRINGE U-100 1 ML
- MONOJECT ULTRA COMFORT SYRINGE 28G X 1/2" 0.5 ML (OTC)
- MONOJECT ULTRA COMFORT SYRINGE 28G X 1/2" 0.5 ML (RX)
- MONOJECT ULTRA COMFORT SYRINGE 28G X 1/2" 1 ML (OTC)
- MONOJECT ULTRA COMFORT SYRINGE 29G X 1/2" 0.5 ML
- MONOJECT ULTRA COMFORT
- SYRINGE 29G X 1/2" 1 ML
- MONOJECT ULTRA COMFORT SYRINGE 30G X 5/16" 0.3 ML (OTC)
- MONOJECT ULTRA COMFORT SYRINGE 30G X 5/16" 0.3 ML (RX)
- MONOJECT ULTRA COMFORT SYRINGE 30G X 5/16" 0.5 ML (RX)
- NOVOFINE AUTOCOVER 30G X 8
 MM
- NOVOFINE PEN NEEDLE 32G X 6 MM

- NOVOFINE PLUS PEN NEEDLE 32G X PREVENT DROPSAFE PEN NEEDLES 4 MM
- NOVOTWIST PEN NEEDLE 32G X 5 MM
- PC UNIFINE PENTIPS 31G X 5 MM
- PC UNIFINE PENTIPS 31G X 6 MM
- PC UNIFINE PENTIPS 31G X 8 MM
- PEN NEEDLE/5-BEVEL TIP 32G X 4 MM
- PEN NEEDLES 30G X 5 MM (OTC) •
- PEN NEEDLES 30G X 8 MM
- PEN NEEDLES 32G X 4 MM (OTC)
- PEN NEEDLES 32G X 5 MM
- PENTIPS 29G X 12MM (RX)
- PENTIPS 31G X 5 MM (RX)
- PENTIPS 31G X 8 MM (RX)
- PENTIPS 32G X 4 MM (RX)
- PENTIPS GENERIC PEN NEEDLES 29G X 12MM
- PENTIPS GENERIC PEN NEEDLES 31G X 6 MM
- PENTIPS GENERIC PEN NEEDLES 32G X 6 MM
- PIP PEN NEEDLES 31G X 5MM 31G X 5 MM
- PIP PEN NEEDLES 32G X 4MM 32G X 4 MM
- PRECISION SURE-DOSE SYRINGE 28G X 1/2" 0.5 ML
- PRECISION SURE-DOSE SYRINGE 28G X 1/2" 1 ML
- PRECISION SURE-DOSE SYRINGE 29G X 1/2" 0.5 ML
- PRECISION SURE-DOSE SYRINGE 30G X 3/8" 0.5 ML
- PRECISION SURE-DOSE SYRINGE 30G X 5/16" 0.3 ML
- PRECISION SUREDOSE PLUS SYR 29G X 1/2" 0.3 ML
- PRECISION SUREDOSE PLUS SYR 29G X 1/2" 1 ML
- PREFERRED PLUS INSULIN SYRINGE 28G X 1/2" 0.5 ML
- PREFERRED PLUS UNIFINE PENTIPS 29G X 12MM

- 31G X 6 MM
- PREVENT DROPSAFE PEN NEEDLES 31G X 8 MM
- PREVENT SAFETY PEN NEEDLES 31G X 6 MM
- PREVENT SAFETY PEN NEEDLES 31G X 8 MM
- PRO COMFORT ALCOHOL PAD 70 %
- PRO COMFORT INSULIN SYRINGE 30G X 1/2" 0.5 ML
- PRO COMFORT INSULIN SYRINGE 30G X 1/2" 1 ML
- PRO COMFORT INSULIN SYRINGE 30G X 5/16" 0.5 ML
- PRO COMFORT INSULIN SYRINGE 30G X 5/16" 1 ML
- PRO COMFORT INSULIN SYRINGE 31G X 5/16" 0.5 ML
- PRO COMFORT INSULIN SYRINGE 31G X 5/16" 1 ML
- PRO COMFORT PEN NEEDLES 31G X 8 MM
- PRO COMFORT PEN NEEDLES 32G X 4 MM
- PRO COMFORT PEN NEEDLES 32G X • 5 MM
- PRO COMFORT PEN NEEDLES 32G X 6 MM
- PRODIGY INSULIN SYRINGE 28G X 1/2" 1 ML
- PRODIGY INSULIN SYRINGE 31G X 5/16" 0.3 ML
- PRODIGY INSULIN SYRINGE 31G X 5/16" 0.5 ML
- PURE COMFORT ALCOHOL PREP PAD
- PURE COMFORT PEN NEEDLE 32G X 4 MM
- PURE COMFORT PEN NEEDLE 32G X 5 MM
- PURE COMFORT PEN NEEDLE 32G X 6 MM
- PURE COMFORT PEN NEEDLE 32G X 8 MM

- PURE COMFORT SAFETY PEN NEEDLE 31G X 5 MM
- PURE COMFORT SAFETY PEN NEEDLE 31G X 6 MM
- PURE COMFORT SAFETY PEN NEEDLE 32G X 4 MM
- PX SHORTLENGTH PEN NEEDLES 31G X 8 MM
- QC ALCOHOL
- QC ALCOHOL SWABS PAD 70 %
- QC BORDER ISLAND GAUZE PAD 2"X2"
- QUICK TOUCH INSULIN PEN NEEDLE 31G X 4 MM
- QUICK TOUCH INSULIN PEN NEEDLE 31G X 5 MM
- QUICK TOUCH INSULIN PEN NEEDLE 32G X 4 MM
- QUICK TOUCH INSULIN PEN NEEDLE 32G X 5 MM
- QUICK TOUCH INSULIN PEN NEEDLE 32G X 6 MM
- QUICK TOUCH INSULIN PEN NEEDLE 32G X 8 MM
- QUICK TOUCH INSULIN PEN NEEDLE 33G X 4 MM
- QUICK TOUCH INSULIN PEN NEEDLE 33G X 5 MM
- QUICK TOUCH INSULIN PEN NEEDLE 33G X 6 MM
- QUICK TOUCH INSULIN PEN NEEDLE 33G X 8 MM
- RA ALCOHOL SWABS PAD 70 %
- RA INSULIN SYRINGE 29G X 1/2" 1 ML
- RA INSULIN SYRINGE 30G X 5/16" 0.5 ML
- RA INSULIN SYRINGE 30G X 5/16" 1
 ML
- ra isopropyl alcohol wipes
- RA PEN NEEDLES 31G X 5 MM
- RA PEN NEEDLES 31G X 8 MM
- RA STERILE PAD 2"X2"
- RAYA SURE PEN NEEDLE 29G X 12MM

- RAYA SURE PEN NEEDLE 31G X 4 MM
- RAYA SURE PEN NEEDLE 31G X 5 MM
- RAYA SURE PEN NEEDLE 31G X 6 MM
- REALITY INSULIN SYRINGE 28G X 1/2" 0.5 ML
- REALITY INSULIN SYRINGE 28G X 1/2" 1 ML
- REALITY INSULIN SYRINGE 29G X 1/2" 0.5 ML
- REALITY INSULIN SYRINGE 29G X 1/2" 1 ML
- REALITY SWABS PAD
- RELI-ON INSULIN SYRINGE 29G 0.3
 ML
- RELI-ON INSULIN SYRINGE 29G 0.5 ML
- RELI-ON INSULIN SYRINGE 29G X 1/2" 1 ML
- RELION ALCOHOL SWABS PAD
- RELION INSULIN SYRINGE 31G X 15/64" 0.3 ML
- RELION INSULIN SYRINGE 31G X 15/64" 0.5 ML
- RELION INSULIN SYRINGE 31G X 15/64" 1 ML
- RELION MINI PEN NEEDLES 31G X 6 MM
- RELION PEN NEEDLES 31G X 6 MM
- RELION PEN NEEDLES 31G X 8 MM
- RESTORE CONTACT LAYER PAD 2"X2"
- SAFETY INSULIN SYRINGES 29G X 1/2" 0.5 ML
- SAFETY INSULIN SYRINGES 29G X 1/2" 1 ML
- SAFETY INSULIN SYRINGES 30G X 1/2" 1 ML
- SAFETY INSULIN SYRINGES 30G X 5/16" 0.5 ML
- SAFETY PEN NEEDLES 30G X 5 MM
- SAFETY PEN NEEDLES 30G X 8 MM
- SB ALCOHOL PREP PAD 70 %

- SB INSULIN SYRINGE 29G X 1/2" 0.5
 ML
- SB INSULIN SYRINGE 29G X 1/2" 1 ML
- SB INSULIN SYRINGE 30G X 5/16" 0.5 ML
- SB INSULIN SYRINGE 30G X 5/16" 1 ML
- SB INSULIN SYRINGE 31G X 5/16" 1 ML
- SECURESAFE INSULIN SYRINGE 29G X 1/2" 0.5 ML
- SECURESAFE INSULIN SYRINGE 29G X 1/2" 1 ML
- SECURESAFE SAFETY PEN NEEDLES 30G X 8 MM
- SM ALCOHOL PREP PAD
- SM ALCOHOL PREP PAD 6-70 % EXTERNAL
- SM ALCOHOL PREP PAD 70 %
- SM GAUZE PAD 2"X2"
- STERILE GAUZE PAD 2"X2"
- STERILE PAD 2"X2"
- SURE COMFORT ALCOHOL PREP PAD 70 %
- SURE COMFORT INSULIN SYRINGE 28G X 1/2" 0.5 ML
- SURE COMFORT INSULIN SYRINGE 28G X 1/2" 1 ML
- SURE COMFORT INSULIN SYRINGE 29G X 1/2" 0.3 ML
- SURE COMFORT INSULIN SYRINGE 29G X 1/2" 0.5 ML
- SURE COMFORT INSULIN SYRINGE 29G X 1/2" 1 ML
- SURE COMFORT INSULIN SYRINGE 30G X 1/2" 0.3 ML
- SURE COMFORT INSULIN SYRINGE 30G X 1/2" 0.5 ML
- SURE COMFORT INSULIN SYRINGE 30G X 1/2" 1 ML
- SURE COMFORT INSULIN SYRINGE 30G X 5/16" 0.3 ML
- SURE COMFORT INSULIN SYRINGE 30G X 5/16" 0.5 ML

- SURE COMFORT INSULIN SYRINGE 30G X 5/16" 1 ML
- SURE COMFORT INSULIN SYRINGE 31G X 1/4" 0.3 ML
- SURE COMFORT INSULIN SYRINGE 31G X 1/4" 0.5 ML
- SURE COMFORT INSULIN SYRINGE 31G X 1/4" 1 ML
- SURE COMFORT INSULIN SYRINGE 31G X 5/16" 0.3 ML
- SURE COMFORT INSULIN SYRINGE 31G X 5/16" 0.5 ML
- SURE COMFORT INSULIN SYRINGE 31G X 5/16" 1 ML
- SURE COMFORT PEN NEEDLES 29G X 12.7MM
- SURE COMFORT PEN NEEDLES 30G X 8 MM
- SURE COMFORT PEN NEEDLES 31G X 5 MM
- SURE COMFORT PEN NEEDLES 31G X 6 MM
- SURE COMFORT PEN NEEDLES 31G X 8 MM
- SURE COMFORT PEN NEEDLES 32G X 4 MM (OTC)
- SURE COMFORT PEN NEEDLES 32G X 4 MM (RX)
- SURE COMFORT PEN NEEDLES 32G X 6 MM
- SURE-JECT INSULIN SYRINGE 31G X 5/16" 0.3 ML
- SURE-JECT INSULIN SYRINGE 31G X 5/16" 0.5 ML
- SURE-JECT INSULIN SYRINGE 31G X 5/16" 1 ML
- SURE-PREP ALCOHOL PREP PAD 70 %
- SURGICAL GAUZE SPONGE PAD 2"X2"
- TECHLITE INSULIN SYRINGE 29G X 1/2" 0.5 ML
- TECHLITE PEN NEEDLES 32G X 4 MM

- TERUMO INSULIN SYRÍNGE 29G X 1/2" 0.3 ML
- THERAGAUZE PAD 2"X2"
- TODAYS HEALTH PEN NEEDLES 29G X 12MM
- TODAYS HEALTH SHORT PEN NEEDLE 31G X 8 MM
- TOPCARE CLICKFINE PEN NEEDLES 31G X 6 MM
- TOPCARE CLICKFINE PEN NEEDLES 31G X 8 MM
- TOPCARE ULTRA COMFORT INS SYR 29G X 1/2" 0.3 ML
- TOPCARE ULTRA COMFORT INS SYR 29G X 1/2" 0.5 ML
- TOPCARE ULTRA COMFORT INS SYR 29G X 1/2" 1 ML
- TOPCARE ULTRA COMFORT INS SYR 30G X 5/16" 0.3 ML
- TOPCARE ULTRA COMFORT INS SYR 30G X 5/16" 0.5 ML
- TOPCARE ULTRA COMFORT INS SYR 30G X 5/16" 1 ML
- TOPCARE ULTRA COMFORT INS SYR 31G X 5/16" 0.3 ML
- TOPCARE ULTRA COMFORT INS SYR 31G X 5/16" 0.5 ML
- TOPCARE ULTRA COMFORT INS SYR 31G X 5/16" 1 ML
- TRUE COMFORT ALCOHOL PREP PADS PAD 70 %
- TRUE COMFORT INSULIN SYRINGE 30G X 1/2" 0.5 ML
- TRUE COMFORT INSULIN SYRINGE 30G X 1/2" 1 ML
- TRUE COMFORT INSULIN SYRINGE 30G X 5/16" 0.5 ML
- TRUE COMFORT INSULIN SYRINGE 30G X 5/16" 1 ML
- TRUE COMFORT INSULIN SYRINGE 31G X 5/16" 0.5 ML
- TRUE COMFORT INSULIN SYRINGE 31G X 5/16" 1 ML
- TRUE COMFORT INSULIN SYRINGE 32G X 5/16" 1 ML

- TRUE COMFORT PEN NEEDLES 31G X 5 MM
- TRUE COMFORT PEN NEEDLES 31G X 6 MM
- TRUE COMFORT PEN NEEDLES 32G X 4 MM
- TRUE COMFORT PRO ALCOHOL PREP PAD 70 %
- TRUE COMFORT PRO INSULIN SYR 30G X 1/2" 0.5 ML
- TRUE COMFORT PRO INSULIN SYR 30G X 1/2" 1 ML
- TRUE COMFORT PRO INSULIN SYR 30G X 5/16" 0.5 ML
- TRUE COMFORT PRO INSULIN SYR 30G X 5/16" 1 ML
- TRUE COMFORT PRO INSULIN SYR 31G X 5/16" 0.5 ML
- TRUE COMFORT PRO INSULIN SYR 31G X 5/16" 1 ML
- TRUE COMFORT PRO INSULIN SYR 32G X 5/16" 0.5 ML
- TRUE COMFORT PRO INSULIN SYR 32G X 5/16" 1 ML
- TRUE COMFORT PRO PEN NEEDLES 31G X 5 MM
- TRUE COMFORT PRO PEN NEEDLES 31G X 6 MM
- TRUE COMFORT PRO PEN NEEDLES 31G X 8 MM
- TRUE COMFORT PRO PEN NEEDLES 32G X 4 MM
- TRUE COMFORT PRO PEN NEEDLES
 32G X 5 MM
- TRUE COMFORT PRO PEN NEEDLES 32G X 6 MM
- TRUE COMFORT PRO PEN NEEDLES 33G X 4 MM
- TRUE COMFORT PRO PEN NEEDLES 33G X 5 MM
- TRUE COMFORT PRO PEN NEEDLES 33G X 6 MM
- TRUEPLUS 5-BEVEL PEN NEEDLES 29G X 12.7MM

- TRUEPLUS 5-BEVEL PEN NEEDLES 31G X 5 MM
- TRUEPLUS 5-BEVEL PEN NEEDLES 31G X 6 MM
- TRUEPLUS 5-BEVEL PEN NEEDLES 31G X 8 MM
- TRUEPLUS 5-BEVEL PEN NEEDLES 32G X 4 MM
- TRUEPLUS INSULIN SYRINGE 28G X 1/2" 0.5 ML
- TRUEPLUS INSULIN SYRINGE 28G X 1/2" 1 ML
- TRUEPLUS INSULIN SYRINGE 29G X 1/2" 0.3 ML
- TRUEPLUS INSULIN SYRINGE 29G X 1/2" 0.5 ML
- TRUEPLUS INSULIN SYRINGE 29G X 1/2" 1 ML
- TRUEPLUS INSULIN SYRINGE 30G X 5/16" 0.3 ML
- TRUEPLUS INSULIN SYRINGE 30G X 5/16" 0.5 ML
- TRUEPLUS INSULIN SYRINGE 30G X 5/16" 1 ML
- TRUEPLUS INSULIN SYRINGE 31G X 5/16" 0.3 ML
- TRUEPLUS INSULIN SYRINGE 31G X 5/16" 0.5 ML
- TRUEPLUS INSULIN SYRINGE 31G X 5/16" 1 ML
- TRUEPLUS PEN NEEDLES 29G X 12MM
- TRUEPLUS PEN NEEDLES 31G X 5
 MM
- TRUEPLUS PEN NEEDLES 31G X 6 MM
- TRUEPLUS PEN NEEDLES 31G X 8
 MM
- TRUEPLUS PEN NEEDLES 32G X 4 MM
- ULTICARE INSULIN SAFETY SYR 29G X 1/2" 0.5 ML
- ULTICARE INSULIN SAFETY SYR 29G X 1/2" 1 ML

- ULTICÀRE INSULIN SYRINGE 28G X 1/2" 0.5 ML
- ULTICARE INSULIN SYRINGE 28G X 1/2" 1 ML
- ULTICARE INSULIN SYRINGE 29G X 1/2" 0.3 ML
- ULTICARE INSULIN SYRINGE 29G X
 1/2" 0.5 ML
- ULTICARE INSULIN SYRINGE 29G X 1/2" 1 ML
- ULTICARE INSULIN SYRINGE 30G X 1/2" 0.3 ML
- ULTICARE INSULIN SYRINGE 30G X 1/2" 0.5 ML
- ULTICARE INSULIN SYRINGE 30G X 1/2" 1 ML
- ULTICARE INSULIN SYRINGE 30G X 5/16" 0.3 ML
- ULTICARE INSULIN SYRINGE 30G X 5/16" 0.5 ML (OTC)
- ULTICARE INSULIN SYRINGE 30G X 5/16" 0.5 ML (RX)
- ULTICARE INSULIN SYRINGE 30G X 5/16" 1 ML
- ULTICARE INSULIN SYRINGE 31G X 1/4" 0.3 ML
- ULTICARE INSULIN SYRINGE 31G X 1/4" 0.5 ML
- ULTICARE INSULIN SYRINGE 31G X 1/4" 1 ML
- ULTICARE INSULIN SYRINGE 31G X 5/16" 0.3 ML (OTC)
- ULTICARE INSULIN SYRINGE 31G X 5/16" 0.3 ML (RX)
- ULTICARE INSULIN SYRINGE 31G X 5/16" 0.5 ML (OTC)
- ULTICARE INSULIN SYRINGE 31G X 5/16" 0.5 ML (RX)
- ULTICARE INSULIN SYRINGE 31G X 5/16" 1 ML
- ULTICARE MICRO PEN NEEDLES 32G X 4 MM
- ULTICARE MINI PEN NEEDLES 30G
 X 5 MM

- ULTICARE MINI PEN NÉEDLES 31G X 6 MM
- ULTICARE MINI PEN NEEDLES 32G
 X 6 MM
- ULTICARE PEN NEEDLES 29G X 12.7MM (OTC)
- ULTICARE PEN NEEDLES 29G X 12.7MM (RX)
- ULTICARE PEN NEEDLES 31G X 5
 MM
- ULTICARE SHORT PEN NEEDLES 30G X 8 MM
- ULTICARE SHORT PEN NEEDLES 31G X 8 MM (OTC)
- ULTICARE SHORT PEN NEEDLES 31G X 8 MM (RX)
- ULTIGUARD SAFEPACK PEN NEEDLE 29G X 12.7MM
- ULTIGUARD SAFEPACK PEN NEEDLE 31G X 5 MM
- ULTIGUARD SAFEPACK PEN NEEDLE 31G X 6 MM
- ULTIGUARD SAFEPACK PEN NEEDLE 31G X 8 MM
- ULTIGUARD SAFEPACK PEN NEEDLE 32G X 4 MM
- ULTIGUARD SAFEPACK PEN NEEDLE 32G X 6 MM
- ULTIGUARD SAFEPACK SYR/NEEDLE 30G X 1/2" 0.3 ML
- ULTIGUARD SAFEPACK SYR/NEEDLE 30G X 1/2" 0.5 ML
- ULTIGUARD SAFEPACK SYR/NEEDLE 30G X 1/2" 1 ML
- ULTIGUARD SAFEPACK SYR/NEEDLE 31G X 5/16" 0.3 ML
- ULTIGUARD SAFEPACK SYR/NEEDLE 31G X 5/16" 0.5 ML
- ULTIGUARD SAFEPACK SYR/NEEDLE 31G X 5/16" 1 ML
- ULTILET ALCOHOL SWABS PAD
- ULTILET INSULIN SYRINGE 30G X 1/2" 0.5 ML
- ULTILET INSULIN SYRINGE 30G X 1/2" 1 ML

- ULTILET INSULIN SYRINGE 30G X
 5/16" 0.3 ML
- ULTILET INSULIN SYRINGE 30G X 5/16" 0.5 ML
- ULTILET INSULIN SYRINGE 30G X 5/16" 1 ML
- ULTILET INSULIN SYRINGE 31G X 1/4" 0.3 ML
- ULTILET INSULIN SYRINGE 31G X 1/4" 1 ML
- ULTILET INSULIN SYRINGE 31G X 15/64" 0.3 ML (OTC)
- ULTILET INSULIN SYRINGE 31G X 15/64" 0.3 ML (RX)
- ULTILET INSULIN SYRINGE 31G X 15/64" 0.5 ML
- ULTILET INSULIN SYRINGE 31G X 5/16" 0.3 ML
- ULTILET INSULIN SYRINGE 31G X
 5/16" 1 ML
- ULTILET INSULIN SYRINGE SHORT 30G X 1/2" 0.3 ML
- ULTILET INSULIN SYRINGE SHORT 30G X 5/16" 0.3 ML
- ULTILET INSULIN SYRINGE SHORT 30G X 5/16" 0.5 ML
- ULTILET INSULIN SYRINGE SHORT 30G X 5/16" 1 ML
- ULTILET INSULIN SYRINGE SHORT 31G X 5/16" 0.3 ML
- ULTILET INSULIN SYRINGE SHORT 31G X 5/16" 0.5 ML
- ULTILET INSULIN SYRINGE SHORT 31G X 5/16" 1 ML
- ULTILET PEN NEEDLE 29G X 12.7MM
- ULTILET PEN NEEDLE 31G X 5 MM
- ULTILET PEN NEEDLE 31G X 8 MM
- ULTILET PEN NEEDLE 32G X 4 MM
- ULTRA COMFORT INSULIN SYRINGE 30G X 5/16" 0.3 ML
- ULTRA FLO INSULIN PEN NEEDLES 29G X 12MM
- ULTRA FLO INSULIN PEN NEEDLES 31G X 8 MM

- ULTRA FLO INSULIN PÉN NEEDLES 32G X 4 MM
- ULTRA FLO INSULIN PEN NEEDLES
 33G X 4 MM
- ULTRA FLO INSULIN SYR 1/2 UNIT 30G X 1/2" 0.3 ML
- ULTRA FLO INSULIN SYR 1/2 UNIT 30G X 5/16" 0.3 ML
- ULTRA FLO INSULIN SYR 1/2 UNIT 31G X 5/16" 0.3 ML
- ULTRA FLO INSULIN SYRINGE 29G X 1/2" 0.3 ML
- ULTRA FLO INSULIN SYRINGE 29G
 X 1/2" 0.5 ML
- ULTRA FLO INSULIN SYRINGE 29G
 X 1/2" 1 ML
- ULTRA FLO INSULIN SYRINGE 30G
 X 1/2" 0.3 ML
- ULTRA FLO INSULIN SYRINGE 30G
 X 1/2" 0.5 ML
- ULTRA FLO INSULIN SYRINGE 30G X 1/2" 1 ML
- ULTRA FLO INSULIN SYRINGE 30G X 5/16" 0.3 ML
- ULTRA FLO INSULIN SYRINGE 30G X 5/16" 0.5 ML
- ULTRA FLO INSULIN SYRINGE 30G
 X 5/16" 1 ML
- ULTRA FLO INSULIN SYRINGE 31G X 5/16" 0.3 ML
- ULTRA FLO INSULIN SYRINGE 31G X 5/16" 0.5 ML
- ULTRA FLO INSULIN SYRINGE 31G X 5/16" 1 ML
- ULTRA THIN PEN NEEDLES 32G X 4
 MM
- ULTRA-COMFORT INSULIN SYRINGE 29G X 1/2" 0.5 ML
- ULTRA-THIN II INS SYR SHORT 30G X 5/16" 0.3 ML
- ULTRA-THIN II INS SYR SHORT 30G X 5/16" 0.5 ML
- ULTRA-THIN II INS SYR SHORT 30G X 5/16" 1 ML

- ULTRA-THIN II INS SYR SHORT 31G X 5/16" 0.3 ML
- ULTRA-THIN II INS SYR SHORT 31G
 X 5/16" 0.5 ML
- ULTRA-THIN II INS SYR SHORT 31G X 5/16" 1 ML
- ULTRA-THIN II INSULIN SYRINGE 29G X 1/2" 0.5 ML
- ULTRA-THIN II INSULIN SYRINGE 29G X 1/2" 1 ML
- ULTRA-THIN II MINI PEN NEEDLE 31G X 5 MM
- ULTRA-THIN II PEN NEEDLE SHORT 31G X 8 MM
- ULTRA-THIN II PEN NEEDLES 29G X 12.7MM
- ULTRACARE INSULIN SYRINGE 30G X 1/2" 0.5 ML
- ULTRACARE INSULIN SYRINGE 30G
 X 1/2" 1 ML
- ULTRACARE INSULIN SYRINGE 30G X 5/16" 0.3 ML
- ULTRACARE INSULIN SYRINGE 30G X 5/16" 0.5 ML
- ULTRACARE INSULIN SYRINGE 30G X 5/16" 1 ML
- ULTRACARE INSULIN SYRINGE 31G X 5/16" 0.3 ML
- ULTRACARE INSULIN SYRINGE 31G
 X 5/16" 0.5 ML
- ULTRACARE INSULIN SYRINGE 31G X 5/16" 1 ML
- ULTRACARE PEN NEEDLES 31G X 5
 MM
- ULTRACARE PEN NEEDLES 31G X 6
 MM
- ULTRACARE PEN NEEDLES 31G X 8
 MM
- ULTRACARE PEN NEEDLES 32G X 4 MM
- ULTRACARE PEN NEEDLES 32G X 5
 MM
- ULTRACARE PEN NEEDLES 32G X 6
 MM

- ULTRACARE PEN NEEDLES 33G X 4 • MM
- UNIFINE OTC PEN NEEDLES 31G X 5 VANISHPOINT INSULIN SYRINGE MM
- UNIFINE OTC PEN NEEDLES 32G X 4 MM
- UNIFINE PEN NEEDLES 32G X 4 MM •
- UNIFINE PENTIPS 29G X 12MM
- UNIFINE PENTIPS 31G X 6 MM
- **UNIFINE PENTIPS 31G X 8 MM**
- UNIFINE PENTIPS PLUS 29G X 12MM •
- UNIFINE PENTIPS PLUS 31G X 6 MM
- UNIFINE PENTIPS PLUS 32G X 4 MM
- **UNIFINE PROTECT PEN NEEDLE 30G** X 5 MM
- UNIFINE PROTECT PEN NEEDLE 30G X8MM
- UNIFINE PROTECT PEN NEEDLE 32G X4MM
- UNIFINE SAFECONTROL PEN NEEDLE 30G X 5 MM
- UNIFINE SAFECONTROL PEN NEEDLE 30G X 8 MM
- UNIFINE SAFECONTROL PEN NEEDLE 31G X 5 MM
- UNIFINE SAFECONTROL PEN NEEDLE 31G X 6 MM
- UNIFINE SAFECONTROL PEN NEEDLE 31G X 8 MM
- UNIFINE SAFECONTROL PEN NEEDLE 32G X 4 MM
- UNIFINE ULTRA PEN NEEDLE 31G X 5 MM
- UNIFINE ULTRA PEN NEEDLE 31G X 6 MM
- UNIFINE ULTRA PEN NEEDLE 31G X 8 MM
- UNIFINE ULTRA PEN NEEDLE 32G X 4 MM
- VALUE HEALTH INSULIN SYRINGE 29G X 1/2" 0.5 ML

- VALUE HEALTH INSULIN SYRINGE 29G X 1/2" 1 ML
 - 29G X 5/16" 1 ML
- VANISHPOINT INSULIN SYRINGE • 30G X 3/16" 0.5 ML
- VANISHPOINT INSULIN SYRINGE 30G X 3/16" 1 ML
- VANISHPOINT INSULIN SYRINGE 30G X 5/16" 0.5 ML
- VANISHPOINT INSULIN SYRINGE 30G X 5/16" 1 ML
- VERIFINE INSULIN PEN NEEDLE 29G X 12MM
- VERIFINE INSULIN PEN NEEDLE 31G X 5 MM
- VERIFINE INSULIN PEN NEEDLE 32G X 6 MM
- VERIFINE INSULIN SYRINGE 29G X 1/2" 0.5 ML
- VERIFINE INSULIN SYRINGE 29G X 1/2" 1 ML
- VERIFINE INSULIN SYRINGE 31G X 5/16" 0.3 ML
- VERIFINE INSULIN SYRINGE 31G X 5/16" 0.5 ML
- VERIFINE INSULIN SYRINGE 31G X 5/16" 1 ML
- VERIFINE PLUS PEN NEEDLE 31G X 5 MM
- VERIFINE PLUS PEN NEEDLE 31G X 8 MM
- VERIFINE PLUS PEN NEEDLE 32G X 4 MM
- VP INSULIN SYRINGE 29G X 1/2" 0.3 ML
- WEBCOL ALCOHOL PREP LARGE PAD 70 %
- WEGMANS UNIFINE PENTIPS PLUS 31G X 8 MM
- ZEVRX STERILE ALCOHOL PREP PAD PAD 70 %

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	LIFETIME
Other Criteria	ONLY COVERED UNDER PART D WHEN USED CONCURRENTLY WITH INSULIN.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INTERFERON FOR MS-AVONEX

Products Affected

 AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT

AVONEX PREFILLED
 INTRAMUSCULAR PREFILLED
 SYRINGE KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INTERFERON FOR MS-BETASERON

Products Affected

• BETASERON SUBCUTANEOUS KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INTERFERON FOR MS-PLEGRIDY

 Products Affected PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION AUTO- INJECTOR PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE PLEGRIDY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 	
PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INTERFERON GAMMA-1B

Products Affected

• ACTIMMUNE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: CHRONIC GRANULOMATOUS DISEASE (CGD): PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST, INFECTIOUS DISEASE SPECIALIST, OR IMMUNOLOGIST. SEVERE MALIGNANT OSTEOPETROSIS (SMO): PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST OR HEMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	RENEWAL: CGD, SMO: 1) DEMONSTRATED CLINICAL BENEFIT COMPARED TO BASELINE, AND 2) HAS NOT RECEIVED HEMATOPOIETIC CELL TRANSPLANTATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IPILIMUMAB

Products Affected

• YERVOY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: UNRESECT/MET MEL: 4MO, RCC/CRC/HCC: 3MO, ALL OTHERS: 12MO. INITIAL/RENEWAL: CUTAN MEL: 6MO
Other Criteria	RENEWAL: ADJUVANT CUTANEOUS MELANOMA: NO EVIDENCE OF DISEASE RECURRENCE (DEFINED AS THE APPEARANCE OF ONE OR MORE NEW MELANOMA LESIONS: LOCAL, REGIONAL OR DISTANT METASTASIS). THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IVACAFTOR

Products Affected

• KALYDECO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CYSTIC FIBROSIS (CF): INITIAL: CONFIRMED MUTATION IN CFTR GENE ACCEPTABLE FOR THE TREATMENT OF CYSTIC FIBROSIS
Age Restrictions	
Prescriber Restrictions	CF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR CYSTIC FIBROSIS EXPERT
Coverage Duration	INITIAL: 12 MONTHS. RENEWAL: LIFETIME
Other Criteria	CF: INITIAL: NOT HOMOZYGOUS FOR F508DEL MUTATION IN CFTR GENE. RENEWAL: IMPROVEMENT IN CLINICAL STATUS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IVOSIDENIB

Products Affected

• TIBSOVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

IXAZOMIB

Products Affected

• NINLARO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LANREOTIDE

Products Affected

• LANREOTIDE ACETATE

 SOMATULINE DEPOT SUBCUTANEOUS SOLUTION 60 MG/0.2ML, 90 MG/0.3ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	ACROMEGALY: INITIAL: THERAPY IS PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	ACROMEGALY: INITIAL: 3 MOS, RENEWAL: 12 MOS.GEP-NETS, CARCINOID SYNDROME: 12 MOS.
Other Criteria	ACROMEGALY: INITIAL: TRIAL OF OR CONTRAINDICATION TO ONE GENERIC OCTREOTIDE INJECTION. RENEWAL: 1) REDUCTION, NORMALIZATION, OR MAINTENANCE OF IGF-1 LEVELS BASED ON AGE AND GENDER, AND 2) IMPROVEMENT OR SUSTAINED REMISSION OF CLINICAL SYMPTOMS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LAPATINIB

Products Affected

• *lapatinib ditosylate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LAROTRECTINIB

Products Affected

• VITRAKVI ORAL CAPSULE 100 MG, • VITRAKVI ORAL SOLUTION 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	VITRAKVI ORAL SOLUTION: 1) TRIAL OF VITRAKVI CAPSULES, OR 2) UNABLE TO TAKE CAPSULE FORMULATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LAZERTINIB

Products Affected

• LAZCLUZE ORAL TABLET 240 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LEDIPASVIR-SOFOSBUVIR

Products Affected

HARVONI ORAL PACKET 33.75-150
 HARVONI ORAL TABLET
 MG, 45-200 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HCV RNA LEVEL WITHIN PAST 6 MONTHS.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.
Other Criteria	1) CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE, AND 2) NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING: CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, ROSUVASTATIN, TIPRANAVIR/RITONAVIR, SOFOSBUVIR (AS A SINGLE AGENT), EPCLUSA, ZEPATIER, MAVYRET, OR VOSEVI. REQUESTS FOR HARVONI 45MG-200MG PELLETS: PATIENT IS UNABLE TO SWALLOW TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LENALIDOMIDE

Products Affected

• *lenalidomide*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LENVATINIB

Products Affected

- LENVIMA (10 MG DAILY DOSE)
- LENVIMA (12 MG DAILY DOSE)
- LENVIMA (20 MG DAILY DOSE)
- LENVIMA (24 MG DAILY DOSE)LENVIMA (4 MG DAILY DOSE)
- LENVIMA (14 MG DAILY DOSE)LENVIMA (18 MG DAILY DOSE)
- LENVIMA (8 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LETERMOVIR

Products Affected

• PREVYMIS ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	HSCT: NOT AT RISK FOR LATE CMV: 4 MOS, AT RISK FOR LATE CMV: 7 MOS. KIDNEY TRANSPLANT: 7 MOS.
Other Criteria	HEMATOPOIETIC STEM CELL TRANSPLANT (HSCT): 1) THERAPY WILL BE INITIATED BETWEEN DAY 0 AND DAY 28 POST TRANSPLANT, AND 2) WILL NOT RECEIVE THE MEDICATION BEYOND 100 DAYS POST TRANSPLANT IF NOT AT RISK FOR LATE CYTOMEGALOVIRUS (CMV) INFECTION AND DISEASE, OR BEYOND 200 DAYS POST TRANSPLANT IF AT RISK FOR LATE CMV INFECTION AND DISEASE. KIDNEY TRANSPLANT: 1) THERAPY WILL BE INITIATED BETWEEN DAY 0 AND DAY 7 POST TRANSPLANT, AND 2) WILL NOT RECEIVE THE MEDICATION BEYOND 200 DAYS POST TRANSPLANT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LEUPROLIDE

Products Affected

• *leuprolide acetate injection*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PROSTATE CANCER: 12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LEUPROLIDE DEPOT

Products Affected

• LEUPROLIDE ACETATE (3 MONTH) • LUTRATE DEPOT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LEUPROLIDE-ELIGARD

Products Affected

• ELIGARD

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LEUPROLIDE-LUPRON DEPOT

Products Affected

- LUPRON DEPOT (1-MONTH)
- LUPRON DEPOT (4-MONTH)
- LUPRON DEPOT (3-MONTH)
- LUPRON DEPOT (6-MONTH)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: ENDOMETRIOSIS: DIAGNOSIS IS CONFIRMED VIA SURGICAL OR DIRECT VISUALIZATION (E.G., PELVIC ULTRASOUND) OR HISTOPATHOLOGICAL CONFIRMATION (E.G., LAPAROSCOPY OR LAPAROTOMY) IN THE LAST 10 YEARS.
Age Restrictions	
Prescriber Restrictions	INITIAL: ENDOMETRIOSIS: PRESCRIBED BY OR IN CONSULTATION WITH AN OBSTETRICIAN/GYNECOLOGIST.
Coverage Duration	PROSTATE CA: 12 MOS. UTERINE FIBROIDS: 3 MOS. ENDOMETRIOSIS: INITIAL/RENEWAL: 6 MOS.
Other Criteria	INITIAL: ENDOMETRIOSIS: 1) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, 2) TRIAL OF OR CONTRAINDICATION TO NSAID AND PROGESTIN-CONTAINING PREPARATION, AND 3) HAS NOT RECEIVED A TOTAL OF 12 MONTHS OF TREATMENT PER LIFETIME. RENEWAL: ENDOMETRIOSIS: 1) IMPROVEMENT OF PAIN RELATED TO ENDOMETRIOSIS WHILE ON THERAPY, 2) RECEIVING CONCOMITANT ADD-BACK THERAPY (I.E., COMBINATION ESTROGEN-PROGESTIN OR PROGESTIN-ONLY CONTRACEPTIVE PREPARATION), 3) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, AND 4) HAS NOT RECEIVED A TOTAL OF 12 MONTHS OF TREATMENT PER LIFETIME. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No

LEUPROLIDE-LUPRON DEPOT-PED

Products Affected

• LUPRON DEPOT-PED (3-MONTH) • LUPRON DEPOT-PED (6-MONTH)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CENTRAL PRECOCIOUS PUBERTY (CPP): INITIAL: FEMALES: ELEVATED LEVELS OF FOLLICLE-STIMULATING HORMONE (FSH) GREATER THAN 4.0 MIU/ML AND LUTEINIZING HORMONE (LH) LEVEL GREATER THAN 0.2 TO 0.3 MIU/ML AT DIAGNOSIS. MALES: ELEVATED LEVELS OF FSH GREATER THAN 5.0 MIU/ML AND LH LEVEL GREATER THAN 0.2 TO 0.3 MIU/ML AT DIAGNOSIS.
Age Restrictions	
Prescriber Restrictions	CPP: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	CPP: INITIAL: FEMALES: 1) YOUNGER THAN 8 YEARS OF AGE AT ONSET OF CPP, AND 2) AT TANNER STAGE 2 OR ABOVE FOR BREAST DEVELOPMENT AND PUBIC HAIR GROWTH. MALES: 1) YOUNGER THAN 9 YEARS OF AGE AT ONSET OF CPP, AND 2) AT TANNER STAGE 2 OR ABOVE FOR GENITAL DEVELOPMENT AND PUBIC HAIR GROWTH. RENEWAL: 1) TANNER STAGING AT INITIAL DIAGNOSIS HAS STABILIZED OR REGRESSED DURING THREE SEPARATE MEDICAL VISITS IN THE PREVIOUS YEAR, AND 2) HAS NOT REACHED ACTUAL AGE WHICH CORRESPONDS TO CURRENT PUBERTAL AGE. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

L-GLUTAMINE

Products Affected

• *l-glutamine oral packet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	SICKLE CELL DISEASE(SCD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST
Coverage Duration	INITIAL: 12 MONTHS. RENEWAL: LIFETIME.
Other Criteria	SCD: INITIAL: AGES 18 YEARS OR OLDER: 1) AT LEAST 2 SICKLE CELL CRISES IN THE PAST YEAR, 2) SICKLE-CELL ASSOCIATED SYMPTOMS WHICH ARE INTERFERING WITH ACTIVITIES OF DAILY LIVING, OR 3) HISTORY OF OR HAS RECURRENT ACUTE CHEST SYNDROME. AGES 5 TO 17 YEARS: APPROVED WITHOUT ADDITIONAL CRITERIA. RENEWAL: MAINTAINED OR EXPERIENCED A REDUCTION IN ACUTE COMPLICATIONS OF SCD.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LIDOCAINE OINTMENT

Products Affected

• *lidocaine external ointment 5 %*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG MAY BE EITHER BUNDLED WITH AND COVERED UNDER END STAGE RENAL DISEASE DIALYSIS RELATED SERVICES OR COVERED UNDER MEDICARE D DEPENDING UPON THE CIRCUMSTANCES.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

LIDOCAINE PATCH

Products Affected

• *lidocaine external patch 5 %*

• ZTLIDO

• lidocan

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	1) PAIN ASSOCIATED WITH POST-HERPETIC NEURALGIA, 2) NEUROPATHY DUE TO DIABETES MELLITUS, 3) CHRONIC BACK PAIN, OR 4) OSTEOARTHRITIS OF THE KNEE OR HIP.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

LIDOCAINE PRILOCAINE

Products Affected

• *lidocaine-prilocaine external cream*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG MAY BE EITHER BUNDLED WITH AND COVERED UNDER END STAGE RENAL DISEASE DIALYSIS RELATED SERVICES OR COVERED UNDER MEDICARE D DEPENDING UPON THE CIRCUMSTANCES. INFORMATION MAY NEED TO BE SUBMITTED DESCRIBING THE USE AND SETTING OF THE DRUG TO MAKE THE DETERMINATION.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

Products Affected

• ZYNLONTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LORLATINIB

Products Affected

 LORBRENA ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LOTILANER

Products Affected

• XDEMVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	DEMODEX BLEPHARITIS: 18 YEARS OF AGE OR OLDER
Prescriber Restrictions	
Coverage Duration	6 WEEKS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

LUMACAFTOR-IVACAFTOR

Products Affected

• ORKAMBI ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: CYSTIC FIBROSIS (CF): CONFIRMED MUTATION IN CFTR GENE ACCEPTABLE FOR THE TREATMENT OF CF.
Age Restrictions	
Prescriber Restrictions	CF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR CF EXPERT.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: LIFETIME.
Other Criteria	CF: RENEWAL: IMPROVEMENT IN CLINICAL STATUS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MACITENTAN

Products Affected

• OPSUMIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
Age Restrictions	
Prescriber Restrictions	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MARGETUXIMAB-CMKB

Products Affected

• MARGENZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MARIBAVIR

Products Affected

• LIVTENCITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MECASERMIN

Products Affected

• INCRELEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST OR NEPHROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF WRIST AND HAND. RENEWAL: IMPROVEMENT WHILE ON THERAPY (I.E., INCREASE IN HEIGHT OR INCREASE IN HEIGHT VELOCITY).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MECHLORETHAMINE

Products Affected

• VALCHLOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MEPOLIZUMAB

Products Affected

- NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED
- NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML, 40 MG/0.4ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: ASTHMA: BLOOD EOSINOPHIL LEVEL OF AT LEAST 150 CELLS/MCL WITHIN THE PAST 12 MONTHS.
Age Restrictions	
Prescriber Restrictions	INITIAL: ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN PULMONARY OR ALLERGY MEDICINE. CRSWNP: PRESCRIBED BY OR IN CONSULTATION WITH AN OTOLARYNGOLOGIST, ALLERGIST OR IMMUNOLOGIST.
Coverage Duration	INITIAL: ASTHMA: 12 MO. CRSWNP: 6 MO. OTHERS: 12 MO. RENEWAL: CRSWNP, ASTHMA: 12 MO.
Other Criteria	INITIAL: ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, 2) ONE OF THE FOLLOWING: (A) AT LEAST ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR (B) POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, ANY NIGHT WAKING DUE TO ASTHMA, SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, ANY ACTIVITY LIMITATION DUE TO ASTHMA, AND 3) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR

PA Criteria	Criteria Details
	OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA. CRSWNP: 1) A 56 DAY TRIAL OF ONE TOPICAL NASAL CORTICOSTEROID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: ASTHMA: 1) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA, 2) CONTINUED USE OF ICS AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS, OR (D) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE. CRSWNP: 1) CLINICAL BENEFIT COMPARED TO BASELINE, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE- 4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MIDOSTAURIN

Products Affected

• RYDAPT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	ACUTE MYELOID LEUKEMIA: 6 MONTHS. ADVANCED SYSTEMIC MASTOCYTOSIS: 12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MIFEPRISTONE

Products Affected

• *mifepristone oral tablet 300 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CUSHINGS SYNDROME (CS): INITIAL: DIAGNOSIS CONFIRMED BY: 1) 24-HR URINE FREE CORTISOL (2 OR MORE TESTS TO CONFIRM), 2) OVERNIGHT 1MG DEXAMETHASONE TEST, OR 3) LATE NIGHT SALIVARY CORTISOL (2 OR MORE TESTS TO CONFIRM).
Age Restrictions	
Prescriber Restrictions	CS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS
Other Criteria	CS: INITIAL: HYPERCORTISOLISM IS NOT A RESULT OF CHRONIC GLUCOCORTICOIDS. RENEWAL: 1) CONTINUES TO HAVE IMPROVEMENT OF GLUCOSE TOLERANCE OR STABLE GLUCOSE TOLERANCE (E.G., REDUCED A1C, IMPROVED FASTING GLUCOSE, ETC.), 2) CONTINUES TO HAVE TOLERABILITY TO THERAPY, AND 3) CONTINUES TO NOT BE A CANDIDATE FOR SURGICAL TREATMENT OR HAS FAILED SURGERY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MILTEFOSINE

Products Affected

• IMPAVIDO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MIRDAMETINIB

Products Affected

• GOMEKLI ORAL CAPSULE 1 MG, 2 • GOMEKLI ORAL TABLET SOLUBLE MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MIRVETUXIMAB SORAVTANSINE-GYNX

Products Affected

• ELAHERE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	EPITHELIAL OVARIAN, FALLOPIAN TUBE, OR PRIMARY PERITONEAL CANCER: AN OPHTHALMIC EXAM, INCLUDING VISUAL ACUITY AND SLIT LAMP EXAM, WILL BE COMPLETED PRIOR TO THE INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MOMELOTINIB

Products Affected

• OJJAARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

MOSUNETUZUMAB-AXGB

Products Affected

• LUNSUMIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	RELAPSED OR REFRACTORY FOLLICULAR LYMPHOMA: INITIAL: 6 MONTHS. RENEWAL: 7 MONTHS.
Other Criteria	RELAPSED OR REFRACTORY FOLLICULAR LYMPHOMA: RENEWAL: 1) HAS ACHIEVED A PARTIAL RESPONSE TO TREATMENT, AND 2) HAS NOT PREVIOUSLY RECEIVED MORE THAN 17 CYCLES OF TREATMENT. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NARCOLEPSY AGENTS

Products Affected

• armodafinil

• modafinil oral tablet 100 mg, 200 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

NAXITAMAB-GQGK

Products Affected

• DANYELZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NERATINIB

Products Affected

• NERLYNX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	EARLY-STAGE (STAGE I-III) BREAST CANCER: MEDICATION IS BEING REQUESTED WITHIN 2 YEARS OF COMPLETING THE LAST TRASTUZUMAB DOSE. ALL OTHER FDA APPROVED INDICATIONS ARE COVERED WITHOUT ADDITIONAL CRITERIA, EXCEPT THOSE CRITERIA IN THE FDA APPROVED LABEL.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NILOTINIB

Products Affected

• TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME- POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND TASIGNA IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NILOTINIB-DANZITEN

Products Affected

• DANZITEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME- POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): 1) PERFORMED MUTATIONAL ANALYSIS PRIOR TO INITIATION OF THERAPY, AND 2) THERAPY IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NINTEDANIB

Products Affected

• OFEV

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: IDIOPATHIC PULMONARY FIBROSIS (IPF): 1) A USUAL INTERSTITIAL PNEUMONIA (UIP) PATTERN AS EVIDENCED BY HIGH-RESOLUTION COMPUTED TOMOGRAPHY (HRCT) ALONE OR VIA A COMBINATION OF SURGICAL LUNG BIOPSY AND HRCT, AND 2) BASELINE FORCED VITAL CAPACITY (FVC) AT LEAST 50% OF PREDICTED VALUE. SYSTEMIC SCLEROSIS- ASSOCIATED INTERSTITIAL LUNG DISEASE (SSC-ILD): 1) AT LEAST 10% FIBROSIS ON A CHEST HRCT, AND 2) BASELINE FVC AT LEAST 40% OF PREDICTED VALUE. CHRONIC FIBROSING INTERSTITIAL LUNG DISEASE WITH A PROGRESSIVE PHENOTYPE (PF-ILD): 1) AT LEAST 10% FIBROSIS ON A CHEST HRCT, AND 2) BASELINE FVC AT LEAST 45% OF PREDICTED VALUE.
Age Restrictions	
Prescriber Restrictions	INITIAL: IPF: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST. SSC-ILD, PF-ILD: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR RHEUMATOLOGIST.
Coverage Duration	INITIAL: SSC-ILD: 6 MOS. IPF, PF-ILD: 12 MOS. RENEWAL (ALL INDICATIONS): 12 MOS.
Other Criteria	INITIAL: IPF: 1) DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., CONNECTIVE TISSUE DISEASE, DRUG TOXICITY, ASBESTOS OR BERYLLIUM EXPOSURE, HYPERSENSITIVITY PNEUMONITIS), AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: ESBRIET (PIRFENIDONE). SSC-ILD: 1) DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., HEART FAILURE/FLUID OVERLOAD, DRUG-INDUCED LUNG TOXICITY, RECURRENT ASPIRATION), AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: ACTEMRA

PA Criteria	Criteria Details
	SUBQ. PF-ILD: LUNG FUNCTION AND RESPIRATORY SYMPTOMS OR CHEST IMAGING HAVE WORSENED/PROGRESSED DESPITE TREATMENT WITH MEDICATIONS USED IN CLINICAL PRACTICE FOR ILD (NOT ATTRIBUTABLE TO COMORBIDITIES SUCH AS INFECTION, HEART FAILURE). RENEWAL: IPF, SSC-ILD, PF-ILD: CLINICAL MEANINGFUL IMPROVEMENT OR MAINTENANCE IN ANNUAL RATE OF DECLINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NIRAPARIB

Products Affected

• ZEJULA ORAL CAPSULE

• ZEJULA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	RECURRENT EPITHELIAL OVARIAN, FALLOPIAN TUBE, OR PRIMARY PERITONEAL CANCER: 1) ZEJULA WILL BE USED AS MONOTHERAPY, AND 2) ZEJULA IS STARTED NO LATER THAN 8 WEEKS AFTER THE MOST RECENT PLATINUM-CONTAINING REGIMEN.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NIRAPARIB-ABIRATERONE

Products Affected

• AKEEGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NIROGACESTAT

Products Affected

 OGSIVEO ORAL TABLET 100 MG, 150 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NITISINONE

Products Affected

• *nitisinone*

• ORFADIN ORAL SUSPENSION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HEREDITARY TYROSINEMIA TYPE 1 (HT-1): INITIAL: DIAGNOSIS CONFIRMED BY ELEVATED URINARY OR PLASMA SUCCINYLACETONE LEVELS OR A MUTATION IN THE FUMARYLACETOACETATE HYDROLASE GENE. RENEWAL: URINARY OR PLASMA SUCCINYLACETONE LEVELS HAVE DECREASED FROM BASELINE WHILE ON TREATMENT WITH NITISINONE.
Age Restrictions	
Prescriber Restrictions	HT-1: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PRESCRIBER SPECIALIZING IN INHERITED METABOLIC DISEASES.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.
Other Criteria	HT-1: INITIAL: ORFADIN SUSPENSION: TRIAL OF OR CONTRAINDICATION TO PREFERRED NITISINONE TABLETS OR CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NIVOLUMAB

Products Affected

• OPDIVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	UNRESECTABLE OR METASTATIC MELANOMA: NO CONCURRENT USE WITH TARGETED THERAPY (I.E., BRAF INHIBITORS, MEK INHIBITORS, AND NTRK INHIBITORS).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Products Affected

• OPDIVO QVANTIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NIVOLUMAB-RELATLIMAB-RMBW

Products Affected

• OPDUALAG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

NOGAPENDEKIN ALFA

Products Affected

• ANKTIVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	40 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OCRELIZUMAB

Products Affected

• OCREVUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	RELAPSING FORM OF MULTIPLE SCLEROSIS (MS): TRIAL OF TWO AGENTS INDICATED FOR THE TREATMENT OF RELAPSING FORMS OF MS. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OCRELIZUMAB-HYALURONIDASE-OCSQ

Products Affected

• OCREVUS ZUNOVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	RELAPSING FORM OF MULTIPLE SCLEROSIS (MS): TRIAL OF TWO AGENTS INDICATED FOR THE TREATMENT OF RELAPSING FORMS OF MS. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OFATUMUMAB-SQ

Products Affected

• KESIMPTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OLANZAPINE/SAMIDORPHAN

Products Affected

• LYBALVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	SCHIZOPHRENIA, BIPOLAR I: PRESCRIBED BY OR IN CONSULTATION WITH A PSYCHIATRIST
Coverage Duration	12 MONTHS
Other Criteria	SCHIZOPHRENIA: 1) AT HIGH RISK FOR WEIGHT GAIN, AND 2) TRIAL OF OR CONTRAINDICATION TO A FORMULARY VERSION OF LURASIDONE OR ONE OF THE FOLLOWING ORAL ANTIPSYCHOTICS: RISPERIDONE, CLOZAPINE TABLET, OLANZAPINE, IMMEDIATE RELEASE QUETIAPINE FUMARATE, ZIPRASIDONE, ARIPIPRAZOLE. BIPOLAR I: 1) AT HIGH RISK FOR WEIGHT GAIN, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING ORAL ANTIPSYCHOTICS: RISPERIDONE, OLANZAPINE, IMMEDIATE RELEASE QUETIAPINE FUMARATE, ZIPRASIDONE, ARIPIPRAZOLE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OLAPARIB

Products Affected

• LYNPARZA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	RECURRENT EPITHELIAL OVARIAN, FALLOPIAN TUBE OR PRIMARY PERITONEAL CANCER: MEDICATION WILL BE USED AS MONOTHERAPY. METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. ALL OTHER FDA APPROVED INDICATIONS ARE COVERED WITHOUT ADDITIONAL CRITERIA, EXCEPT THOSE CRITERIA IN THE FDA APPROVED LABEL.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OLUTASIDENIB

Products Affected

• REZLIDHIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OMACETAXINE

Products Affected

• SYNRIBO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OMALIZUMAB

Products Affected

• XOLAIR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: ASTHMA: POSITIVE SKIN PRICK OR BLOOD TEST (E.G., ELISA, FEIA) TO A PERENNIAL AEROALLERGEN AND A BASELINE IGE SERUM LEVEL OF AT LEAST 30 IU/ML. FOOD ALLERGY: 1) IGE SERUM LEVEL OF AT LEAST 30 IU/ML, AND 2) ALLERGEN SPECIFIC IGE SERUM LEVEL OF AT LEAST 6 KUA/L TO AT LEAST ONE FOOD, OR POSITIVE SKIN PRICK TEST TO AT LEAST ONE FOOD, OR POSITIVE MEDICALLY MONITORED FOOD CHALLENGE TO AT LEAST ONE FOOD.
Age Restrictions	
Prescriber Restrictions	INITIAL/RENEWAL: CHRONIC SPONTANEOUS URTICARIA (CSU): PRESCRIBED BY OR IN CONSULTATION WITH AN ALLERGIST, DERMATOLOGIST, OR IMMUNOLOGIST. INITIAL: CHRONIC RHINOSINUSITIS WITH NASAL POLYPS (CRSWNP): PRESCRIBED BY OR IN CONSULTATION WITH AN OTOLARYNGOLOGIST, ALLERGIST OR IMMUNOLOGIST. ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE. FOOD ALLERGY: PRESCRIBED BY OR IN CONSULTATION WITH ALLERGIST OR IMMUNOLOGIST.
Coverage Duration	INITIAL/RENEWAL: ASTHMA 12 MO/12 MO, CSU 6 MO/12 MO, CRSWNP 6 MO/12 MO, FOOD ALLERGY 12 MO/24 MO
Other Criteria	INITIAL: CSU: 1) TRIAL OF AND MAINTAINED ON, OR CONTRAINDICATION TO A SECOND GENERATION H1 ANTI- HISTAMINE AND 2) STILL EXPERIENCES HIVES OR ANGIOEDEMA ON MOST DAYS OF THE WEEK FOR AT LEAST 6 WEEKS. CRSWNP: 1) A 56 DAY TRIAL OF ONE TOPICAL NASAL CORTICOSTEROID, 2) TRIAL OF OR CONTRAINDICATION TO ONE PREFERRED AGENT: NUCALA, DUPIXENT, AND 3) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4

PA Criteria	Criteria Details
PA Criteria	INHIBITOR) FOR AN AUTOIMMUNE INDICATION. ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, 2) ONE OF THE FOLLOWING: (A) AT LEAST ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR (B) POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, ANY NIGHT WAKING DUE TO ASTHMA, SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, ANY ACTIVITY LIMITATION DUE TO ASTHMA, AND 3) NO CONCURRENT USE WITH DUPIXENT, TEZSPIRE, OR ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA. FOOD ALLERGY: 1) CONCURRENT USE WITH PEANUT-SPECIFIC IMMUNOTHERAPY. RENEWAL: CSU: MAINTAINED ON OR CONTRAINDICATION TO A SECOND GENERATION HI ANTI- HISTAMINE. CRSWNP: 1) CLINICAL BENEFIT COMPARED TO BASELINE, AND 2) NO CONCURRENT USE WITH AN AND TO ON RC ONTRAINDICATION TO A SECOND GENERATION HI ANTI- HISTAMINE. CRSWNP: 1) CLINICAL BENEFIT COMPARED TO BASELINE, AND 2) NO CONCURRENT USE WITH HIBITOR) FOR AN AUTOIMMUNE INDICATION. ASTHMA: 1) NO CONCURRENT USE WITH DUPIXENT, TEZSPIRE, OR ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA, 2) CONTINUED USE OF ICS AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY ONE OF THE FOLLOWING: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA- RELATED SYMPTOMS, OR (D) INCREASE IN PERCENT
	(B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OSIMERTINIB

Products Affected

• TAGRISSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

OXANDROLONE

Products Affected

• oxandrolone oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 MONTHS
Other Criteria	PROTEIN CATABOLISM, BONE PAIN: 1) MONITORED FOR PELIOSIS HEPATIS, LIVER CELL TUMORS, AND BLOOD LIPID CHANGES, 2) DOES NOT HAVE KNOWN OR SUSPECTED: CARCINOMA OF THE PROSTATE OR BREAST IN MALE PATIENTS, CARCINOMA OF THE BREAST IN FEMALES WITH HYPERCALCEMIA, NEPHROSIS (THE NEPHROTIC PHASE OF NEPHRITIS), OR HYPERCALCEMIA, AND 3) DOES NOT HAVE SEVERE HEPATIC DYSFUNCTION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PACRITINIB

Products Affected

• VONJO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	MYELOFIBROSIS: RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PALBOCICLIB

Products Affected

• IBRANCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ADVANCED OR METASTATIC BREAST CANCER: TRIAL OF OR CONTRAINDICATION TO ONE OF THE PREFERRED AGENTS, WHERE INDICATIONS ALIGN: KISQALI, VERZENIO.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PARATHYROID HORMONE

Products Affected

• NATPARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HYPOCALCEMIA SECONDARY TO HYPOPARATHYROIDISM: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	HYPOCALCEMIA SECONDARY TO HYPOPARATHYROIDISM: 1) TRIAL OF OR CONTRAINDICATION TO CALCITRIOL, 2) HYPOPARATHYROIDISM IS NOT DUE TO A CALCIUM SENSING RECEPTOR (CSR) MUTATION, AND 3) HYPOPARATHYROIDISM IS NOT CONSIDERED ACUTE POST-SURGICAL HYPOPARATHYROIDISM.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PASIREOTIDE DIASPARTATE

Products Affected

• SIGNIFOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CUSHINGS DISEASE (CD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.
Other Criteria	CD: RENEWAL: 1) CONTINUED IMPROVEMENT OF CUSHINGS DISEASE, AND 2) MAINTAINED TOLERABILITY TO SIGNIFOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PAZOPANIB

Products Affected

• pazopanib hcl

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ADVANCED SOFT TISSUE SARCOMA (STS): NOT USED FOR ADIPOCYTIC STS OR GASTROINTESTINAL STROMAL TUMORS (GIST)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PEGFILGRASTIM - APGF

Products Affected

• NYVEPRIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Products Affected

• NEULASTA ONPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PEGINTERFERON ALFA-2A

Products Affected

• PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML

PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HEPATITIS B: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST, INFECTIOUS DISEASE SPECIALIST, OR PHYSICIAN SPECIALIZING IN THE TREATMENT OF HEPATITIS (E.G., HEPATOLOGIST).
Coverage Duration	HEP B/HEP C: 48 WEEKS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PEGVISOMANT

Products Affected

• SOMAVERT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PEMBROLIZUMAB

Products Affected

 KEYTRUDA INTRAVENOUS SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	UNRESECTABLE OR METASTATIC MELANOMA: NO CONCURRENT USE WITH TARGETED THERAPY (I.E., BRAF INHIBITORS, MEK INHIBITORS, AND NTRK INHIBITORS).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PEMIGATINIB

Products Affected

• PEMAZYRE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	CHOLANGIOCARCINOMA, MYELOID/LYMPHOID NEOPLASMS: COMPREHENSIVE OPHTHALMOLOGICAL EXAMINATION, INCLUDING OPTICAL COHERENCE TOMOGRAPHY (OCT), WILL BE COMPLETED PRIOR TO INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PENICILLAMINE TABLET

Products Affected

• penicillamine oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: CYSTINURIA: HAS NEPHROLITHIASIS AND ONE OF THE FOLLOWING: 1) STONE ANALYSIS SHOWING PRESENCE OF CYSTINE, 2) PRESENCE OF PATHOGNOMONIC HEXAGONAL CYSTINE CRYSTALS ON URINALYSIS, OR 3) FAMILY HISTORY OF CYSTINURIA AND POSITIVE CYANIDE-NITROPRUSSIDE SCREENING.
Age Restrictions	
Prescriber Restrictions	INITIAL: WILSONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A HEPATOLOGIST OR GASTROENTEROLOGIST. CYSTINURIA: PRESCRIBED BY OR IN CONSULTATION WITH A NEPHROLOGIST. RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL: 12 MONTHS, RENEWAL: LIFETIME.
Other Criteria	INITIAL: WILSONS DISEASE: 1) LEIPZIG SCORE OF 4 OR GREATER. RA: 1) NO HISTORY OR OTHER EVIDENCE OF RENAL INSUFFICIENCY, AND 2) TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE- MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. RENEWAL: RA: 1) NO HISTORY OR OTHER EVIDENCE OF RENAL INSUFFICIENCY, AND 2) EXPERIENCED OR MAINTAINED IMPROVEMENT IN TENDER JOINT COUNT OR SWOLLEN JOINT COUNT COMPARED TO BASELINE. WILSONS DISEASE, CYSTINURIA: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No

PEXIDARTINIB

Products Affected

• TURALIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PIMAVANSERIN

Products Affected

• NUPLAZID ORAL CAPSULE

• NUPLAZID ORAL TABLET 10 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	PSYCHOSIS IN PARKINSONS DISEASE (PD): INITIAL: 18 YEARS OR OLDER
Prescriber Restrictions	PSYCHOSIS IN PD: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, GERIATRICIAN, OR A BEHAVIORAL HEALTH SPECIALIST (E.G., PSYCHIATRIST).
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	PSYCHOSIS IN PD: RENEWAL: IMPROVEMENT IN PSYCHOSIS SYMPTOMS FROM BASELINE AND DEMONSTRATES A CONTINUED NEED FOR TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PIRFENIDONE

Products Affected

• pirfenidone oral capsule

• pirfenidone oral tablet 267 mg, 534 mg, 801 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	IDIOPATHIC PULMONARY FIBROSIS (IPF): INITIAL: 1) A USUAL INTERSTITIAL PNEUMONIA (UIP) PATTERN AS EVIDENCED BY HIGH-RESOLUTION COMPUTED TOMOGRAPHY (HRCT) ALONE OR VIA A COMBINATION OF SURGICAL LUNG BIOPSY AND HRCT, AND 2) PREDICTED FORCED VITAL CAPACITY (FVC) OF AT LEAST 50% AT BASELINE.
Age Restrictions	IPF: INITIAL: 18 YEARS OR OLDER.
Prescriber Restrictions	IPF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	IPF: INITIAL: 1) DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., CONNECTIVE TISSUE DISEASE, DRUG TOXICITY, ASBESTOS OR BERYLLIUM EXPOSURE, HYPERSENSITIVITY PNEUMONITIS, SYSTEMIC SCLEROSIS, RHEUMATOID ARTHRITIS, RADIATION, SARCOIDOSIS, BRONCHIOLITIS OBLITERANS ORGANIZING PNEUMONIA, HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION, VIRAL HEPATITIS, OR CANCER). RENEWAL: CLINICAL MEANINGFUL IMPROVEMENT OR MAINTENANCE IN ANNUAL RATE OF DECLINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PIRTOBRUTINIB

Products Affected

JAYPIRCA ORAL TABLET 100 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

POMALIDOMIDE

Products Affected

• POMALYST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PONATINIB

Products Affected

• ICLUSIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CHRONIC MYELOID LEUKEMIA (CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND ICLUSIG IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

POSACONAZOLE TABLET

Products Affected

• posaconazole oral tablet delayed release

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE, PROPHYLAXIS: 6 MONTHS. TREATMENT: 12 WEEKS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PRALSETINIB

Products Affected

• GAVRETO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PYRIMETHAMINE

Products Affected

• pyrimethamine oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	TOXOPLASMOSIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	TOXOPLASMOSIS: INITIAL: 8 WEEKS, RENEWAL: 6 MOS.
Other Criteria	TOXOPLASMOSIS: RENEWAL: ONE OF THE FOLLOWING: (1) PERSISTENT CLINICAL DISEASE (HEADACHE, NEUROLOGICAL SYMPTOMS, OR FEVER) AND PERSISTENT RADIOGRAPHIC DISEASE (ONE OR MORE MASS LESIONS ON BRAIN IMAGING), OR (2) CD4 COUNT LESS THAN 200 CELLS/MM3 AND CURRENTLY TAKING AN ANTI-RETROVIRAL THERAPY IF HIV POSITIVE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

QUININE

Products Affected

• quinine sulfate oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

QUIZARTINIB

Products Affected

• VANFLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

REGORAFENIB

Products Affected

• STIVARGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RELUGOLIX

Products Affected

• ORGOVYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

REPOTRECTINIB

Products Affected

• AUGTYRO ORAL CAPSULE 160 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RESLIZUMAB

Products Affected

• CINQAIR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	ASTHMA: INITIAL: BLOOD EOSINOPHIL LEVEL OF AT LEAST 150 CELLS/MCL WITHIN THE PAST 12 MONTHS.
Age Restrictions	
Prescriber Restrictions	ASTHMA: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	ASTHMA: INITIAL: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND ONE OTHER MAINTENANCE MEDICATION, 2) ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS, OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: (A) DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, (B) ANY NIGHT WAKING DUE TO ASTHMA, (C) SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, (D) ANY ACTIVITY LIMITATION DUE TO ASTHMA, 3) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: FASENRA, NUCALA, DUPIXENT, AND 4) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR

PA Criteria	Criteria Details
	ASTHMA, 2) CONTINUED USE OF ICS AND ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS, OR (D) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RETIFANLIMAB-DLWR

Products Affected

• ZYNYZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

REVUMENIB

Products Affected

• REVUFORJ ORAL TABLET 110 MG, 160 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RIBOCICLIB

 Products Affected KISQALI (200 MG DOSE) KISQALI (400 MG DOSE) KISQALI (400 MG DOSE) 	
PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RIBOCICLIB-LETROZOLE

Products Affected

• KISQALI FEMARA (200 MG DOSE)

• KISQALI FEMARA (600 MG DOSE)

• KISQALI FEMARA (400 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RIFAXIMIN

Products Affected

• XIFAXAN ORAL TABLET 200 MG, 550 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	TRAVELERS DIARRHEA, HEPATIC ENCEPHALOPATHY (HE): 12 MOS. IBS-D: 8 WKS.
Other Criteria	HE: TRIAL OF OR CONTRAINDICATION TO LACTULOSE OR CONCURRENT LACTULOSE THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RILONACEPT

Products Affected

• ARCALYST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CRYOPYRIN-ASSOCIATED PERIODIC SYNDROMES (CAPS): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF- FUNCTION MUTATIONS IN THE NLRP3 GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR, SERUM AMYLOID A PROTEIN (SAA) OR S100 PROTEINS), AND 2) TWO OF THE FOLLOWING: URTICARIAL-LIKE RASH (NEUTROPHILIC DERMATITIS), COLD-TRIGGERED EPISODES, SENSORINEURAL HEARING LOSS, MUSCULOSKELETAL SYMPTOMS, CHRONIC ASEPTIC MENINGITIS, SKELETAL ABNORMALITIES. DEFICIENCY OF INTERLEUKIN-1 RECEPTOR ANTAGONIST (DIRA): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE IL1RN GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR), AND 2) ONE OF THE FOLLOWING: PUSTULAR PSORIASIS-LIKE RASHES, OSTEOMYELITIS, ABSENCE OF BACTERIAL OSTEOMYELITIS, ONYCHOMADESIS. RECURRENT PERICARDITIS (RP): TWO OF THE FOLLOWING: CHEST PAIN CONSISTENT WITH PERICARDITIS, PERICARDIAL FRICTION RUB, ECG SHOWING DIFFUSE ST-SEGMENT ELEVATION OR PR- SEGMENT DEPRESSION, NEW OR WORSENING PERICARDIAL EFFUSION.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CAPS, DIRA: LIFETIME. RP: 12 MONTHS.
Other Criteria	CAPS: NO CONCURRENT USE WITH OTHER IL-1 INHIBITORS. DIRA: 1) NO CONCURRENT USE WITH OTHER IL-1 INHIBITORS, AND 2) TRIAL OF THE PREFERRED AGENT: KINERET. RP: 1) HAD AN EPISODE OF ACUTE PERICARDITIS, 2) SYMPTOM-FREE

PA Criteria	Criteria Details
	FOR 4 TO 6 WEEKS, AND 3) NO CONCURRENT USE WITH OTHER IL-1 INHIBITORS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RIMEGEPANT

Products Affected

• NURTEC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: ACUTE MIGRAINE TREATMENT: 1) TRIAL OF OR CONTRAINDICATION TO ONE TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN), AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT. EPISODIC MIGRAINE PREVENTION: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREVENTIVE MIGRAINE TREATMENTS: DIVALPROEX SODIUM, TOPIRAMATE, PROPRANOLOL, TIMOLOL. RENEWAL: ACUTE MIGRAINE TREATMENT: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT, AND 2) ONE OF THE FOLLOWING: (A) IMPROVEMENT FROM BASELINE IN A VALIDATED ACUTE TREATMENT PATIENT-REPORTED OUTCOME QUESTIONNAIRE, OR (B) THERAPY WORKS CONSISTENTLY IN MAJORITY OF MIGRAINE ATTACKS. EPISODIC MIGRAINE PREVENTION: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION, AND 2) REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY.

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RIOCIGUAT

Products Affected

• ADEMPAS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PULMONARY ARTERIAL HYPERTENSION (PAH): DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS. PERSISTENT/RECURRENT CHRONIC THROMBOEMBOLIC PULMONARY HYPERTENSION (CTEPH) (WHO GROUP 4): WHO FUNCTIONAL CLASS II-IV SYMPTOMS.
Age Restrictions	
Prescriber Restrictions	INITIAL: PAH, CTEPH: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PAH: NO CONCURRENT USE WITH NITRATES, NITRIC OXIDE DONORS, PHOSPHODIESTERASE (PDE) INHIBITORS, OR NON-SPECIFIC PDE INHIBITORS. CTEPH: 1) NO CONCURRENT USE WITH NITRATES, NITRIC OXIDE DONORS, PDE INHIBITORS, OR NON-SPECIFIC PDE INHIBITORS, AND 2) NOT A CANDIDATE FOR SURGERY OR HAS INOPERABLE CTEPH OR HAS PERSISTENT OR RECURRENT DISEASE AFTER SURGICAL TREATMENT. RENEWAL: PAH, CTEPH: NO CONCURRENT USE WITH NITRATES, NITRIC OXIDE DONORS, PDE INHIBITORS, OR NON-SPECIFIC PDE INHIBITORS.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No

RIPRETINIB

Products Affected

• QINLOCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RISANKIZUMAB-RZAA

Products Affected• SKYRIZI• SKYRIZI (150 MG DOSE)	
PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PLAQUE PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSO. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: PSO: 1)

PA Criteria	Criteria Details
	CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RITUXIMAB AND HYALURONIDASE HUMAN-SQ

Products Affected

• RITUXAN HYCELA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	FOLLICULAR LYMPHOMA (FL), DIFFUSE LARGE B-CELL LYMPHOMA (DLBCL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): HAS RECEIVED OR WILL RECEIVE AT LEAST ONE FULL DOSE OF A RITUXIMAB PRODUCT BY INTRAVENOUS INFUSION PRIOR TO INITIATION OF RITUXIMAB AND HYALURONIDASE. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RITUXIMAB-ABBS

Products Affected

• TRUXIMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. NON-HODGKINS LYMPHOMA (NHL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	RA: INITIAL: 6 MO, RENEWAL: 12 MO. NHL, GPA, MPA: 12 MO. CLL: 6 MO.
Other Criteria	RA: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RITUXIMAB-ARRX

Products Affected

• RIABNI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RHEUMATOID ARTHRITIS (RA): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. NON-HODGKINS LYMPHOMA (NHL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	RA: INITIAL: 6 MO, RENEWAL: 12 MO. NHL, GPA, MPA: 12 MO. CLL: 6 MO.
Other Criteria	RA: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RITUXIMAB-PVVR

Products Affected

• RUXIENCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RA: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. NON-HODGKINS LYMPHOMA (NHL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	RA: INITIAL: 6 MO, RENEWAL: 12 MO. NHL, GPA, MPA: 12 MO. CLL: 6 MO.
Other Criteria	RA: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ROPEGINTERFERON ALFA-2B-NJFT

Products Affected

• BESREMI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RUCAPARIB

Products Affected

• RUBRACA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: ONE OF THE FOLLOWING: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

RUXOLITINIB

Products Affected

• JAKAFI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	MYELOFIBROSIS: INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS. POLYCYTHEMIA VERA, GVHD: 12 MONTHS.
Other Criteria	MYELOFIBROSIS: RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SAPROPTERIN

Products Affected

• *javygtor oral tablet*

• sapropterin dihydrochloride oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 2 MONTHS, RENEWAL 12 MONTHS.
Other Criteria	HYPERPHENYLALANINEMIA (HPA): INITIAL: NO CONCURRENT USE WITH PALYNZIQ. RENEWAL: 1) CONTINUES TO BENEFIT FROM TREATMENT, AND 2) NO CONCURRENT USE WITH PALYNZIQ.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SECUKINUMAB IV

Products Affected

• COSENTYX INTRAVENOUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN (CRP) LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI).
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR A DERMATOLOGIST. ANKYLOSING SPONDYLITIS (AS), NR- AXSPA: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NR-AXSPA. RENEWAL: PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO

PA Criteria	Criteria Details
	ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SECUKINUMAB SQ

Products Affected

- COSENTYX (300 MG DOSE)
- COSENTYX SENSOREADY (300 MG)
- COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75 MG/0.5ML
- COSENTYX UNOREADY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP, OR FACE. NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN (CRP) LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI).
Age Restrictions	
Prescriber Restrictions	INITIAL: PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR A DERMATOLOGIST. ANKYLOSING SPONDYLITIS (AS), NR- AXSPA, ENTHESITIS-RELATED ARTHRITIS (ERA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
Coverage Duration	INITIAL: HS: 12 MONTHS, ALL OTHER INDICATIONS: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL

PA Criteria	Criteria Details
	MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSO. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NR-AXSPA. ERA: TRIAL OF OR CONTRAINDICATION TO ONE NSAID, SULFASALAZINE, OR METHOTREXATE. HS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR HS. RENEWAL: PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NR-AXSPA. ERA, HS: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SELEXIPAG

Products Affected

UPTRAVI INTRAVENOUS

• UPTRAVI TITRATION

 UPTRAVI ORAL TABLET 1000 MCG, 1200 MCG, 1400 MCG, 1600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
Age Restrictions	
Prescriber Restrictions	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS
Other Criteria	PAH: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING AGENTS FROM DIFFERENT DRUG CLASSES: 1) FORMULARY VERSION OF AN ORAL ENDOTHELIN RECEPTOR ANTAGONIST, 2) FORMULARY VERSION OF AN ORAL PHOSPHODIESTERASE TYPE-5 INHIBITOR FOR PAH, 3) FORMULARY VERSION OF AN ORAL CGMP STIMULATOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SELINEXOR

Products Affected

- XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG
- XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 10 MG, 40 MG
- XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG
- XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG
- XPOVIO (60 MG TWICE WEEKLY)
- XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG
- XPOVIO (80 MG TWICE WEEKLY)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SELPERCATINIB

Products Affected

• RETEVMO ORAL CAPSULE 40 MG, 80 • RETEVMO ORAL TABLET 120 MG, MG

160 MG, 40 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SELUMETINIB

Products Affected

 KOSELUGO ORAL CAPSULE 10 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SILDENAFIL TABLET

Products Affected

• sildenafil citrate oral tablet 20 mg

PA Criteria	Criteria Details	
Exclusion Criteria		
Required Medical Information	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: AGES 18 YEARS OR OLDER: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS. AGES 1 TO 17 YEARS: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PAP GREATER THAN 20 MMHG, 2) PCWP OF 15 MMHG OR LESS, AND 3) PVR OF 3 WOOD UNITS OR GREATER.	
Age Restrictions		
Prescriber Restrictions	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.	
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.	
Other Criteria	PAH: INITIAL/RENEWAL: 1) NOT CONCURRENTLY OR INTERMITTENTLY TAKING ORAL ERECTILE DYSFUNCTION AGENTS (E.G. CIALIS, VIAGRA) OR ANY ORGANIC NITRATES IN ANY FORM AND 2) NO CONCURRENT USE WITH GUANYLATE CYCLASE STIMULATORS.	
Indications	All Medically-accepted Indications.	
Off Label Uses		
Part B Prerequisite	No	

SIPONIMOD

Products Affected

• MAYZENT ORAL TABLET 0.25 MG, 1 • MAYZENT STARTER PACK MG, 2 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SIROLIMUS PROTEIN-BOUND

Products Affected

• FYARRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SODIUM OXYBATE-XYREM

Products Affected

• *sodium oxybate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: CATAPLEXY IN NARCOLEPSY, EXCESSIVE DAYTIME SLEEPINESS (EDS) IN NARCOLEPSY: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR SPECIALIST IN SLEEP MEDICINE
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: EDS IN NARCOLEPSY: 1) NO CONCURRENT USE WITH A SEDATIVE HYPNOTIC AGENT, 2) AGES 18 YEARS OR OLDER: TRIAL, FAILURE OF, OR CONTRAINDICATION TO A FORMULARY VERSION OF MODAFINIL, ARMODAFINIL, OR SUNOSI AND ONE GENERIC STIMULANT INDICATED FOR EDS IN NARCOLEPSY, AND 3) AGES 7 TO 17 YEARS: TRIAL, FAILURE OF, OR CONTRAINDICATION TO ONE GENERIC STIMULANT INDICATED FOR EDS IN NARCOLEPSY. CATAPLEXY IN NARCOLEPSY: NO CONCURRENT USE WITH A SEDATIVE HYPNOTIC AGENT. RENEWAL: CATAPLEXY IN NARCOLEPSY, EDS IN NARCOLEPSY: 1) SUSTAINED IMPROVEMENT OF SYMPTOMS COMPARED TO BASELINE, AND 2) NO CONCURRENT USE WITH A SEDATIVE HYPNOTIC AGENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SOFOSBUVIR/VELPATASVIR

Products Affected

•		L PACKET 150-37.5	•	EPCLUSA ORAL TABLET
	MG, 200-50 MG			

PA Criteria	Criteria Details	
Exclusion Criteria		
Required Medical Information	HCV RNA LEVEL WITHIN PAST 6 MONTHS.	
Age Restrictions		
Prescriber Restrictions		
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.	
Other Criteria	1) CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE, 2) NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING MEDICATIONS: AMIODARONE, CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, HIV REGIMEN THAT CONTAINS EFAVIRENZ, ROSUVASTATIN AT DOSES ABOVE 10MG, TIPRANAVIR/RITONAVIR, TOPOTECAN, SOVALDI (AS A SINGLE AGENT), HARVONI, ZEPATIER, MAVYRET, OR VOSEVI, AND 3) PATIENTS WITH DECOMPENSATED CIRRHOSIS REQUIRE CONCURRENT RIBAVIRIN UNLESS RIBAVIRIN INELIGIBLE.	
Indications	All FDA-approved Indications.	
Off Label Uses		
Part B Prerequisite	No	

SOFOSBUVIR/VELPATASVIR/VOXILAPREVIR

Products Affected

• VOSEVI

PA Criteria	Criteria Details		
Exclusion Criteria			
Required Medical Information	HCV RNA LEVEL WITHIN PAST 6 MONTHS		
Age Restrictions			
Prescriber Restrictions			
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.		
Other Criteria	1) CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE, 2) NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING MEDICATIONS: AMIODARONE, CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, CYCLOSPORINE, PITAVASTATIN, PRAVASTATIN (DOSES ABOVE 40MG), ROSUVASTATIN, METHOTREXATE, MITOXANTRONE, IMATINIB, IRINOTECAN, LAPATINIB, SULFASALAZINE, TOPOTECAN, OR HIV REGIMEN THAT CONTAINS EFAVIRENZ, ATAZANAVIR, LOPINAVIR, TIPRANAVIR/RITONAVIR, SOVALDI (AS A SINGLE AGENT), EPCLUSA, HARVONI, ZEPATIER, OR MAVYRET, AND 3) DOES NOT HAVE MODERATE OR SEVERE HEPATIC IMPAIRMENT (CHILD-PUGH B OR C).		
Indications	All FDA-approved Indications.		
Off Label Uses			
Part B Prerequisite	No		

SOMATROPIN - NORDITROPIN

Products Affected

г

 NORDITROPIN FLEXPRO SUBCUTANEOUS SOLUTION PEN-INJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	INITIAL/RENEWAL: ATHLETIC ENHANCEMENT, ANTI-AGING PURPOSES.
Required Medical Information	INITIAL: PEDIATRIC GROWTH HORMONE DEFICIENCY (GHD), IDIOPATHIC SHORT STATURE (ISS), SMALL FOR GESTATIONAL AGE (SGA), TURNER SYNDROME (TS), NOONAN SYNDROME: HEIGHT AT LEAST 2 STANDARD DEVIATIONS BELOW THE MEAN HEIGHT FOR CHILDREN OF THE SAME AGE AND GENDER. PRADER WILLI SYNDROME (PWS): CONFIRMED GENETIC DIAGNOSIS.
Age Restrictions	
Prescriber Restrictions	INITIAL/RENEWAL: ALL INDICATIONS: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: ADULT GHD: GHD ALONE OR ASSOCIATED WITH MULTIPLE HORMONE DEFICIENCIES (HYPOPITUITARISM), AS A RESULT OF PITUITARY DISEASE, HYPOTHALAMIC DISEASE, SURGERY, RADIATION THERAPY, OR TRAUMA, OR FOR CONTINUATION OF THERAPY FROM CHILDHOOD ONSET GHD. PEDIATRIC GHD, ISS, SGA, TS, NOONAN SYNDROME: OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF THE WRIST AND HAND. RENEWAL: PEDIATRIC GHD: 1) IMPROVEMENT WHILE ON THERAPY (I.E., INCREASED HEIGHT OR INCREASED GROWTH VELOCITY), AND 2) OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF THE WRIST AND HAND OR HAS NOT COMPLETED PREPUBERTAL GROWTH. ISS, SGA, TS, NOONAN SYNDROME: 1) IMPROVEMENT WHILE ON THERAPY (I.E., INCREASED HEIGHT OR INCREASED GROWTH VELOCITY), AND 2) OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF

PA Criteria	Criteria Details
	THE WRIST AND HAND. PWS: IMPROVEMENT IN BODY COMPOSITION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SOMATROPIN - SEROSTIM

Products Affected

 SEROSTIM SUBCUTANEOUS SOLUTION RECONSTITUTED 4 MG, 5 MG, 6 MG

PA Criteria	Criteria Details
Exclusion Criteria	INITIAL/RENEWAL: ATHLETIC ENHANCEMENT, ANTI-AGING PURPOSES
Required Medical Information	INITIAL: HIV/WASTING: ONE OF THE FOLLOWING FOR WEIGHT LOSS: 1) 10% UNINTENTIONAL WEIGHT LOSS OVER 12 MONTHS, 2) 7.5% UNINTENTIONAL WEIGHT LOSS OVER 6 MONTHS, 3) 5% BODY CELL MASS (BCM) LOSS WITHIN 6 MONTHS, 4) BCM LESS THAN 35% (MEN) OF TOTAL BODY WEIGHT AND BODY MASS INDEX (BMI) LESS THAN 27 KG PER METER SQUARED, 5) BCM LESS THAN 23% (WOMEN) OF TOTAL BODY WEIGHT AND BMI LESS THAN 27 KG PER METER SQUARED, OR 6) BMI LESS THAN 18.5 KG PER METER SQUARED.
Age Restrictions	
Prescriber Restrictions	HIV/WASTING: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST, NUTRITIONAL SUPPORT SPECIALIST, OR INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	INITIAL/RENEWAL: 3 MONTHS.
Other Criteria	HIV/WASTING: INITIAL: 1) INADEQUATE RESPONSE TO ONE PREVIOUS THERAPY (E.G., MEGACE, APPETITE STIMULANTS, ANABOLIC STEROIDS). RENEWAL: 1) CLINICAL BENEFIT IN MUSCLE MASS AND WEIGHT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SONIDEGIB

Products Affected

• ODOMZO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	LOCALLY ADVANCED BASAL CELL CARCINOMA (BCC): BASELINE SERUM CREATINE KINASE (CK) AND SERUM CREATININE LEVELS
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SORAFENIB

Products Affected

• sorafenib tosylate

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SOTATERCEPT-CSRK

Products Affected

• WINREVAIR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
Age Restrictions	
Prescriber Restrictions	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	PAH: INITIAL: 1) ON BACKGROUND PAH THERAPY (FOR AT LEAST 3 MONTHS) WITH AT LEAST TWO OF THE FOLLOWING AGENTS FROM DIFFERENT DRUG CLASSES: A) ORAL ENDOTHELIN RECEPTOR ANTAGONIST, B) ORAL PHOSPHODIESTERASE TYPE-5 INHIBITOR FOR PAH, C) ORAL CGMP STIMULATOR, D) IV/SQ PROSTACYCLIN, OR 2) ON ONE AGENT FROM ONE OF THE ABOVE DRUG CLASSES, AND HAS A CONTRAINDICATION OR INTOLERANCE TO ALL OF THE OTHER DRUG CLASSES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SOTORASIB

Products Affected

• LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

STIRIPENTOL

Products Affected

• DIACOMIT ORAL CAPSULE 250 MG, • DIACOMIT ORAL PACKET 250 MG, 500 MG

500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	DRAVET SYNDROME: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

SUNITINIB

Products Affected

• *sunitinib malate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	GASTROINTESTINAL STROMAL TUMORS (GIST): TRIAL OF OR CONTRAINDICATION TO IMATINIB (GLEEVEC).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TADALAFIL - ADCIRCA, ALYQ

Products Affected

• alyq

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
Age Restrictions	
Prescriber Restrictions	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	PAH: INITIAL/RENEWAL: 1) NOT CONCURRENTLY OR INTERMITTENTLY TAKING ORAL ERECTILE DYSFUNCTION AGENTS (E.G. CIALIS, VIAGRA) OR ANY ORGANIC NITRATES IN ANY FORM, AND 2) NO CONCURRENT USE WITH GUANYLATE CYCLASE STIMULATORS.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

TADALAFIL-CIALIS

Products Affected

• tadalafil oral tablet 2.5 mg, 5 mg

PA Criteria	Criteria Details
Exclusion Criteria	ERECTILE DYSFUNCTION WITHOUT DIAGNOSIS OF BENIGN PROSTATIC HYPERPLASIA (BPH).
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	BPH: 1) TRIAL OF ONE ALPHA BLOCKER (E.G., DOXAZOSIN, TERAZOSIN, TAMSULOSIN, ALFUZOSIN), AND 2) TRIAL OF ONE 5-ALPHA-REDUCTASE INHIBITOR (E.G., FINASTERIDE, DUTASTERIDE). APPLIES TO 2.5MG AND 5MG STRENGTHS ONLY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TALAZOPARIB

Products Affected

• TALZENNA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ADVANCED OR METASTATIC BREAST CANCER: 1) HAS BEEN TREATED WITH CHEMOTHERAPY IN THE NEOADJUVANT, ADJUVANT, OR METASTATIC SETTING, AND 2) IF HORMONE RECEPTOR (HR)-POSITIVE BREAST CANCER, RECEIVED PRIOR TREATMENT WITH ENDOCRINE THERAPY OR IS CONSIDERED INAPPROPRIATE FOR ENDOCRINE THERAPY. METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TALQUETAMAB-TGVS

Products Affected

• TALVEY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TARLATAMAB-DLLE

Products Affected

• IMDELLTRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TAZEMETOSTAT

Products Affected

• TAZVERIK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TEBENTAFUSP-TEBN

Products Affected

• KIMMTRAK

PA Criteria	Criteria Details	
Exclusion Criteria		
Required Medical Information		
Age Restrictions		
Prescriber Restrictions		
Coverage Duration	12 MONTHS	
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.	
Indications	All FDA-approved Indications.	
Off Label Uses		
Part B Prerequisite	No	

TECLISTAMAB-CQYV

Products Affected

• TECVAYLI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TELISOTUZUMAB VEDOTIN-TLLV

Products Affected

• EMRELIS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TELOTRISTAT

Products Affected

• XERMELO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CARCINOID SYNDROME DIARRHEA: PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST OR GASTROENTEROLOGIST
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TEPOTINIB

Products Affected

• TEPMETKO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TERIPARATIDE

Products Affected

 TERIPARATIDE SUBCUTANEOUS SOLUTION PEN-INJECTOR 620 MCG/2.48ML

PA Criteria	Criteria Details	
Exclusion Criteria		
Required Medical Information		
Age Restrictions		
Prescriber Restrictions		
Coverage Duration	24 MONTHS	
Other Criteria	OSTEOPOROSIS: HAS NOT RECEIVED A TOTAL OF 24 MONTHS CUMULATIVE TREATMENT WITH ANY PARATHYROID HORMONE THERAPY, UNLESS REMAINS AT OR HAS RETURNED TO HAVING A HIGH RISK FOR FRACTURE.	
Indications	All FDA-approved Indications.	
Off Label Uses		
Part B Prerequisite	No	

TESTOSTERONE

Products Affected

• *testosterone gel 1.62 % transdermal*

 testosterone transdermal gel 12.5 mg/act (1%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 50 mg/5gm (1%)

PA Criteria	Criteria Details	
Exclusion Criteria		
Required Medical Information	MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.	
Age Restrictions		
Prescriber Restrictions		
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS	
Other Criteria	MALE HYPOGONADISM: INITIAL: 1) 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING. RENEWAL: 1) 40 YEARS OR OLDER: PSA HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING, AND 2) IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT.	
Indications	All FDA-approved Indications.	
Off Label Uses		
Part B Prerequisite	No	

TESTOSTERONE CYPIONATE

Products Affected

 testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml, 200 mg/ml (1 ml)

PA Criteria	Criteria Details	
Exclusion Criteria		
Required Medical Information	MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.	
Age Restrictions		
Prescriber Restrictions		
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS	
Other Criteria	MALE HYPOGONADISM: INITIAL: 1) 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING. RENEWAL: 1) 40 YEARS OR OLDER: PSA HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING, AND 2) IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT.	
Indications	All FDA-approved Indications.	
Off Label Uses		
Part B Prerequisite	No	

TESTOSTERONE ENANTHATE

Products Affected

•	testosterone enanthate intramuscular	٠	XYOSTED
	solution		

PA Criteria	Criteria Details	
Exclusion Criteria		
Required Medical Information	MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.	
Age Restrictions		
Prescriber Restrictions		
Coverage Duration	INITIAL/RENEWAL: MALE DELAYED PUBERTY: 6MO, MALE HYPOGONADISM: 12 MO. OTHER INDICATIONS: 12 MO.	
Other Criteria	INITIAL: MALE HYPOGONADISM: 1) 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING. RENEWAL: MALE HYPOGONADISM: 1) 40 YEARS OR OLDER: PSA HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING, AND 2) IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT. MALE DELAYED PUBERTY: HAS NOT RECEIVED MORE THAN TWO 6-MONTH COURSES OF TESTOSTERONE REPLACEMENT THERAPY	
Indications	All FDA-approved Indications.	
Off Label Uses		
Part B Prerequisite	No	

TETRABENAZINE

Products Affected

• *tetrabenazine*

PA Criteria	Criteria Details	
Exclusion Criteria		
Required Medical Information		
Age Restrictions		
Prescriber Restrictions	HUNTINGTONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST	
Coverage Duration	12 MONTHS	
Other Criteria		
Indications	All FDA-approved Indications.	
Off Label Uses		
Part B Prerequisite	No	

THALIDOMIDE

Products Affected

• THALOMID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TISLELIZUMAB-JSGR

Products Affected

• TEVIMBRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TISOTUMAB VEDOTIN-TFTV

Products Affected

• TIVDAK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TIVOZANIB

Products Affected

• FOTIVDA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TOCILIZUMAB IV

Products Affected

• ACTEMRA

PA Criteria	Criteria Details
Exclusion Criteria	CORONAVIRUS DISEASE 2019 (COVID-19) IN HOSPITALIZED ADULTS
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST.
Coverage Duration	INITIAL: RA, PJIA, SJIA, GCA: 6 MONTHS. CRS: 1 MONTH. RENEWAL: RA, PJIA, SJIA, GCA: 12 MONTHS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PJIA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, RINVOQ, ORENCIA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. SJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR SJIA. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TOCILIZUMAB SQ

Products Affected

• ACTEMRA

• ACTEMRA ACTPEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST. SYSTEMIC SCLEROSIS- ASSOCIATED INTERSTITIAL LUNG DISEASE (SSC-ILD): PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR RHEUMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PJIA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, RINVOQ, ORENCIA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. SJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR SJIA. SSC-ILD: DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., CONNECTIVE TISSUE DISEASE, DRUG TOXICITY, ASBESTOS OR BERYLLIUM EXPOSURE, HYPERSENSITIVITY PNEUMONITIS). RENEWAL: RA:

PA Criteria	Criteria Details
	CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR SJIA. SSC-ILD: CLINICAL MEANINGFUL IMPROVEMENT OR MAINTENANCE IN ANNUAL RATE OF DECLINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TOCILIZUMAB-AAZG

Products Affected

• TYENNE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PJIA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, ORENCIA, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PJIA. SJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR SJIA. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. SJIA: 1) CONTINUES

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TOCILIZUMAB-AAZG IV

Products Affected

• TYENNE

PA Criteria	Criteria Details
Exclusion Criteria	CORONAVIRUS DISEASE 2019 (COVID-19) IN HOSPITALIZED ADULTS
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST.
Coverage Duration	INITIAL: RA, PJIA, SJIA, GCA: 6 MOS. CRS: 1 MO. RENEWAL: RA, PJIA, SJIA, GCA: 12 MOS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PJIA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, ORENCIA, RINVOQ. CYTOKINE RELEASE SYNDROME (CRS): NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR CRS. INITIAL/RENEWAL FOR PJIA, SJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR SAME INDICATION. RENEWAL FOR RA, PJIA, SJIA: CONTINUES TO BENEFIT FROM MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No

TOFACITINIB

Products Affected

• XELJANZ

• XELJANZ XR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS), POLYARTICULAR COURSE JUVENILE IDIOPATHIC ARTHRITIS (PCJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF A PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PCJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PCJIA. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PCJIA. AS: 10 TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PSA: 1) CONTINUES TO

PA Criteria	Criteria Details
	BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PCJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PCJIA. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PCJIA. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PCJIA. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TOPICAL TRETINOIN

Products Affected

• ALTRENO

• tretinoin external cream

PA Criteria	Criteria Details
Exclusion Criteria	COSMETIC INDICATIONS SUCH AS WRINKLES, PHOTOAGING, MELASMA.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ACNE VULGARIS: BRAND TOPICAL TRETINOIN REQUIRES TRIAL OF OR CONTRAINDICATION TO A GENERIC TOPICAL TRETINOIN PRODUCT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TORIPALIMAB-TPZI

Products Affected

• LOQTORZI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	NASOPHARYNGEAL CARCINOMA (NPC): FIRST LINE TREATMENT: 24 MOS, PREVIOUSLY TREATED: LIFETIME.
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TOVORAFENIB

Products Affected• OJEMDA ORAL SUSPENSION RECONSTITUTED• OJEMDA ORAL TABLET	
PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRAMETINIB SOLUTION

Products Affected

 MEKINIST ORAL SOLUTION RECONSTITUTED

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	UNRESECTABLE OR METASTATIC MELANOMA, MELANOMA, METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC), LOCALLY ADVANCED OR METASTATIC ANAPLASTIC THYROID CANCER (ATC), UNRESECTABLE OR METASTATIC SOLID TUMOR, LOW-GRADE GLIOMA (LGG): UNABLE TO SWALLOW MEKINIST TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRAMETINIB TABLET

Products Affected

MEKINIST ORAL TABLET 0.5 MG, 2
 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRASTUZUMAB-DKST

Products Affected

• OGIVRI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRASTUZUMAB-DTTB

Products Affected

• ONTRUZANT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRASTUZUMAB-HYALURONIDASE-OYSK

Products Affected

• HERCEPTIN HYLECTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ADJUVANT BREAST CANCER, METASTATIC BREAST CANCER: TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREFERRED AGENTS: HERZUMA, OGIVRI, ONTRUZANT, TRAZIMERA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRASTUZUMAB-PKRB

Products Affected

• HERZUMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRASTUZUMAB-QYYP

Products Affected

• TRAZIMERA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRAZODONE

Products Affected

• RALDESY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	MAJOR DEPRESSIVE DISORDER (MDD): CONTRAINDICATION TO OR UNABLE TO SWALLOW TRAZODONE TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TREMELIMUMAB-ACTL

Products Affected

• IMJUDO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	UHCC: 30 DAYS. METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC): 5 MONTHS.
Other Criteria	UNRESECTABLE HEPATOCELLULAR CARCINOMA (UHCC): HAS NOT RECEIVED PRIOR TREATMENT WITH IMJUDO. NSCLC: HAS NOT RECEIVED A TOTAL OF 5 DOSES OF IMJUDO.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRIENTINE CAPSULE

Products Affected

• trientine hcl oral capsule 250 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	WILSONS DISEASE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEPATOLOGIST OR GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 12 MONTHS, RENEWAL: LIFETIME.
Other Criteria	WILSONS DISEASE: INITIAL: 1) LEIPZIG SCORE OF 4 OR GREATER, AND 2) TRIAL OF OR CONTRAINDICATION TO FORMULARY VERSION OF PENICILLAMINE TABLET. RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRIFLURIDINE/TIPIRACIL

Products Affected

• LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TRIPTORELIN-TRELSTAR

Products Affected

• TRELSTAR MIXJECT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS.
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

TUCATINIB

Products Affected

TUKYSA ORAL TABLET 150 MG, 50
MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

UBROGEPANT

Products Affected

• UBRELVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	ACUTE MIGRAINE TREATMENT: INITIAL: 1) TRIAL OF OR CONTRAINDICATION TO ONE TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN), AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT. RENEWAL: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT, AND 2) ONE OF THE FOLLOWING: (A) IMPROVEMENT FROM BASELINE IN A VALIDATED ACUTE TREATMENT PATIENT-REPORTED OUTCOME QUESTIONNAIRE, OR (B) THERAPY WORKS CONSISTENTLY IN MAJORITY OF MIGRAINE ATTACKS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

UPADACITINIB

Products Affected

• RINVOQ

• RINVOQ LQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI). ATOPIC DERMATITIS (AD): ATOPIC DERMATITIS COVERING AT LEAST 10 PERCENT OF BODY SURFACE AREA OR ATOPIC DERMATITIS AFFECTING THE FACE, HEAD, NECK, HANDS, FEET, GROIN, OR INTERTRIGINOUS AREAS
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS), NR-AXSPA, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. AD: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST, ALLERGIST, OR IMMUNOLOGIST. ULCERATIVE COLITIS (UC), CROHNS DISEASE (CD): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF A PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC

PA Criteria	Criteria Details
PA Criteria	Criteria Details BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. AD: 1) INTRACTABLE PRURITUS OR CRACKING/OOZING/BLEEDING OF AFFECTED SKIN, 2) TRIAL OF OR CONTRAINDICATION TO A TOPICAL CORTICOSTEROID, TOPICAL CALCINEURIN INHIBITOR, TOPICAL PDE4 INHIBITOR, OR TOPICAL JAK INHIBITOR, AND 3) NO CONCURRENT USE WITH OTHER SYSTEMIC BIOLOGICS FOR ATOPIC DERMATITIS OR OTHER JAK INHIBITORS FOR ANY INDICATION. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID (NON-STEROIDAL ANTI-INFLAMMATORY DRUG), AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR- AXSPA: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR- AXSPA: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NR-AXSPA. GIANT CELL ARTERITIS (GCA): HAS COMPLETED, STARTED, OR WILL SOON START A TAPERING COURSE OF GLUCCOCRTICOIDS. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. AD: 1) IMPROVEMENT WHILE ON THERAPY, AND 2) NO CONCURRENT USE WITH OTHER SYSTEMIC BIOLOGICS FOR ATOPIC DERMATITIS OR OTHER JAK INHIBITOR FOR ANY INDICATION. PSA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. NR-AXSPA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NR-AXSPA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NR-AXSPA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGE
Indications	BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. All FDA-approved Indications.
marcanolis	

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No

USTEKINUMAB

Products Affected

• STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML STELARA SUBCUTANEOUS
 SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED

PA Criteria	Criteria Details
	SMALL MOLECULES FOR UC. RENEWAL: PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

USTEKINUMAB IV

Products Affected

• STELARA INTRAVENOUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	2 MONTHS
Other Criteria	CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

USTEKINUMAB-AEKN IV

Products Affected

• SELARSDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: PSA: 1) CONTINUES

PA Criteria	Criteria Details
	TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

USTEKINUMAB-AEKN SQ

Products Affected

• SELARSDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: PSA: 1) CONTINUES

PA Criteria	Criteria Details
	TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

USTEKINUMAB-KFCE IV

Products Affected

• YESINTEK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: PSA: 1) CONTINUES

PA Criteria	Criteria Details
	TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

USTEKINUMAB-KFCE SQ

Products Affected

• YESINTEK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
Age Restrictions	
Prescriber Restrictions	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC. RENEWAL: PSA: 1) CONTINUES

PA Criteria	Criteria Details
	TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR UC.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VALBENAZINE

Products Affected • INGREZZA ORAL CAPSULE • INGREZZA ORAL CAPSULE • INGREZZA ORAL CAPSULE • THERAPY PACK * SPRINKLE PA Criteria Criteria Details Exclusion Criteria

Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	TARDIVE DYSKINESIA (TD): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR MOVEMENT DISORDER SPECIALIST. CHOREA ASSOCIATED WITH HUNTINGTONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	TD: HISTORY OF USING AGENTS THAT CAUSE TARDIVE DYSKINESIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VANDETANIB

Products Affected

• CAPRELSA ORAL TABLET 100 MG, 300 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	CURRENTLY STABLE ON CAPRELSA REQUIRES NO EXTRA CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VANZACAFTOR-TEZACAFTOR-DEUTIVACAFTOR

Products Affected

• ALYFTREK ORAL TABLET 10-50-125 MG, 4-20-50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR CYSTIC FIBROSIS EXPERT.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: LIFETIME.
Other Criteria	CF: INITIAL: NO CONCURRENT USE WITH ANOTHER CFTR MODULATOR. RENEWAL: 1) IMPROVEMENT IN CLINICAL STATUS, AND 2) NO CONCURRENT USE WITH ANOTHER CFTR MODULATOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VEMURAFENIB

Products Affected

• ZELBORAF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	MELANOMA: ZELBORAF WILL BE USED ALONE OR IN COMBINATION WITH COTELLIC
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VENETOCLAX

Products Affected

• VENCLEXTA ORAL TABLET 10 MG, • VENCLEXTA STARTING PACK 100 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VERICIGUAT

Products Affected

• VERQUVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL:12 MONTHS.
Other Criteria	HEART FAILURE (HF): INITIAL: 1) NO CONCURRENT USE WITH LONG-ACTING NITRATES OR NITRIC OXIDE DONORS, RIOCIGUAT, OR PDE-5 INHIBITORS, 2) TRIAL OF OR CONTRAINDICATION TO ONE PREFERRED SGLT-2 INHIBITOR, AND 3) TRIAL OF OR CONTRAINDICATION TO ONE AGENT FROM ANY OF THE FOLLOWING STANDARD OF CARE CLASSES: (A) ACE INHIBITOR, ARB, OR ARNI, (B) BETA BLOCKER (I.E., BISOPROLOL, CARVEDILOL, METOPROLOL SUCCINATE), OR (C) ALDOSTERONE ANTAGONIST (I.E., SPIRONOLACTONE, EPLERENONE). RENEWAL: NO CONCURRENT USE WITH LONG-ACTING NITRATES OR NITRIC OXIDE DONORS, RIOCIGUAT, OR PDE-5 INHIBITORS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VIGABATRIN

Products Affected vigabatrin • vigpoder vigadrone • PA Criteria **Criteria Details** Exclusion Criteria Required Medical Information **Age Restrictions** Prescriber REFRACTORY COMPLEX PARTIAL SEIZURES (CPS), INFANTILE SPASMS: PRESCRIBED BY OR IN CONSULTATION WITH A Restrictions NEUROLOGIST. Coverage **12 MONTHS** Duration **Other Criteria** CPS: TRIAL OF OR CONTRAINDICATION TO TWO ANTIEPILEPTIC AGENTS. Indications All FDA-approved Indications. **Off Label Uses** No Part B Prerequisite

VIMSELTINIB

Products Affected

• ROMVIMZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VISMODEGIB

Products Affected

• ERIVEDGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VORASIDENIB

Products Affected

• VORANIGO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

VORICONAZOLE SUSPENSION

Products Affected

• voriconazole oral suspension reconstituted

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CANDIDA INFECTIONS: 3 MOS. CONTINUATION OF THERAPY, ALL OTHER INDICATIONS: 6 MOS.
Other Criteria	CANDIDA INFECTIONS: 1) TRIAL OF OR CONTRAINDICATION TO FLUCONAZOLE, AND 2) UNABLE TO SWALLOW TABLETS. ALL INDICATIONS EXCEPT ESOPHAGEAL CANDIDIASIS: UNABLE TO SWALLOW TABLETS. CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE REQUIRES NO EXTRA CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ZANIDATAMAB-HRII

Products Affected

• ZIIHERA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ZANUBRUTINIB

Products Affected

• BRUKINSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ZENOCUTUZUMAB-ZBCO

Products Affected

• BIZENGRI (750 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ZOLBETUXIMAB-CLZB

Products Affected

• VYLOY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

ZURANOLONE

Products Affected

• ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	14 DAYS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

INDEX

A

abiraterone acetate	. 7
abirtega	. 7
ABOUTTIME PEN NEEDLE 30G X 8 M	M
ABOUTTIME PEN NEEDLE 31G X 5 M	
ABOUTTIME PEN NEEDLE 31G X 8 M	
	/4
ACTEMRA 340, 341, 342, 3	
ACTEMRA ACTPEN 342, 3	43
ACTHAR	
ACTHAR GEL SUBCUTANEOUS PEN-	
INJECTOR 40 UNIT/0.5ML, 80	
UNIT/ML	73
ACTIMMUNE1	78
ADEMPAS	85
ADVOCATE INSULIN PEN NEEDLE 32	
X 4 MM155, 1	
ADVOCATE INSULIN PEN NEEDLES	<i>,</i> .
29G X 12.7MM 155, 1	74
ADVOCATE INSULIN PEN NEEDLES	, ·
31G X 5 MM 155, 1	74
ADVOCATE INSULIN PEN NEEDLES	7 -
31G X 8 MM 155, 1	7/
ADVOCATE INSULIN PEN NEEDLES	/ 4
	71
33G X 4 MM 155, 1 ADVOCATE INSULIN SYRINGE 29G X	/4 7
1/2	
ADVOCATE INSULIN SYRINGE 30G X	
5/16	/4 7
ADVOCATE INSULIN SYRINGE 31G X	
5/16 155, 1 AIMOVIG 1	
AIWOVIO	
AKEEGA	
ALCOHOL PREP PAD 155, 1	
ALCOHOL PREP PAD 70 % 155, 1	
ALCOHOL PREP PADS PAD 70 % 15	
174	,,,
ALCOHOL SWABS PAD 155, 1	74
ALCOHOL SWABS PAD 70 % 155, 1	
)	

ALECENSA	19
ALTRENO	350
ALUNBRIG ORAL TABLET 180 MC	G , 30
MG, 90 MG	
ALUNBRIG ORAL TABLET THERA	
PACK	
ALVAIZ	
ALYFTREK ORAL TABLET 10-50-	
MG, 4-20-50 MG	
alyq	320
ANKTIVA	233
AQ INSULIN SYRINGE 31G X 5/16.	
174	155,
AQINJECT PEN NEEDLE 31G X 5 N	M
	5 174
AQINJECT PEN NEEDLE 32G X 4 N	5, 17 4
ARCALYST	0, 281
ARIKAYCE	
armodafinil	
ASSURE ID DUO PRO PEN NEEDL	
31G X 5 MM	5, 174
ASSURE ID INSULIN SAFETY SYR	C 29G
X 1/2	5, 174
ASSURE ID INSULIN SAFETY SYR	
X 15/64	5, 174
ASSURE ID PRO PEN NEEDLES 30	
MM	5, 174
AUGTYRO ORAL CAPSULE 160 M	G, 40
MG	
AUM ALCOHOL PREP PADS PAD	
	5, 174
AUM INSULIN SAFETY PEN NEED	
31G X 4 MM 15	
AUM INSULIN SAFETY PEN NEED	DLE
31G X 5 MM 15	5, 174
AUM MINI INSULIN PEN NEEDLE	32G
X 4 MM15	5, 174
AUM MINI INSULIN PEN NEEDLE	32G
X 5 MM15	5, 174
AUM MINI INSULIN PEN NEEDLE	
X 6 MM 15	
AUM MINI INSULIN PEN NEEDLE	32G
X 8 MM	

AUM MINI INSULIN PEN NEEDLE 33G X 4 MM..... 155, 174 AUM MINI INSULIN PEN NEEDLE 33G X 5 MM...... 155, 174 AUM MINI INSULIN PEN NEEDLE 33G X 6 MM..... 155, 174 AUM PEN NEEDLE 32G X 4 MM 155, 174 AUM PEN NEEDLE 32G X 5 MM 156, 174 AUM PEN NEEDLE 32G X 6 MM 156, 174 AUM PEN NEEDLE 33G X 4 MM 156, 174 AUM PEN NEEDLE 33G X 5 MM 156, 174 AUM PEN NEEDLE 33G X 6 MM 156, 174 AUM READYGARD DUO PEN NEEDLE 32G X 4 MM..... 156, 174 AUM SAFETY PEN NEEDLE 31G X 4 AUSTEDO ORAL TABLET 12 MG, 6 MG, AUSTEDO XR ORAL TABLET **EXTENDED RELEASE 24 HOUR 12** MG, 18 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG 87 AUSTEDO XR PATIENT TITRATION . 87 AVMAPKI FAKZYNJA CO-PACK 37 AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT..... 175 AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT..... 175 B BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG..... 113 BD AUTOSHIELD 29G X 5MM... 156, 174 BD AUTOSHIELD 29G X 8MM... 156, 174 BD AUTOSHIELD DUO 30G X 5 MM156, 174 BD ECLIPSE SYRINGE 30G X 1/2 156, 174 BD INSULIN SYR ULTRAFINE II 31G X 5/16 156, 174 BD INSULIN SYRINGE 25G X 1.156, 174 BD INSULIN SYRINGE 25G X 5/8..... 156, 174 BD INSULIN SYRINGE 26G X 1/2..... 156,

174

BD INSULIN SYRINGE 27.5G X 5/8.. 156, 174 BD INSULIN SYRINGE 27G X 1/2..... 156, 174 BD INSULIN SYRINGE 29G X 1/2..... 156, 174 **BD INSULIN SYRINGE HALF-UNIT 31G BD INSULIN SYRINGE MICROFINE 27G BD INSULIN SYRINGE MICROFINE 28G** BD INSULIN SYRINGE U-100 1 ML . 156, 174 BD INSULIN SYRINGE U-500 156, 174 **BD INSULIN SYRINGE ULTRAFINE 29G BD INSULIN SYRINGE ULTRAFINE 30G BD INSULIN SYRINGE ULTRAFINE 31G** X 5/16..... 156, 174 **BD PEN NEEDLE MICRO ULTRAFINE** 32G X 6 MM..... 156, 174 BD PEN NEEDLE MINI U/F 31G X 5 MM **BD PEN NEEDLE MINI ULTRAFINE 31G** X 5 MM...... 156, 174 BD PEN NEEDLE NANO 2ND GEN 32G X 4 MM..... 156, 174 BD PEN NEEDLE NANO U/F 32G X 4 MM 156, 174 **BD PEN NEEDLE NANO ULTRAFINE** 32G X 4 MM..... 156, 174 **BD PEN NEEDLE ORIG ULTRAFINE** 29G X 12.7MM...... 156, 174 **BD PEN NEEDLE SHORT ULTRAFINE** 31G X 8 MM..... 156, 174 **BD SAFETYGLIDE INSULIN SYRINGE** 29G X 1/2..... 156, 174 **BD SAFETYGLIDE INSULIN SYRINGE** 30G X 5/16..... 156, 174 **BD SAFETYGLIDE INSULIN SYRINGE** 31G X 15/64..... 156, 157, 174 **BD SAFETYGLIDE INSULIN SYRINGE** 31G X 5/16..... 157, 174

CSNP) 2025 Prior Au
BD SAFETYGLIDE SYRINGE/NEEDLE
27G X 5/8 157, 174
BD SAFETY-LOK INSULIN SYRINGE
29G X 1/2 156, 174
BD SWAB SINGLE USE REGULAR PAD
BD SWABS SINGLE USE BUTTERFLY
PAD157, 174
BD VEO INSULIN SYR U/F 1/2UNIT 31G
X 15/64
BD VEO INSULIN SYR ULTRAFINE 31G
X 15/64 157, 174 BD VEO INSULIN SYRINGE U/F 31G X
15/64
BENDAMUSTINE HCL INTRAVENOUS
SOLUTION
bendamustine hel intravenous solution
reconstituted
BENDEKA
BENLYSTA SUBCUTANEOUS
BESREMI
betaine
BETASERON SUBCUTANEOUS KIT 176
bexarotene
BIZENGRI (750 MG DOSE) 394
bortezomib injection 55
BORUZU
bosentan
BOSULIF ORAL CAPSULE 100 MG, 50
MG
BOSULIF ORAL TABLET 100 MG, 400
MG, 500 MG 57
BRAFTOVI ORAL CAPSULE 75 MG. 106
BRUKINSA
C
CABOMETYX ORAL TABLET 20 MG, 40
MG, 60 MG
CALQUENCE
CAPRELSA ORAL TABLET 100 MG, 300
MG
CAREFINE PEN NEEDLES 29G X 12MM
CAREFINE PEN NEEDLES 31G X 6 MM

CAREFINE PEN NEEDLES 31G X 8 MM
CAREFINE PEN NEEDLES 32G X 4 MM
CAREFINE PEN NEEDLES 32G X 4 MM
CAREFINE PEN NEEDLES 32G X 5 MM
CAREFINE PEN NEEDLES 32G X 5 MM
CAREFINE PEN NEEDLES 32G X 6 MM
1/2 157 174
1/2 157, 174 CAREONE INSULIN SYRINGE 31G X
5/16
CARETOUCH ALCOHOL PREP PAD 70
%
CARETOUCH INSULIN SYRINGE 28G X
5/16 157, 174
5/16 157, 174 CARETOUCH INSULIN SYRINGE 29G X
5/16 157, 174
CARETOLICH INSULIN SVRINGE 30G X
5/16
CARETOUCH INSULIN SYRINGE 31G X
5/16 157, 174
CARETOUCH PEN NEEDLES 29G X
12MM 157, 174
CARETOUCH PEN NEEDLES 31G X 5
MM 157, 174
CARETOUCH PEN NEEDLES 31G X 6
MM 157, 174
CARETOUCH PEN NEEDLES 31G X 8
MM 157, 174
CARETOUCH PEN NEEDLES 32G X 4
MM 157, 174
CARETOUCH PEN NEEDLES 32G X 5
MM 157, 174
CARETOUCH PEN NEEDLES 33G X 4
MM 157, 174
carglumic acid oral tablet soluble
CAYSTON
CIMZIA (2 SYRINGE) 67, 68
CIMZIA SUBCUTANEOUS KIT 2 X 200
MG
CINQAIR
CLEVER CHOICE COMFORT EZ 29G X
12MM
CLEVER CHOICE COMFORT EZ 33G X
4 MM 157, 174

C51(1) 2023 11101 A
CLICKFINE PEN NEEDLES 31G X 6 MM
CLICKFINE PEN NEEDLES 31G X 8 MM
CLICKFINE PEN NEEDLES 32G X 4 MM
COMETRIQ (100 MG DAILY DOSE)
ORAL KIT 80 & 20 MG 60
COMETRIQ (140 MG DAILY DOSE)
ORAL KIT 3 X 20 MG & 80 MG 60
COMETRIQ (60 MG DAILY DOSE) 60
COMFORT ASSIST INSULIN SYRINGE
29G X 1/2 158, 174 COMFORT ASSIST INSULIN SYRINGE
31G X 5/16 158, 174
COMFORT EZ INSULIN SYRINGE 28G
X 1/2
COMFORT EZ INSULIN SYRINGE 29G
X 1/2
COMFORT EZ INSULIN SYRINGE 30G
X 1/2 158, 174 COMFORT EZ INSULIN SYRINGE 30G
X 5/16
COMFORT EZ INSULIN SYRINGE 31G
X 15/64 158, 174
COMFORT EZ INSULIN SYRINGE 31G
X 5/16158, 174
COMFORT EZ PEN NEEDLES 31G X 5
MM 158, 174
COMFORT EZ PEN NEEDLES 31G X 6
MM 158, 174 COMFORT EZ PEN NEEDLES 31G X 8
MM158, 174
COMFORT EZ PEN NEEDLES 32G X 4
MM158, 174
COMFORT EZ PEN NEEDLES 32G X 5
MM 158, 174 COMFORT EZ PEN NEEDLES 32G X 6
MM158, 174
COMFORT EZ PEN NEEDLES 32G X 8
MM158, 174
COMFORT EZ PEN NEEDLES 33G X 4
MM 158, 174
,
MM 158, 174 COMFORT EZ PEN NEEDLES 33G X 5 MM

zation (PA) Criteria
COMFORT EZ PEN NEEDLES 33G X 6
MM 158, 174
COMFORT EZ PEN NEEDLES 33G X 8
MM 158, 174
COMFORT EZ PRO PEN NEEDLES 30G
X 8 MM 158, 174
COMFORT EZ PRO PEN NEEDLES 31G
X 4 MM 158, 174
COMFORT EZ PRO PEN NEEDLES 31G
X 5 MM 158, 174
COMFORT TOUCH INSULIN PEN NEED
31G X 4 MM 158, 174
COMFORT TOUCH INSULIN PEN NEED
31G X 5 MM 158, 174
COMFORT TOUCH INSULIN PEN NEED
31G X 6 MM 158, 174
COMFORT TOUCH INSULIN PEN NEED
31G X 8 MM
COMFORT TOUCH INSULIN PEN NEED
32G X 4 MM 158, 174
COMFORT TOUCH INSULIN PEN NEED
32G X 5 MM 158, 174
COMFORT TOUCH INSULIN PEN NEED
32G X 6 MM
COMFORT TOUCH INSULIN PEN NEED
32G X 8 MM 158, 174
COPIKTRA
CORTROPHIN
COSENTYX (300 MG DOSE) 299, 300 COSENTYX INTRAVENOUS 297, 298
COSENTYX SENSOREADY (300 MG)
SOLUTION PREFILLED SYRINGE 75
MG/0.5ML
COSENTYX UNOREADY
COTELLIC
CURITY ALCOHOL PREPS PAD 70 %
CURITY ALL PURPOSE SPONGES PAD
2
CURITY GAUZE SPONGE PAD 2 159,
174
CURITY SPONGES PAD 2 159, 174
CVS GAUZE PAD 2 159, 174

0.01(1)=0=0	
CVS GAUZE STERILE PAD 2 1	59, 174
CYLTEZO (2 PEN)	16, 17
CYLTEZO (2 SYRINGE)	16, 17
CYLTEZO-CD/UC/HS STARTER	16, 17
CYLTEZO-PSORIASIS/UV START	ER 16,
17	

D

dalfampridine er 79
DANYELZA
DANZITEN 223
dasatinib oral tablet 100 mg, 140 mg, 20 mg,
50 mg, 70 mg, 80 mg 81
DATROWAY 82
DAURISMO ORAL TABLET 100 MG, 25
MG137
deferasirox granules 84, 85
deferasirox oral tablet
DERMACEA GAUZE SPONGE PAD 2
DERMACEA IV DRAIN SPONGES PAD
2
DERMACEA NON-WOVEN SPONGES
PAD 2 159, 174 DERMACEA TYPE VII GAUZE PAD 2
DIACOMIT ORAL CAPSULE 250 MG,
500 MG
DIACOMIT ORAL PACKET 250 MG, 500
MG
DIATHRIVE PEN NEEDLE 31G X 5 MM
DIATHRIVE PEN NEEDLE 31G X 6 MM
DIATHRIVE PEN NEEDLE 31G X 8 MM
DIATHRIVE PEN NEEDLE 32G X 4 MM
diclofenac epolamine external
diclofenac sodium external solution 2 % 88
dimethyl fumarate oral capsule delayed
release 120 mg, 240 mg
dimethyl fumarate starter pack oral capsule
delayed release therapy pack
dronabinol
DROPLET INSULIN SYRINGE 29G X 1/2

DROPLET INSULIN SYRINGE 30G X 1/2
15/64 159, 174 DROPLET INSULIN SYRINGE 30G X
DROPLET INSULIN SYRINGE 30G X 5/16 150 174
5/16 159, 174 DROPLET INSULIN SYRINGE 31G X 1/4
15/64
DROPLET INSULIN SYRINGE 31G X
5/16 159, 174 DROPLET MICRON 34G X 3.5 MM 159,
174 DROPLET MICRON 34G X 3.5 MM 159,
DROPLET PEN NEEDLES 29G X 10MM
DROPLET PEN NEEDLES 29G X 12MM
DROPLET PEN NEEDLES 30G X 8 MM
DROPLET PEN NEEDLES 31G X 5 MM
DROPLET PEN NEEDLES STOA 5 MM 159-174
DROPLET PEN NEEDLES 31G X 8 MM
DROPLET PEN NEEDLES 32G X 4 MM
159, 174
DROPLET PEN NEEDLES 32G X 6 MM
159.174
DROPLET PEN NEEDLES 32G X 8 MM
DROPSAFE ALCOHOL PREP PAD 70 %
X 5 MM 159, 174
DROPSAFE SAFETY PEN NEEDLES 31G
X 6 MM
DROPSAFE SAFETY PEN NEEDLES 31G
X 8 MM 159, 174
DROPSAFE SAFETY SYRINGE/NEEDLE
29G X 1/2
DROPSAFE SAFETY SYRINGE/NEEDLE 31G X 15/64159, 160, 174
$J10 \Lambda 1J/041J9, 100, 1/4$

CSNP) 2025 Prior Au
DROPSAFE SAFETY SYRINGE/NEEDLE
31G X 5/16 160, 174
droxidopa94
DRUG MART ULTRA COMFORT SYR
29G X 1/2 160, 174
DRUG MART ULTRA COMFORT SYR
30G X 5/16 160, 174
DRUG MART UNIFINE PENTIPS 31G X
5 MM 160, 174
DUPIXENT SUBCUTANEOUS
SOLUTION AUTO-INJECTOR 95, 97
DUPIXENT SUBCUTANEOUS
SOLUTION PREFILLED SYRINGE. 95,
97
Ε
EASY COMFORT ALCOHOL PADS PAD
EASY COMFORT INSULIN SYRINGE
29G X 5/16 160, 174
EASY COMFORT INSULIN SYRINGE
30G X 1/2 160, 174
EASY COMFORT INSULIN SYRINGE
30G X 5/16 160, 174
EASY COMFORT INSULIN SYRINGE
31G X 1/2 160, 174
EASY COMFORT INSULIN SYRINGE
31G X 5/16 160, 174
EASY COMFORT INSULIN SYRINGE
32G X 5/16 160, 174
EASY COMFORT PEN NEEDLES 29G X
4MM 160, 174
EASY COMFORT PEN NEEDLES 29G X
5MM
EASY COMFORT PEN NEEDLES 31G X
5 MM
EASY COMFORT PEN NEEDLES 31G X
6 MM
EASY COMFORT PEN NEEDLES 31G X
8 MM
EASY COMFORT PEN NEEDLES 32G X
4 MM
EASY COMFORT PEN NEEDLES 33G X
4 MM
EASY COMFORT PEN NEEDLES 33G X
5 MM 160, 174

ization (FA) Criteria
EASY COMFORT PEN NEEDLES 33G X
6 MM 160, 174
EASY GLIDE PEN NEEDLES 33G X 4
MM 160, 174
EASY TOUCH ALCOHOL PREP
MEDIUM PAD 70 % 160, 174
EASY TOUCH FLIPLOCK INSULIN SY
29G X 1/2 160, 174
EASY TOUCH FLIPLOCK INSULIN SY
30G X 1/2 160, 174
EASY TOUCH FLIPLOCK INSULIN SY
30G X 5/16 160, 174
EASY TOUCH FLIPLOCK INSULIN SY
31G X 5/16 160, 174
EASY TOUCH FLIPLOCK SAFETY SYR
27G X 1/2
EASY TOUCH INSULIN BARRELS U-
100 1 ML
EASY TOUCH INSULIN SAFETY SYR
29G X 1/2
EASY TOUCH INSULIN SAFETY SYR
30G X 1/2 160, 174
EASY TOUCH INSULIN SAFETY SYR
EAST TOUCH INSULIN SAFETT STR $20C \times 5/16$ 160, 174
30G X 5/16 160, 174 EASY TOUCH INSULIN SYRINGE 27G
X 1/2
EASY TOUCH INSULIN SYRINGE 27G
X 5/8
EASY TOUCH INSULIN SYRINGE 28G
X 1/2
EASY TOUCH INSULIN SYRINGE 29G
X 1/2
EASY TOUCH INSULIN SYRINGE 30G
X 1/2 161, 174
EASY TOUCH INSULIN SYRINGE 30G
X 5/16 161, 174 EASY TOUCH INSULIN SYRINGE 31G
X 5/16 161, 174
EASY TOUCH PEN NEEDLES 29G X
12MM 161, 174
EASY TOUCH PEN NEEDLES 30G X 5
MM 161, 174
EASY TOUCH PEN NEEDLES 30G X 6
MM 161, 174 EASY TOUCH PEN NEEDLES 30G X 8
MM 161, 174

Sonder Health Plans Breathe Well (HMO C-SNP), Diabetes Wellness (HMO C-SNP), Heart Healthy (HMO C-SNP), Mind Matters (HMO C-SNP), and Renal Health (HMO **CSNP) 2025 Prior Authorization (PA) Criteria** EMBECTA INSULIN SYRINGE U-100 EASY TOUCH PEN NEEDLES 31G X 5 28G X 1/2..... 161, 174 EASY TOUCH PEN NEEDLES 31G X 6 EMBECTA PEN NEEDLE NANO 2 GEN 32G X 4 MM..... 162, 174 EASY TOUCH PEN NEEDLES 31G X 8 EMBECTA PEN NEEDLE ULTRAFINE 29G X 12.7MM...... 162, 174 EASY TOUCH PEN NEEDLES 32G X 4 EMBECTA PEN NEEDLE ULTRAFINE 32G X 6 MM..... 162, 174 EASY TOUCH PEN NEEDLES 32G X 5 EMBRACE PEN NEEDLES 29G X 12MM EASY TOUCH PEN NEEDLES 32G X 6 EMBRACE PEN NEEDLES 30G X 5 MM EMBRACE PEN NEEDLES 30G X 8 MM EASY TOUCH SAFETY PEN NEEDLES 29G X 5MM..... 161, 174 EASY TOUCH SAFETY PEN NEEDLES EMBRACE PEN NEEDLES 31G X 5 MM 29G X 8MM...... 161, 174 EASY TOUCH SAFETY PEN NEEDLES EMBRACE PEN NEEDLES 31G X 6 MM 30G X 8 MM..... 161, 174 EMBRACE PEN NEEDLES 31G X 8 MM EASY TOUCH SHEATHLOCK SYRINGE 29G X 1/2..... 161, 174 EASY TOUCH SHEATHLOCK SYRINGE EMBRACE PEN NEEDLES 32G X 4 MM 30G X 1/2..... 161, 174 EASY TOUCH SHEATHLOCK SYRINGE EMGALITY......133 EMGALITY (300 MG DOSE) 133 30G X 5/16..... 161, 174 EASY TOUCH SHEATHLOCK SYRINGE 31G X 5/16..... 161, 174 ENBREL MINI...... 117, 118 ENBREL SUBCUTANEOUS SOLUTION ELIGARD......193 25 MG/0.5ML 117, 118 ELREXFIO SUBCUTANEOUS ENBREL SUBCUTANEOUS SOLUTION SOLUTION 44 MG/1.1ML, 76 PREFILLED SYRINGE 117, 118 ENBREL SUBCUTANEOUS SOLUTION EMBECTA AUTOSHIELD DUO 30G X 5 RECONSTITUTED...... 117, 118 ENBREL SURECLICK SUBCUTANEOUS EMBECTA INS SYR U/F 1/2 UNIT 31G X SOLUTION AUTO-INJECTOR 117, 118 EPCLUSA ORAL PACKET 150-37.5 MG, EMBECTA INS SYR U/F 1/2 UNIT 31G X 200-50 MG...... 309 EPCLUSA ORAL TABLET...... 309 5/16 161, 174 EMBECTA INSULIN SYR ULTRAFINE 30G X 1/2..... 161, 174 EMBECTA INSULIN SYR ULTRAFINE EQL ALCOHOL SWABS PAD 70 % ... 162, 31G X 5/16..... 161, 174 174

EMBECTA INSULIN S	YRINGE 28G X
1/2	
EMBECTA INSULIN S	YRINGE U-100
27G X 5/8	

174

EQL GAUZE PAD 2 162, 174 EQL INSULIN SYRINGE 30G X 5/16. 162,

CSNP) 2025 Prior Au
ERLEADA ORAL TABLET 240 MG, 60
MG
erlotinib hcl oral tablet 100 mg, 150 mg, 25
• •
mg
everolimus oral tablet 10 mg, 2.5 mg, 5 mg,
7.5 mg 119
everolimus oral tablet soluble 120
EXEL COMFORT POINT PEN NEEDLE
29G X 12MM 162, 174
F
FASENRA
FASENRA PEN
fentanyl citrate buccal lozenge on a handle
FIFTY50 PEN NEEDLES 32G X 6 MM
fingolimod hcl 128
FINTEPLA 123
FOTIVDA
FREESTYLE PRECISION INS SYR 30G X
5/16
FREESTYLE PRECISION INS SYR 31G X
5/16
FRUZAQLA ORAL CAPSULE 1 MG, 5
MG131
FYARRO
G
-
GAUZE PADS PAD 2 162, 174
GAUZE TYPE VII MEDI-PAK PAD 2 162,
174
GAVRETO
gefitinib135
GILOTRIF
glatiramer acetate subcutaneous solution
prefilled syringe 20 mg/ml, 40 mg/ml 138
glatopa subcutaneous solution prefilled
syringe 20 mg/ml, 40 mg/ml 138
GLOBAL ALCOHOL PREP EASE162, 174
GLOBAL EASE INJECT PEN NEEDLES
29G X 12MM 162, 174
GLOBAL EASE INJECT PEN NEEDLES
31G X 5 MM 162, 174
GLOBAL EASE INJECT PEN NEEDLES
31G X 8 MM 162, 174
GLOBAL EASE INJECT PEN NEEDLES
32G X 4 MM 162, 174
$520 \Lambda + 10101102, 1/4$

(HWO C-SNP), and Kenai Health (HWO
rization (PA) Criteria
GLOBAL EASY GLIDE INSULIN SYR
31G X 15/64 162, 174
GLOBAL INJECT EASE INSULIN SYR
28G X 1/2 162, 174
GLOBAL INJECT EASE INSULIN SYR
29G X 1/2 162, 174
GLOBAL INJECT EASE INSULIN SYR
30G X 1/2
GLOBAL INJECT EASE INSULIN SYR
30G X 5/16
GLUCOPRO INSULIN SYRINGE 30G X
1/2
GLUCOPRO INSULIN SYRINGE 30G X
5/16 162, 174
GLUCOPRO INSULIN SYRINGE 31G X
5/16
5/16 162, 174 GNP ALCOHOL SWABS PAD 162, 174
GNP INSULIN SYRINGE 28G X 1/2 163,
174
GNP INSULIN SYRINGE 29G X 1/2 163,
174
GNP INSULIN SYRINGE 30G X 5/16 163,
174
GNP INSULIN SYRINGES 29GX1/2163,
174
GNP INSULIN SYRINGES 30G X 5/16
GNP INSULIN SYRINGES 30GX5/16 163,
174
GNP INSULIN SYRINGES 31GX5/16 163,
174
GNP STERILE GAUZE PAD 2 163, 174
GNP ULTRA COM INSULIN SYRINGE
30G X 5/16 163, 174
GOMEKLI ORAL CAPSULE 1 MG, 2 MG
GOMEKLI ORAL TABLET SOLUBLE215
GOODSENSE ALCOHOL SWABS PAD
70 % 163, 174
HAEGARDA SUBCUTANEOUS
SOLUTION RECONSTITUTED 2000
UNIT, 3000 UNIT 59
HARVONI ORAL PACKET 33.75-150
MG, 45-200 MG 187
HARVONI ORAL TABLET

CSNP) 2025 Prior Au
HEALTHWISE INSULIN SYR/NEEDLE
30G X 5/16 163, 174
HEALTHWISE INSULIN SYR/NEEDLE
31G X 5/16 163, 174
HEALTHWISE MICRON PEN NEEDLES
32G X 4 MM 163, 174
HEALTHWISE SHORT PEN NEEDLES
31G X 5 MM
HEALTHWISE SHORT PEN NEEDLES
31G X 8 MM 163, 174 HEALTHY ACCENTS UNIFINE PENTIP
29G X 12MM 163, 174
HEALTHY ACCENTS UNIFINE PENTIP
31G X 5 MM
HEALTHY ACCENTS UNIFINE PENTIP
31G X 6 MM 163, 174
HEALTHY ACCENTS UNIFINE PENTIP
31G X 8 MM
HEALTHY ACCENTS UNIFINE PENTIP
32G X 4 MM 163, 174
H-E-B INCONTROL ALCOHOL PAD 163,
174
H-E-B INCONTROL PEN NEEDLES 29G
X 12MM 163, 174
H-E-B INCONTROL PEN NEEDLES 31G
X 5 MM 163, 174
H-E-B INCONTROL PEN NEEDLES 31G
X 6 MM 163, 174
H-E-B INCONTROL PEN NEEDLES 31G
X 8 MM163, 174
H-E-B INCONTROL PEN NEEDLES 32G
X 4 MM 163, 174
HERCEPTIN HYLECTA
HERZUMA
HM STERILE ALCOHOL PREP PAD 163,
174
HM STERILE PADS PAD 2 163, 174
HM ULTICARE INSULIN SYRINGE 30G
X 1/2 163, 174 HM ULTICARE INSULIN SYRINGE 31G
X 5/16 163, 174 HM ULTICARE SHORT PEN NEEDLES
AM OLTICARE SHORT PEN NEEDLES 31G X 8 MM
HUMIRA (2 PEN) SUBCUTANEOUS
AUTO-INJECTOR KIT 11, 13
$\mathbf{AU10^{-111}JLU10K} \mathbf{K11} \dots 11, 13$

ization (PA) Criteria
HUMIRA (2 SYRINGE)
SUBCUTANEOUS PREFILLED
SYRINGE KIT 10 MG/0.1ML, 20
MG/0.2ML, 40 MG/0.4ML, 40
MG/0.8ML 11, 13
HUMIRA-CD/UC/HS STARTER
SUBCUTANEOUS AUTO-INJECTOR
KIT 11, 13
HUMIRA-PED<40KG CROHNS
STARTER
HUMIRA-PED>/=40KG CROHNS START
11, 13
HUMIRA-PED>/=40KG UC STARTER
SUBCUTANEOUS AUTO-INJECTOR
KIT 11, 13
HUMIRA-PS/UV/ADOL HS STARTER
SUBCUTANEOUS AUTO-INJECTOR
KIT
HUMIRA-PSORIASIS/UVEIT STARTER
SUBCUTANEOUS AUTO-INJECTOR
KIT 11, 13
I
IBRANCE
icatibant acetate147
ICLUSIG
IDHIFA
imatinib mesylate oral tablet 100 mg, 400 mg
mg
IMBRUVICA ORAL CAPSULE 140 MG,
70 MG
IMBRUVICA ORAL SUSPENSION 146
IMBRUVICA ORAL TABLET 146
IMDELLTRA
IMJUDO
IMKELDI150
IMPAVIDO
INCONTROL ULTICARE PEN NEEDLES
31G X 6 MM 163, 174
INCONTROL ULTICARE PEN NEEDLES
31G X 8 MM 163, 174
INCONTROL ULTICARE PEN NEEDLES
INCONTROL ULTICARE PEN NEEDLES 32G X 4 MM163, 174 INCRELEX208
32G X 4 MM 163, 174

C_{5N1}) 2023 1 1101 A
INGREZZA ORAL CAPSULE SPRINKLE
INGREZZA ORAL CAPSULE THERAPY
PACK
INLYTA ORAL TABLET 1 MG, 5 MG 39
INQOVI
INREBIC 122
INSULIN SYRINGE 29G X 1/2 163, 174
INSULIN SYRINGE 30G X 5/16 163, 174
INSULIN SYRINGE 31G X 5/16 163, 174
INSULIN SYRINGE/NEEDLE 27G X 1/2
INSULIN SYRINGE/NEEDLE 28G X 1/2
INSULIN SYRINGE-NEEDLE U-100 27G
X 1/2
INSULIN SYRINGE-NEEDLE U-100 28G
X 1/2164, 174
INSULIN SYRINGE-NEEDLE U-100 30G
X 5/16164, 174
INSULIN SYRINGE-NEEDLE U-100 31G
X 1/4 164, 174
INSULIN SYRINGE-NEEDLE U-100 31G
X 5/16164, 174
INSUPEN PEN NEEDLES 31G X 5 MM
INSUPEN PEN NEEDLES 31G X 8 MM
INSUPEN PEN NEEDLES 32G X 4 MM
INSULENTEN TEN NEEDEES 520 X 4 MINI
INSUPEN PEN NEEDLES 33G X 4 MM
INSUPEN SENSITIVE 32G X 6 MM 164,
174
INSUPEN SENSITIVE 32G X 8 MM 164,
174
INSUPEN ULTRAFIN 29G X 12MM. 164,
174
INSUPEN ULTRAFIN 30G X 8 MM 164,
174
INSUPEN ULTRAFIN 31G X 6 MM 164,
174
INSUPEN ULTRAFIN 31G X 8 MM 164,
174
ITOVEBI ORAL TABLET 3 MG, 9 MG

IWILFIN
J
J & J GAUZE PAD 2 164, 174
JAKAFI
javygtor oral tablet
JAYPIRCA ORAL TABLET 100 MG, 50
MG
JEMPERLI
K
KALYDECO 180
KENDALL HYDROPHILIC FOAM
DRESS PAD 2 164, 174
KENDALL HYDROPHILIC FOAM PLUS
PAD 2
KERENDIA
KESIMPTA
KEYTRUDA INTRAVENOUS
SOLUTION
KIMMTRAK
KINERET SUBCUTANEOUS SOLUTION
PREFILLED SYRINGE
KINRAY INSULIN SYRINGE 29G X 1/2
KISQALI (200 MG DOSE)
KISQALI (400 MG DOSE)
KISQALI (600 MG DOSE)
KISQALI FEMARA (200 MG DOSE) 278
KISQALI FEMARA (400 MG DOSE) 278
KISQALI FEMARA (600 MG DOSE) 278
KMART VALU INSULIN SYRINGE 29G
U-100 1 ML 164, 174
KMART VALU INSULIN SYRINGE 30G
U-100 0.3 ML 164, 174
KMART VALU INSULIN SYRINGE 30G
U-100 1 ML 164, 174
KOSELUGO ORAL CAPSULE 10 MG, 25
MG
KRAZATI
KROGER PEN NEEDLES 29G X 12MM
KROGER PEN NEEDLES 31G X 8 MM
KYNMOBI
KYNMOBI TITRATION KIT
L
LANREOTIDE ACETATE

CSNP) 2025 Prior Au
lapatinib ditosylate
LAZCLUZE ORAL TABLET 240 MG, 80
MG186
LEADER UNIFINE PENTIPS 31G X 5
MM 164, 174
LEADER UNIFINE PENTIPS 32G X 4
MM
LEADER UNIFINE PENTIPS PLUS 31G
X 5 MM
LEADER UNIFINE PENTIPS PLUS 31G
X 8 MM 164, 174
lenalidomide
LENVIMA (10 MG DAILY DOSE) 189
LENVIMA (12 MG DAILY DOSE) 189
LENVIMA (14 MG DAILY DOSE) 189
LENVIMA (18 MG DAILY DOSE) 189
LENVIMA (20 MG DAILY DOSE) 189
LENVIMA (24 MG DAILY DOSE) 189
LENVIMA (4 MG DAILY DOSE) 189
LENVIMA (8 MG DAILY DOSE) 189
LEUPROLIDE ACETATE (3 MONTH) 192
leuprolide acetate injection
l-glutamine oral packet 197
lidocaine external ointment 5 % 198
lidocaine external patch 5 % 199
lidocaine-prilocaine external cream 200
lidocan
LITETOUCH INSULIN SYRINGE 28G X
$\frac{1}{2} \qquad \qquad 164 174$
1/2 164, 174 LITETOUCH INSULIN SYRINGE 29G X
1/2
LITETOUCH INSULIN SYRINGE 30G X
5/16
LITETOUCH INSULIN SYRINGE 31G X
5/16
LITETOUCH PEN NEEDLES 29G X
12.7MM 164, 174
LITETOUCH PEN NEEDLES 31G X 5
MM 164, 174
LITETOUCH PEN NEEDLES 31G X 6
MM164, 174
LITETOUCH PEN NEEDLES 31G X 8
MM
LITETOUCH PEN NEEDLES 32G X 4
MM 164, 174
LIVTENCITY
20/

LONSURF ORAL TABLET 15-6.14 MG,
20-8.19 MG
LOQTORZI
LORBRENA ORAL TABLET 100 MG, 25
MG
LUMAKRAS ORAL TABLET 120 MG,
240 MG, 320 MG 317
LUNSUMIO
LUPRON DEPOT (1-MONTH) 194, 195
LUPRON DEPOT (3-MONTH) 194, 195
LUPRON DEPOT (4-MONTH) 194, 195
LUPRON DEPOT (6-MONTH) 194, 195
LUPRON DEPOT-PED (3-MONTH) 196
LUPRON DEPOT-PED (6-MONTH) 196
LUTRATE DEPOT 192
LYBALVI
LYNPARZA ORAL TABLET 238
LYTGOBI (12 MG DAILY DOSE) 132
LYTGOBI (16 MG DAILY DOSE) 132
LYTGOBI (20 MG DAILY DOSE) 132
M
MAGELLAN INSULIN SAFETY SYR
29G X 1/2 164, 165, 174
MAGELLAN INSULIN SAFETY SYR
MAGELLAN INSULIN SAFETY SYR
MAGELLAN INSULIN SAFETY SYR 30G X 5/16 165, 174
MAGELLAN INSULIN SAFETY SYR 30G X 5/16165, 174 MARGENZA
MAGELLAN INSULIN SAFETY SYR 30G X 5/16165, 174 MARGENZA
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16
MAGELLAN INSULIN SAFETY SYR 30G X 5/16

CSNP) 2025 Prior Au
MEDIC INSULIN SYRINGE 30G X 5/16
MEDICINE SHOPPE PEN NEEDLES 29G
X 12MM 165, 174 MEDICINE SHOPPE PEN NEEDLES 31G
X 8 MM 165, 174 MEDPURA ALCOHOL PADS 70 %
EXTERNAL 165, 174 MEIJER ALCOHOL SWABS PAD 70 %
174
MEIJER PEN NEEDLES 31G X 8 MM 165, 174
MEKINIST ORAL SOLUTION RECONSTITUTED
MEKINIST ORAL TABLET 0.5 MG, 2 MG
MEKTOVI
MICRODOT PEN NEEDLE 32G X 4 MM
MICRODOT PEN NEEDLE 33G X 4 MM
mifepristone oral tablet 300 mg 213 MIPLYFFA
MIRASORB SPONGES 2 165, 174
MM PEN NEEDLES 32G X 4 MM 165, 174 modafinil oral tablet 100 mg, 200 mg 219
MONOJECT INSULIN SYRINGE 25G X 5/8165, 174
MONOJECT INSULIN SYRINGE 27G X 1/2
MONOJECT INSULIN SYRINGE 28G X 1/2
MONOJECT INSULIN SYRINGE 29G X
1/2 165, 174 MONOJECT INSULIN SYRINGE 30G X
5/16 165, 174 MONOJECT INSULIN SYRINGE 31G X
5/16 165, 174 MONOJECT INSULIN SYRINGE U-100 1
ML

ization (PA) Criteria
MONOJECT ULTRA COMFORT
SYRINGE 28G X 1/2 165, 174
MONOJECT ULTRA COMFORT
SYRINGE 29G X 1/2 165, 174
MONOJECT ULTRA COMFORT
SYRINGE 30G X 5/16 165, 174
morphine sulfate (concentrate) oral solution
100 mg/5ml
MOUNJARO SUBCUTANEOUS
SOLUTION AUTO-INJECTOR 141
MVASI
Ν
NATPARA
NERLYNX
NEULASTA ONPRO
NIKTIMVO
NINLARO
nitisinone
NIVESTYM
NORDITROPIN FLEXPRO
SUBCUTANEOUS SOLUTION PEN-
INJECTOR
NOVOFINE AUTOCOVER 30G X 8 MM
NOVOFINE PEN NEEDLE 32G X 6 MM
NOVOFINE PLUS PEN NEEDLE 32G X 4
MM
NOVOTWIST PEN NEEDLE 32G X 5 MM
166, 174
NUBEQA
NUCALA SUBCUTANEOUS SOLUTION
AUTO-INJECTOR
NUCALA SUBCUTANEOUS SOLUTION
PREFILLED SYRINGE 100 MG/ML, 40
MG/0.4ML
NUCALA SUBCUTANEOUS SOLUTION
RECONSTITUTED
NUPLAZID ORAL CAPSULE
NUPLAZID ORAL CAPSULE
NURTEC
NY VEPRIA
0
OCREVUS
ODOMZO

	NP) 2025 Prior Au
OFEV	
OGIVRI	
OGSIVEO ORAL TABLE	T 100 MG, 150
MG, 50 MG	
OJEMDA ORAL SUSPEN	SION
RECONSTITUTED	
OJEMDA ORAL TABLET	352
OJJAARA	
ONAPGO	
ONTRUZANT	
ONUREG	
OPDIVO	
OPDIVO QVANTIG	
OPDUALAG	
OPSUMIT	
ORENCIA CLICKJECT	
ORENCIA ULICKJECT	
ORENCIA INTRAVENOU	,
PREFILLED SYRINGE	
ORFADIN ORAL SUSPEN	
ORGOVYX	
ORILISSA ORAL TABLE	T 150 MG, 200
MG	
ORKAMBI ORAL TABLE	-
ORSERDU ORAL TABLE	
MG	
OTEZLA	,
oxandrolone oral	
OZEMPIC (0.25 OR 0.5 M	
OZEMPIC (1 MG/DOSE).	
OZEMPIC (2 MG/DOSE).	
Р	
pazopanib hcl	
PC UNIFINE PENTIPS 31	G X 5 MM 166,
174	
PC UNIFINE PENTIPS 31	G X 6 MM 166,
174	
PC UNIFINE PENTIPS 31 174	G X 8 MM 166,
PEGASYS SUBCUTANE	OUS SOLUTION
180 MCG/ML	
PEGASYS SUBCUTANE	
PREFILLED SYRINGE	
PEMAZYRE	
PEN NEEDLE/5-BEVEL 7	
•••••••••••••••••••••••••••••••••••••••	

PEN NEEDLES 30G X 5 MM (OTC) 166,
174
PEN NEEDLES 30G X 8 MM 166, 174
PEN NEEDLES 32G X 4 MM (OTC) 166,
174
PEN NEEDLES 32G X 5 MM 166, 174
penicillamine oral tablet 257, 258
PENTIPS 29G X 12MM (RX) 166, 174
PENTIPS 31G X 5 MM (RX) 166, 174
PENTIPS 31G X 8 MM (RX) 166, 174
PENTIPS 32G X 4 MM (RX) 166, 174
PENTIPS GENERIC PEN NEEDLES 29G
X 12MM 166, 174
PENTIPS GENERIC PEN NEEDLES 31G
X 6 MM 166, 174
PENTIPS GENERIC PEN NEEDLES 32G
X 6 MM 166, 174
PIP PEN NEEDLES 31G X 5MM 31G X 5
MM 166, 174
PIP PEN NEEDLES 32G X 4MM 32G X 4
MM
PIQRAY (200 MG DAILY DOSE)
PIQRAY (250 MG DAILY DOSE)
PIQRAY (300 MG DAILY DOSE)
pirfenidone oral capsule
pirfenidone oral tablet 267 mg, 534 mg, 801
mg
PLEGRIDY STARTER PACK
SUBCUTANEOUS SOLUTION AUTO-
INJECTOR
PLEGRIDY STARTER PACK
SUBCUTANEOUS SOLUTION
PREFILLED SYRINGE 177 PLEGRIDY SUBCUTANEOUS
SOLUTION AUTO-INJECTOR 177
PLEGRIDY SUBCUTANEOUS
SOLUTION PREFILLED SYRINGE 177
POMALYST
posaconazole oral tablet delayed release 265 PRECISION SUREDOSE PLUS SYR 29G
X 1/2
PRECISION SURE-DOSE SYRINGE 28G
X 1/2
PRECISION SURE-DOSE SYRINGE 29G
X 1/2 166, 174

CSNP) 2025 Prior Au
PRECISION SURE-DOSE SYRINGE 30G
X 3/8 166, 174 PRECISION SURE-DOSE SYRINGE 30G
X 5/16 166, 174 PREFERRED PLUS INSULIN SYRINGE
28G X 1/2 166, 174
PREFERRED PLUS UNIFINE PENTIPS
29G X 12MM 166, 174 PREVENT DROPSAFE PEN NEEDLES
31G X 6 MM 166, 174 PREVENT DROPSAFE PEN NEEDLES
31G X 8 MM 166, 174 PREVENT SAFETY PEN NEEDLES 31G
X 6 MM 166, 174
PREVENT SAFETY PEN NEEDLES 31G
X 8 MM 166, 174 PREVYMIS ORAL TABLET 190
PRO COMFORT ALCOHOL PAD 70 %
PRO COMFORT INSULIN SYRINGE 30G X 1/2166, 174
PRO COMFORT INSULIN SYRINGE 30G
X 5/16
PRO COMFORT INSULIN SYRINGE 31G
X 5/16
PRO COMFORT PEN NEEDLES 31G X 8
MM
PRO COMFORT PEN NEEDLES 32G X 4
MM 166, 174 PRO COMFORT PEN NEEDLES 32G X 5
MM
PRO COMFORT PEN NEEDLES 32G X 6
MM
PRODIGY INSULIN SYRINGE 28G X 1/2
PRODIGY INSULIN SYRINGE 31G X
5/16
PROMACTA ORAL PACKET 12.5 MG,
25 MG
PROMACTA ORAL TABLET 12.5 MG, 25
MG, 50 MG, 75 MG 104
PURE COMFORT ALCOHOL PREP PAD
PURE COMFORT PEN NEEDLE 32G X 4
MM166, 174

PURE COMFORT PEN NEEDLE 32G X 5
MM 166, 174
PURE COMFORT PEN NEEDLE 32G X 6
MM 166, 174
MM 166, 174 PURE COMFORT PEN NEEDLE 32G X 8
MM 166, 174
PURE COMFORT SAFETY PEN NEEDLE
31G X 5 MM 167, 174
PURE COMFORT SAFETY PEN NEEDLE
31G X 6 MM 167, 174
PURE COMFORT SAFETY PEN NEEDLE
32G X 4 MM 167, 174
PX SHORTLENGTH PEN NEEDLES 31G
X 8 MM 167, 174
pyrimethamine oral
Q
QC ALCOHOL 167, 174 QC ALCOHOL SWABS PAD 70 % 167,
QC ALCOHOL SWABS PAD 70 % 167,
174
QC BORDER ISLAND GAUZE PAD 2
QINLOCK
QUICK TOUCH INSULIN PEN NEEDLE
31G X 4 MM 167, 174
QUICK TOUCH INSULIN PEN NEEDLE
31G X 5 MM 167, 174
QUICK TOUCH INSULIN PEN NEEDLE
32G X 4 MM 167, 174
QUICK TOUCH INSULIN PEN NEEDLE
32G X 5 MM 167, 174
QUICK TOUCH INSULIN PEN NEEDLE
32G X 6 MM 167, 174
QUICK TOUCH INSULIN PEN NEEDLE
32G X 8 MM 167, 174
QUICK TOUCH INSULIN PEN NEEDLE
33G X 4 MM 167, 174
QUICK TOUCH INSULIN PEN NEEDLE
33G X 5 MM 167, 174
QUICK TOUCH INSULIN PEN NEEDLE
33G X 6 MM 167, 174
QUICK TOUCH INSULIN PEN NEEDLE
33G X 8 MM 167, 174
quinine sulfate oral
QULIPTA

R

R
RA ALCOHOL SWABS PAD 70 % 167, 174
RA INSULIN SYRINGE 29G X 1/2 167, 174
RA INSULIN SYRINGE 30G X 5/16 167, 174
ra isopropyl alcohol wipes 167, 174 RA PEN NEEDLES 31G X 5 MM. 167, 174 RA PEN NEEDLES 31G X 8 MM. 167, 174
RA FEN NEEDLES 310 X 8 MM. 107, 174 RA STERILE PAD 2
RAYA SURE PEN NEEDLE 29G X 12MM
RAYA SURE PEN NEEDLE 31G X 4 MM
RAYA SURE PEN NEEDLE 31G X 5 MM
RAYA SURE PEN NEEDLE 31G X 6 MM
REALITY INSULIN SYRINGE 28G X 1/2
REALITY INSULIN SYRINGE 29G X 1/2
REALITY SWABS PAD 167, 174 RELION ALCOHOL SWABS PAD 167, 174
RELI-ON INSULIN SYRINGE 29G 0.3 ML
RELI-ON INSULIN SYRINGE 29G 0.5 ML
RELI-ON INSULIN SYRINGE 29G X 1/2
RELION INSULIN SYRINGE 31G X 15/64
RELION MINI PEN NEEDLES 31G X 6 MM
RELION PEN NEEDLES 31G X 6 MM167, 174
RELION PEN NEEDLES 31G X 8 MM167, 174
RESTORE CONTACT LAYER PAD 2 167, 174
RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 10000 UNIT/ML(1ML), 2000 UNIT/ML, 20000

ization (FA) Criteria
UNIT/ML, 3000 UNIT/ML, 4000
UNIT/ML, 40000 UNIT/ML 111, 112
RETEVMO ORAL CAPSULE 40 MG, 80
MG
RETEVMO ORAL TABLET 120 MG, 160
MG, 40 MG, 80 MG 303
REVUFORJ ORAL TABLET 110 MG, 160
MG, 25 MG 276
REZLIDHIA
REZUROCK
RIABNI
RINVOQ
RINVOQ LQ
RITUXAN HYCELA
ROMVIMZA
ROZLYTREK ORAL CAPSULE 100 MG,
200 MG
ROZLYTREK ORAL PACKET 108
RUBRACA
RUBRACA
RYBELSUS
RYBELSUS (FORMULATION R2) 140
RYBREVANT
RYDAPT
RYTELO151
S
SAFETY INSULIN SYRINGES 29G X 1/2
SAFETY INSULIN SYRINGES 30G X 1/2
SAFETY INSULIN SYRINGES 30G X
5/16
SAFETY PEN NEEDLES 30G X 5 MM
SAFETY PEN NEEDLES 30G X 8 MM
sapropterin dihydrochloride oral tablet 296
SB ALCOHOL PREP PAD 70 % 167, 174
SB INSULIN SYRINGE 29G X 1/2 168,
174
SB INSULIN SYRINGE 30G X 5/16 168,
174
SB INSULIN SYRINGE 31G X 5/16 168,
174
SCEMBLIX ORAL TABLET 100 MG, 20
MG, 40 MG 31

CSNP) 2025 Prior Au
SECURESAFE INSULIN SYRINGE 29G
X 1/2 168, 174
SECURESAFE SAFETY PEN NEEDLES
30G X 8 MM 168, 174
SELARSDI 373, 374, 375, 376
SEROSTIM SUBCUTANEOUS
SOLUTION RECONSTITUTED 4 MG,
5 MG, 6 MG 313
SIGNIFOR
sildenafil citrate oral tablet 20 mg 305
SIRTURO
SKYRIZI
SKYRIZI (150 MG DOSE)
SKYRIZI PEN
SM ALCOHOL PREP PAD 168, 174
SM ALCOHOL PREP PAD 6-70 %
EXTERNAL 168, 174
SM ALCOHOL PREP PAD 70 % 168, 174
SM GAUZE PAD 2 168, 174
sodium oxybate
SOMATULINE DEPOT
SUBCUTANEOUS SOLUTION 60
MG/0.2ML, 90 MG/0.3ML
SOMAVERT
sorafenib tosylate
SPRAVATO (56 MG DOSE)116
SPRAVATO (84 MG DOSE)
STELARA INTRAVENOUS
STELARA SUBCUTANEOUS
SOLUTION 45 MG/0.5ML 370, 371
STELARA SUBCUTANEOUS
SOLUTION PREFILLED SYRINGE 370,
371
STERILE GAUZE PAD 2 168, 174
STERILE PAD 2 168, 174
STIVARGA
STRENSIQ 32, 33
sunitinib malate
SURE COMFORT ALCOHOL PREP PAD
70 %
SURE COMFORT INSULIN SYRINGE
28G X 1/2
SURE COMFORT INSULIN SYRINGE
29G X 1/2
SURE COMFORT INSULIN SYRINGE
30G X 1/2
500 X 1/2 100, 1/4

rization (PA) Criteria
SURE COMFORT INSULIN SYRINGE
30G X 5/16 168, 174
SURE COMFORT INSULIN SYRINGE
31G X 1/4 168, 174
SURE COMFORT INSULIN SYRINGE
31G X 5/16 168, 174
SURE COMFORT PEN NEEDLES 29G X
12.7MM 168, 174
SURE COMFORT PEN NEEDLES 30G X
8 MM 168, 174
SURE COMFORT PEN NEEDLES 31G X
5 MM 168, 174
SURE COMFORT PEN NEEDLES 31G X
6 MM 168, 174
SURE COMFORT PEN NEEDLES 31G X
8 MM 168, 174
SURE COMFORT PEN NEEDLES 32G X
4 MM (OTC) 168, 174
SURE COMFORT PEN NEEDLES 32G X
4 MM (RX)
SURE COMFORT PEN NEEDLES 32G X
6 MM 168, 174
SURE-JECT INSULIN SYRINGE 31G X
5/16
SURE-PREP ALCOHOL PREP PAD 70 %
SURGICAL GAUZE SPONGE PAD 2 168,
174
SYMPAZAN71
SYNRIBO
Т
TABRECTA 64
tadalafil oral tablet 2.5 mg, 5 mg 321
TAFINLAR ORAL CAPSULE 76
TAFINLAR ORAL TABLET SOLUBLE 77
TAGRISSO
TALVEY
TALZENNA
TASIGNA ORAL CAPSULE 150 MG, 200
MG, 50 MG 222
TAVNEOS
TAZVERIK 325
TECHLITE INSULIN SYRINGE 29G X
1/2
TECHLITE PEN NEEDLES 32G X 4 MM

CSNP) 2025 Prior Au
TECVAYLI
ТЕРМЕТКО
TERIPARATIDE SUBCUTANEOUS
SOLUTION PEN-INJECTOR 620
MCG/2.48ML
TERUMO INSULIN SYRINGE 29G X 1/2
testosterone cypionate intramuscular
solution 100 mg/ml, 200 mg/ml, 200
mg/ml (1 ml)
testosterone enanthate intramuscular
solution
testosterone gel 1.62 % transdermal 332
testosterone transdermal gel 12.5 mg/act
(1%), 20.25 mg/act (1.62%), 25
mg/2.5gm (1%), 50 mg/5gm (1%) 332
tetrabenazine
TEVIMBRA
THALOMID
THERAGAUZE PAD 2 169, 174
TIBSOVO
TIVDAK
TODAYS HEALTH PEN NEEDLES 29G
X 12MM
TODAYS HEALTH SHORT PEN
NEEDLE 31G X 8 MM 169, 174
TOPCARE CLICKFINE PEN NEEDLES
31G X 6 MM 169, 174
TOPCARE CLICKFINE PEN NEEDLES
31G X 8 MM 169, 174
TOPCARE ULTRA COMFORT INS SYR
29G X 1/2 169, 174 TOPCARE ULTRA COMFORT INS SYR
30G X 5/16 169, 174
TOPCARE ULTRA COMFORT INS SYR
31G X 5/16
torpenz oral tablet 10 mg, 2.5 mg, 5 mg, 7.5
mg
TRAZIMERA
TRELSTAR MIXJECT
TREMFYA INTRAVENOUS 143, 144
TREMFYA ONE-PRESS
TREMFYA PEN SUBCUTANEOUS
SOLUTION AUTO-INJECTOR 200
MG/2ML 143, 144

TREMFYA SUBCUTANEOUS
SOLUTION PREFILLED SYRINGE 143,
144
tretinoin external cream
trientine hcl oral capsule 250 mg
TRUE COMFORT ALCOHOL PREP
PADS PAD 70 % 169, 174
TRUE COMFORT INSULIN SYRINGE
30G X 1/2 169, 174
TRUE COMFORT INSULIN SYRINGE
30G X 5/16 169, 174
TRUE COMFORT INSULIN SYRINGE
31G X 5/16 169, 174
TRUE COMFORT INSULIN SYRINGE
32G X 5/16 169, 174
TRUE COMFORT PEN NEEDLES 31G X
5 MM 169, 174
TRUE COMFORT PEN NEEDLES 31G X
6 MM 169, 174
TRUE COMFORT PEN NEEDLES 32G X
4 MM 169, 174
TRUE COMFORT PRO ALCOHOL PREP
PAD 70 % 169, 174
TRUE COMFORT PRO INSULIN SYR
30G X 1/2
TRUE COMFORT PRO INSULIN SYR
30G X 5/16 169, 174
TRUE COMFORT PRO INSULIN SYR
31G X 5/16
TRUE COMFORT PRO INSULIN SYR
32G X 5/16
TRUE COMFORT PRO PEN NEEDLES
31G X 5 MM
TRUE COMFORT PRO PEN NEEDLES
31G X 6 MM
TRUE COMFORT PRO PEN NEEDLES
31G X 8 MM 169, 174 TRUE COMFORT PRO PEN NEEDLES
32G X 4 MM 169, 174 TRUE COMFORT PRO PEN NEEDLES
32G X 5 MM 169, 174
TRUE COMFORT PRO PEN NEEDLES
32G X 6 MM 169, 174
TRUE COMFORT PRO PEN NEEDLES
33G X 4 MM
c c c r r r r r r r r r r r r r r r r r

CSNP) 2025 Prior A	l
TRUE COMFORT PRO PEN NEEDLES	
33G X 5 MM 169, 174	
TRUE COMFORT PRO PEN NEEDLES	
33G X 6 MM 169, 174	
33G X 6 MM 169, 174 TRUEPLUS 5-BEVEL PEN NEEDLES	
29G X 12.7MM 169, 174	
TRUEPLUS 5-BEVEL PEN NEEDLES	
31G X 5 MM 170, 174	
TRUEPLUS 5-BEVEL PEN NEEDLES	
31G X 6 MM 170, 174 TRUEPLUS 5-BEVEL PEN NEEDLES	
31G X 8 MM 170, 174	
TRUEPLUS 5-BEVEL PEN NEEDLES	
32G X 4 MM 170, 174	
TRUEPLUS INSULIN SYRINGE 28G X	
1/2	
1/2 170, 174 TRUEPLUS INSULIN SYRINGE 29G X	
1/2	
TRUEPLUS INSULIN SYRINGE 30G X	
5/16 170, 174	
TRUEPLUS INSULIN SYRINGE 31G X	
5/16 170, 174	
TRUEPLUS PEN NEEDLES 29G X 12MM	
TRUEPLUS PEN NEEDLES 31G X 5 MM	
TRUEPLUS PEN NEEDLES 31G X 6 MM	
TRUEPLUS PEN NEEDLES 31G X 8 MM	
TRUEPLUS PEN NEEDLES 32G X 4 MM	
TRULICITY SUBCUTANEOUS	
SOLUTION AUTO-INJECTOR 139	
TRUQAP ORAL TABLET 63	
TRUQAP TABLET THERAPY PACK 160	
MG ORAL	
TRUXIMA	
TUKYSA ORAL TABLET 150 MG, 50	
MG	
TURALIO	
TYENNE 344, 345, 346, 347	
TYMLOS 1	
U	
UBRELVY	

ULTICARE INSULIN SAFETY SYR 29G ULTICARE INSULIN SYRINGE 28G X **ULTICARE INSULIN SYRINGE 29G X ULTICARE INSULIN SYRINGE 30G X ULTICARE INSULIN SYRINGE 30G X** 5/16 170, 174 **ULTICARE INSULIN SYRINGE 31G X ULTICARE INSULIN SYRINGE 31G X** 5/16 170, 174 **ULTICARE MICRO PEN NEEDLES 32G** X 4 MM..... 170, 174 ULTICARE MINI PEN NEEDLES 30G X 5 ULTICARE MINI PEN NEEDLES 31G X 6 MM 171, 174 ULTICARE MINI PEN NEEDLES 32G X 6 MM 171, 174 **ULTICARE PEN NEEDLES 29G X** 12.7MM (OTC)..... 171, 174 ULTICARE PEN NEEDLES 29G X 12.7MM (RX)...... 171, 174 ULTICARE PEN NEEDLES 31G X 5 MM **ULTICARE SHORT PEN NEEDLES 30G** X 8 MM...... 171, 174 **ULTICARE SHORT PEN NEEDLES 31G** X 8 MM (OTC)..... 171, 174 **ULTICARE SHORT PEN NEEDLES 31G** X 8 MM (RX) 171, 174 ULTIGUARD SAFEPACK PEN NEEDLE 29G X 12.7MM..... 171, 174 ULTIGUARD SAFEPACK PEN NEEDLE 31G X 5 MM..... 171, 174 ULTIGUARD SAFEPACK PEN NEEDLE 31G X 6 MM..... 171. 174 ULTIGUARD SAFEPACK PEN NEEDLE 31G X 8 MM..... 171, 174 ULTIGUARD SAFEPACK PEN NEEDLE 32G X 4 MM..... 171. 174 ULTIGUARD SAFEPACK PEN NEEDLE 32G X 6 MM..... 171, 174

ULTIGUARD SAFEPACK SYR/NEEDLE 30G X 1/2..... 171, 174 ULTIGUARD SAFEPACK SYR/NEEDLE 31G X 5/16..... 171, 174 ULTILET ALCOHOL SWABS PAD ... 171, 174 ULTILET INSULIN SYRINGE 30G X 1/2 ULTILET INSULIN SYRINGE 30G X 5/16 ULTILET INSULIN SYRINGE 31G X 1/4 **ULTILET INSULIN SYRINGE 31G X** 15/64 171, 174 ULTILET INSULIN SYRINGE 31G X 5/16 ULTILET INSULIN SYRINGE SHORT 30G X 1/2..... 171, 174 ULTILET INSULIN SYRINGE SHORT 30G X 5/16..... 171, 174 ULTILET INSULIN SYRINGE SHORT 31G X 5/16..... 171, 174 ULTILET PEN NEEDLE 29G X 12.7MM ULTILET PEN NEEDLE 31G X 5 MM 171, 174 ULTILET PEN NEEDLE 31G X 8 MM 171, 174 ULTILET PEN NEEDLE 32G X 4 MM 171, 174 ULTRA COMFORT INSULIN SYRINGE 30G X 5/16..... 171, 174 ULTRA FLO INSULIN PEN NEEDLES 29G X 12MM..... 171, 174 ULTRA FLO INSULIN PEN NEEDLES 31G X 8 MM..... 171, 174 ULTRA FLO INSULIN PEN NEEDLES 32G X 4 MM..... 172, 174 ULTRA FLO INSULIN PEN NEEDLES 33G X 4 MM..... 172. 174 ULTRA FLO INSULIN SYR 1/2 UNIT 30G X 1/2..... 172, 174 ULTRA FLO INSULIN SYR 1/2 UNIT 30G X 5/16..... 172. 174 ULTRA FLO INSULIN SYR 1/2 UNIT 31G X 5/16..... 172, 174

ULTRA FLO INSULIN SYRINGE 29G X ULTRA FLO INSULIN SYRINGE 30G X ULTRA FLO INSULIN SYRINGE 30G X 5/16 172, 174 ULTRA FLO INSULIN SYRINGE 31G X 5/16 172, 174 ULTRA THIN PEN NEEDLES 32G X 4 MM 172, 174 **ULTRACARE INSULIN SYRINGE 30G X** ULTRACARE INSULIN SYRINGE 30G X 5/16 172, 174 **ULTRACARE INSULIN SYRINGE 31G X** 5/16 172, 174 **ULTRACARE PEN NEEDLES 31G X 5** MM 172, 174 ULTRACARE PEN NEEDLES 31G X 6 MM 172, 174 **ULTRACARE PEN NEEDLES 31G X 8** MM 172, 174 **ULTRACARE PEN NEEDLES 32G X 4** MM 172, 174 ULTRACARE PEN NEEDLES 32G X 5 MM 172, 174 ULTRACARE PEN NEEDLES 32G X 6 MM 172, 174 ULTRACARE PEN NEEDLES 33G X 4 MM 173, 174 **ULTRA-COMFORT INSULIN SYRINGE** 29G X 1/2..... 172, 174 ULTRA-THIN II INS SYR SHORT 30G X 5/16 172, 174 ULTRA-THIN II INS SYR SHORT 31G X 5/16 172. 174 **ULTRA-THIN II INSULIN SYRINGE 29G** ULTRA-THIN II MINI PEN NEEDLE 31G X 5 MM...... 172. 174 **ULTRA-THIN II PEN NEEDLE SHORT** 31G X 8 MM..... 172, 174 ULTRA-THIN II PEN NEEDLES 29G X UNIFINE OTC PEN NEEDLES 31G X 5 MM 173, 174

CSNP) 2025 Prior Au
UNIFINE OTC PEN NEEDLES 32G X 4 MM
UNIFINE PEN NEEDLES 32G X 4 MM
UNIFINE PENTIPS 31G X 6 MM. 173, 174
UNIFINE PENTIPS 31G X 8 MM. 173, 174
UNIFINE PENTIPS PLUS 29G X 12MM
UNIFINE PROTECT PEN NEEDLE 30G X
5 MM 173, 174
UNIFINE PROTECT PEN NEEDLE 30G X
8 MM 173, 174 UNIFINE PROTECT PEN NEEDLE 32G X
4 MM 173, 174
UNIFINE SAFECONTROL PEN NEEDLE
30G X 5 MM 173, 174
UNIFINE SAFECONTROL PEN NEEDLE
30G X 8 MM 173, 174
UNIFINE SAFECONTROL PEN NEEDLE
31G X 5 MM 173, 174
UNIFINE SAFECONTROL PEN NEEDLE
31G X 6 MM 173, 174 UNIFINE SAFECONTROL PEN NEEDLE
31G X 8 MM 173, 174
UNIFINE SAFECONTROL PEN NEEDLE
32G X 4 MM 173, 174
UNIFINE ULTRA PEN NEEDLE 31G X 5
MM 173, 174
UNIFINE ULTRA PEN NEEDLE 31G X 6
MM
UNIFINE ULTRA PEN NEEDLE 31G X 8
MM 173, 174 UNIFINE ULTRA PEN NEEDLE 32G X 4
MM 173, 174
UPTRAVI INTRAVENOUS
UPTRAVI ORAL TABLET 1000 MCG,
1200 MCG, 1400 MCG, 1600 MCG, 200
MCG, 400 MCG, 600 MCG, 800 MCG

V
VALCHLOR
VALUE HEALTH INSULIN SYRINGE
29G X 1/2 173, 174
VANFLYTA
VANISHPOINT INSULIN SYRINGE 29G
X 5/16
VANISHPOINT INSULIN SYRINGE 30G
X 3/16 173, 174
VANISHPOINT INSULIN SYRINGE 30G
X 5/16
VEGZELMA
VENCLEXTA ORAL TABLET 10 MG,
100 MG, 50 MG
VENCLEXTA STARTING PACK
VENCELEATA STARTING FACK
VEOLATI VERIFINE INSULIN PEN NEEDLE 29G
-
X 12MM 173, 174 VERIFINE INSULIN PEN NEEDLE 31G
X 5 MM 173, 174 VERIFINE INSULIN PEN NEEDLE 32G
X 6 MM
VERIFINE INSULIN SYRINGE 29G X 1/2
5/16 173, 174 VERIFINE PLUS PEN NEEDLE 31G X 5
MM
VERIFINE PLUS PEN NEEDLE 31G X 8
MM 173, 174
VERIFINE PLUS PEN NEEDLE 32G X 4
MM 173, 174
VERQUVO
VERZENIO
vigabatrin
vigadrone
vigpoder
VITRAKVI ORAL CAPSULE 100 MG, 25
MG185
VITRAKVI ORAL SOLUTION 185
VIVIMUSTA 46
VIZIMPRO
VONJO
VORANIGO
• 1 1 • • • • • • • • • • • • • • • • •
voriconazole oral suspension reconstituted

CSNP) 2025 Prior	
VOSEVI	0
VOWST 12	
VP INSULIN SYRINGE 29G X 1/2 17	3,
174	
VUMERITY	
VYALEV SUBCUTANEOUS SOLUTION	V
12-240 MG/ML 12	29
VYLOY	95
W	
WEBCOL ALCOHOL PREP LARGE PAI	D
70 % 173, 17	74
WEGMANS UNIFINE PENTIPS PLUS	
31G X 8 MM 173, 17	74
WELIREG	15
WINREVAIR	6
X	
XALKORI ORAL CAPSULE	
XALKORI ORAL CAPSULE SPRINKLE	
150 MG, 20 MG, 50 MG	75
XDEMVY)3
XELJANZ	19
XELJANZ XR	19
XERMELO 32	29
XGEVA	36
XIFAXAN ORAL TABLET 200 MG, 550	
MG	
XOLAIR	13
XOSPATA 13	36
XPOVIO (100 MG ONCE WEEKLY)	
ORAL TABLET THERAPY PACK 50	
MG)2
XPOVIO (40 MG ONCE WEEKLY) ORA	
TABLET THERAPY PACK 10 MG, 40	
MG)2
XPOVIO (40 MG TWICE WEEKLY)	
ORAL TABLET THERAPY PACK 40	
MG)2

ization (PA) Criteria
XPOVIO (60 MG ONCE WEEKLY) ORAL
TABLET THERAPY PACK 60 MG 302
XPOVIO (60 MG TWICE WEEKLY) 302
XPOVIO (80 MG ONCE WEEKLY) ORAL
TABLET THERAPY PACK 40 MG 302
XPOVIO (80 MG TWICE WEEKLY) 302
XTANDI ORAL CAPSULE 109
XTANDI ORAL TABLET 40 MG, 80 MG
XYOSTED
Y
YERVOY179
YESINTEK
YONSA
YUFLYMA (1 PEN) 14, 15
YUFLYMA (2 SYRINGE) 14, 15
YUFLYMA-CD/UC/HS STARTER 14, 15
Z
ZEJULA ORAL CAPSULE 226
ZEJULA ORAL TABLET 226
ZELBORAF
ZEVRX STERILE ALCOHOL PREP PAD
PAD 70 % 173, 174
ZIIHERA
ZIRABEV 52
ZOLADEX142
ZTALMY134
ZTLIDO 199
ZURZUVAE ORAL CAPSULE 20 MG, 25
MG, 30 MG 396
ZYDELIG 148
ZYKADIA ORAL TABLET 66
ZYNLONTA
ZYNYZ275